



FileGateway is a unique feature which opens the door to data interchange with virtually every business software data format.

Supermath puts 70 new mathematical functions at your fingertips, allowing you to perform feats never before possible with a data base.

Interested in number-crunching the dollars and cents of climbing this evolutionary ladder?

You'll be pleased to know that it's well within your grasp.

At just \$1,450 (plus sales tax), Microsoft Rbase System is very competitive.

Better still, there is no extra cost to you whatsoever for networking.

(Others demand an everincreasing fee as you add on more users. Is it any surprise that they are dying out?)

What's more, we can show you

how to easily change-over all your data base information from whatever system you use.

Honestly, you'll be far more efficient once you get that fossil out of your disk drive.

For a free demonstration please call us now on (02) 452 5088 or toll free on (008) 226 850.

Or explore the full possibilities of Microsoft Rbase System in the privacy of your own PC.

For your comprehensive trial pack, please send \$25 with this coupon to: Microsoft Rbase Offer, Freepost 3, Forestville, New South Wales 2087.

Name
Company
Title
Street Address
Postcode
Telephone

Microsoft

Soft Rbase System.

Microsoft is to software what IBM is to hardware. The industry standard.











Editor Jake Kennedy

Assistant Editor Adrian Armitage

Production Editor Allecia Khartu

Bulletin Board Sysop Andy Farkas

Art Director Pamela Jeffries

Production Kylie Prats

Contributing Editor Matt Whelan

Managing Editor Cathy Gray

Consulting Editor Les Bell

Publisher Michael Hannan

Cover Photography

Greg McBean AIC 386 courtesy of Atlantis International Computers; Sweet-P Plotter courtesy of Kenelec Pty Ltd. Office Services

Naomi Lenthen

Subscription Enquiries (02) 693 6666

Advertising Sales National Advertising Manager: Damien Prins

Advertising Production Patrice Wohlnick

OFFICES

Editorial and NSW Advertising:

Craig Rowe, 180 Bourke Rd, Alexandria 2015 Tel: (02) 693 6666, Tlx: AA74488 Fax: (02) 693 2842 Bulletin Board: (02) 669 1385

Victoria Susan Earles,

221A Bay St, Pt Melbourne 3207. Tel: (03) 646 3111, Tlx: AA34340 Fax: (03) 646 5494

Western Australia Estelle de San Miguel, John Fairfax and Sons, 454 Murray Street, Perth 6000. Tel: (09) 481 3171. Tlx: AA92635

Oueensland

Damien Prins 180 Bourke Rd, Alexandria 2015. Tel: (02) 693 6666, Tlx: AA74488

South Australia

Michael Mullins, John Fairfax and

101 Waymouth St, Adelaide 5000. Tel: (08) 212 1212, Tlx: AA82930

New Zealand

SPORTBY

Rugby Press 3rd Floor, Communications House. Parnell, Auckland. Tel: (09) 796 648, Tlx: NZ 63112

YOUR COMPUTER

is published monthly by The Federal Publishing Co Ptv Ltd. Printed by Hannanprint, 140 Bourke Rd, Alexandria 2015. Distributed Nationally by Newsagents Direct Distribution Pty Ltd

*Recommended and maximum ISSN 0725-3931

Cad and Graphics

On the cover are two of this month's featured products: the Atlantis 386, with all the power you need for graphics and Computer Aided Design, and the Kenelec four-color plotter Sweet-P (there must be a story in that name!).

FEATURES

Graphics and Friendly Computers 18

24

30

36

40

49

56

58

64

66

What place does graphics have in the computer industry itself? Some thoughts from Dr Paul Gardiner, director of marketing for Apple Australia ...

Graphics in Graphic Detail

The past, present and future of Cad (and Cam) technology.

Graphic Arts and DTP

It's not only computer companies who are getting into Desktop Publishing!

AutoSketch

After a drawing package that is easy to learn (and to pay for)? David Chatwin has found one that offers some unique features.

YC's CADalog

You want to get into the Cad/cam picture (and graphics, too)? Our listing of products and suppliers is a great place to start

Plotting with Polaris

We drew David Chatwin in to give us his view of a menu-driven, two-monitor, 3D Cad package with Computer Numerical Control

Plotting and Dotting

If you need a dedicated plotter, we've got one for your short list — and if you want, speed then we've got another . . .

Graphic Techniques

In the first of a new series, Miroslav Kostecki explains the basics of computer graphics

Cad 3D for the Atari

Stunning 3D graphics for under \$100? As a heavy AutoCAD user, Paul Fisher wanted to see if CAD-3D could provide comparable use

Computer New Faces

A Melbourne cosmetic surgeon, discovered by Tim Hartnell, is using high-resolution graphics and a software package to 'redesign' people.

NEXT MONTH INCLUDES

Christmas

To help with the last minute shopping rush, we've put together an issue full of gift ideas for you, your computer and the hacker of your heart.

Plus

This is the time of the year that many businesses, large and small, find their resources stretched to the limit. What better time to start preparing for next year? We've reviewed a selection of business software that'll help take the rush out of next Christmas.

1987 Framework Competition The winners are exposed (and Framed) in our Framework II (Doing More For You!) Contest.	77		
Your Own Supercomputer! How would you like the computer equivalent of a the Lamborghini Contache?	84		
REVIEWS			
Silk a Smooth Spreadsheet John Nicholls usually doesn't take much note of hype, but	70		
The Atlantis 386 John Hepworth a speed junkie! All it took was a little taste	90	DECEMBENT SEPTATION & SEPTATIO	
Zoom Boards Peter Feldtmann continues his search for speed with a look at three inexpensive boards	96		
Four of a Kind, or Two Pair John Hepworth drew two hard disks and two hard cards — which would you ante for?	104	Your IBM More on how to transfer data from 51/4 inch disks to the new standard 31/2 inch.	143
INSTRUCTION SET		Your C64 Finding the limits of Commodore's Basic V.2.	148
Coming to Grips with Networking — Part 2 LANs and CSMA/CD (Stewart Fist is serious!)	114	Microbee File Dof Dickinson and Sharon France introduce our new column for Microbee users (and give you a chance to design YC's Christmas Card).	150
The Attainment of Assembly — Part 2	121	Your Apple What is a thousand dollar MS-DOS card for the Apple II really worth?	152
John Summerville introduces the 8086 (from the programmer's angle). PUBLIC DOMAIN		Your Amstrad Graphics program procedures on the 464 and 6128, and Gaelic story.	157
The Prophet Speaks The latest updates from the PAMS registry.	128	Reader's Classifieds Microbee software and hardware for sale and a foolproof Yatzhee program wanted.	159
New Products An Oops, an operating system for the 80386, a marriage between SmartKey and Postcode, and a Chargeard for mamori.	132	Services Clayton's reading for the beach.	160
a Chargecard for memory IBM Underground A 3D spreadsheet.	141	Cursory Glance How do you make a parking meter user-friendly? And the Swiss have produced a computer similar to their famous knife.	162

For unbiased comparisons come to A.T.S. COMPUTING, the independent retailer.

MULTI SYNC MONO: COLOUR:

inc. \$4,995

40Mb **M28** 40Mb

\$3,650 \$4,895

All computers are prepared ready for use with over 3 Megabytes of free software, and each is covered by our own exclusive ...

COMPREHENSIVE WARRANTY with replacement on loan during breakdown period.

Our staff of six have many years of experience not only in hardware sales and service, but also in software development, training and support. We have supplied many of Australia's largest companies and government institutions, all of whom appreciate our professional approach and lower prices.

Phone: Phone:

SUBURBS: 1039a Victoria Rd., WEST RYDE 2114 • AND INTERSTATE: • Phone (not) 2540.

Since 1971)

MEDICAL/DENTAL

Our "A.T.S. Practice System" is the fastest and most comprehensive software for these professions. It includes Patient Accounts, (with bulk billing, third party and instalment billing), Appointments, Recalls, Letters, Forms, Estimates, Address Labels, Bookkeeping, Payroll, Stock Control, Patient History, Clinical Notes, Tooth Charts, Research, Practice Analysis and Statistics. Single or Multi-user with tutorial: \$2,400 incl. tax.

(Dealer enquiries welcome)

WE SERVICE THROUGHOUT AUSTRALIA — YOU SAVE!

FREE! (with computer) 13-module 'A.T.S. Management System' (normally \$495) including Letter Writing, Bookkeeping, Payroll, MS DOS Tutorial, Filer, Diary, etc.



Will OS/2 Succeed?

While the 80286 processor has been around for some years now, there is still not a generally available personal computer operating system and matching applications software to take advantage of its protected mode. In other words, the vast majority of ATs are running as high speed PCs, still suffering from the limitations inherited from the older machine's 8088-based architecture.

Meanwhile, the 80386 processor has appeared, cleverly designed by Intel so that, as well as running its own software and emulating the earlier processors to boot (just as the 80286 emulated the 8086 in real mode), the new chip also feature 8086 Virtual Machine Mode. In this mode, the 80386 is able to look like a number of 8086 processors, each operating independently and appearing to the software as though it is a completely self-contained PC (hence the term 'virtual machine').

With this mode, it is possible to construct an operating system which emulates multiple PCs, and this has been done by several software companies: Ouarterdeck Software with DesqView 1.3 and later, Microsoft with Windows/386, Digital Research with Concurrent DOS/386 and The Software Link with PC-MOS/386.

All of these operating systems provide multitasking operation of existing software, right now, while OS/2 is not yet available and won't have much software for some time after its release. So, two questions: is the 80286 dead, and is OS/2 dead?

The answer to the first question is: quite possibly. The 8088/86 is certainly dead for future development and for sales of PCs into the corporate marketplace. 8088-based PCs are just about acceptable for standalone word processing and small business accounting, but corporate users want their PCs to tie into networks, and in these applications the additional performance of the more advanced processors is necessary.

The 80286 will probably survive for some time in the corporate word processing and

spreadsheet markets, but for more CPU-intensive applications such as database systems, CAD/CAM and file servers, the extra performance of the 80386 will cause a strong switch towards it

However, the current trend towards the '386 for support of multi-tasking environments is a short-term phenomenon, and OS/2 is almost certain to win the day, running either on the '286 or the '386. The reason is simply that the 8086 virtual machine mode of the '386, which is used by such operating environments, provides completely independent copies of DOS, with no support for interprocess communication and synchronisation, and with the same 640 kilobyte memory limitation that DOS has always had.

OS/2 supports up to 1 Gbyte (1,000 Mbytes) of memory per process (a process is a running program), and provides several different methods for inter-process communication, including pipes, queues, semaphores and shared segments of memory. This will allow the construction of much larger applications, and in particular the use of program systems. While most current PC applications consist of a single program, larger computers often use sets of cooperating programs which pass data backwards and forwards in various ways. The operating system I am working with right now, Concurrent DOS, is built exactly that way; each keystroke I type gets passed around by several processes before winding up in the word processor program, and the operating system itself is comprised of multiple cooperating programs.

By using these techniques, we are able to produce modular software which is more sophisticated, larger and more powerful, but at the same time, is more reliable (it is composed of units which are smaller and consequently easier to test and debug) and is also easier to configure to the needs of individual users and installations. Such software is easier to integrate into networks, for example, and will offer advanced features such as spreadsheets which are able to couple directly into mainframe databases via SNA (or

similar networks), databases which are able to present multiple user interfaces (mouse-driven, SQL-style and others) to multiple users across a network, program systems which run partly on the PC and partly on the mainframe, and other things which I can currently only guess at.

Now, try doing these things with the current crop of 386-based software. As a former British PM (Edward Heath) was famed for saying, 'Can't Be Done. ' (this is the precursor of the derivative 'Life wasn't meant . . . ').

The OS/2 facilities are well in advance of the various '386-based quick fixes and so will form the basis of a whole new generation of software. One could even advance the argument that these '386 environments are doing the user community a dis-service by perpetuating the existence of outmoded software when it should be replaced by more advanced versions.

Now, when these OS/2 features become available to end users, they will work just as well on the 80286 as on the 80386 (except for speed) and so the 80286 will start to revive its flagging fortunes. In the meantime, the prices of AT-class machines and quite possibly the PS/2 50 and 60 will have dropped, making them even more attractive. Long term, though, the 386 is bound to win out.

The final argument in favour of OS/2 is the quality of its backing — it is supported principally by IBM and Microsoft, with other software houses such as Lotus and hardware makers like HP and DEC signing up to support it. The rest of the world can try to resist, but OS/2 is bound to win the battle of the power operating systems, almost by default.

There will always by a group of users for whom a single-tasking operating system which supports up to 640K of memory will be adequate, so DOS will live on, and the LIM EMS 4.0 standard will help to further extend its life. But the new generation of applications which will appear for OS/2 will inevitably make it the standard.

LES BELL

American Graffiti

Christmas Gifting

It's that time of year when people of foresight and taste (the kind of people who read YC, of course) begin dreaming about Christmas booty, looking for suitable gifts for others, even attempting subtlety in communicating to friends and relatives the goodies starring in their fantasies.

Sometimes, even the simplest gift can be much-appreciated. Last year, the gift that Ms. Computer Correspondent appreciated most was an extra box of fuses, a circuit tester and training on installing new fuses (Ms. C.C. sometimes forgets that it's not a good idea to plug an iron into the same circuit as her computer.)

Fortunately, several aspects of computers make Christmas gifting easier. Right off the bat, a floppy is a great place to keep a Christmas list (even if you forget which disk it's on, it wouldn't take too long to shuffle through all your disks). This is also a great way to keep a history of what you gave who last year; lists-on-disks are also a terrific way to drop a hint about what you want!

Another way that computers make gifting easier is that you can always find some sort of thingy that any computer-owner will appreciate: surge protectors, disks, prototyping boards, CRT swivel mounts — a quick flip through these pages should provide at least a dozen ideas.

For everyone except children, though, the best gift one person can give another ultimately is something that multiplies time — something that somehow creates more time to do other things, or that helps you make time to spend with friends and family. This is an especially relevant issue for those with digital dreams. Many of us who work with computers have already made computer widows or widowers of our mates. Computers and computer work often is so compelling that gifts of computer items (software, hardware, books and so on) intended to make computer users more 'efficient' or more 'productive' may well backfire: unlike other labour-saving devices, more efficient computer use does not produce more free time. Instead, it makes it so enjoyable to work at the computer that even more time is spent at the keyboard!

To me, the practical implication of this is that I'm hesitant about giving gifts that are too strongly work-related. Gifts of a computer nature for computer users should probably be about fun, not about work. They should give the recipient more play time, or — heretical thought! — otherwise remind him/her that there are other things in life besides computers. (This also means that we should be triply cautious in giving gifts to workaholics!) Bearing this caveat in mind, there are nevertheless a wealth of appropriate gifts to choose from.

Computer games are always a good standby; but if you're thinking along these lines, a game that requires two or more players is certainly preferable to one that can be played alone, or against the computer. Leave items such as flight simulators to the kiddies.

Generally speaking, matters of personal taste and preference make gifts of software somewhat perilous, somewhat like tastes in ties or other clothing, unless the would-be recipient has hinted at a specific item. If you're thinking about giving software, a gift certificate might be more appropriate. (Incidentally, an excellent choice here might be membership in one of the organizations distributing shareware. Here in the US, several organizations distribute some excellent shareware and freeware at very modest fees and publish catalogs for members listing exhaustively their offerings.)

One of the gifts I've occasionally given is a collection of some of the more obscure magazines or newsletters around. No computer user has enough time to peruse them all, or even to read them thoroughly, but a collection of magazines not usually seen can lead to all sorts of serendipitous discoveries!

Some more expensive items may inadvertently produce frustration. For example, hard disk kits are now available for many computers. Many computerists would be delighted to have one. But retrofitting an item like this to an older computer can create many frustrating hours trying to get the thing working. Moral: if giving a big-ticket, retrofit item, make sure you'll be available to help get the thing

going! (I suppose you could call this the Electric Trains principle: the giver should be available to help get the gift working!)

Modems are a natural addition to any computer system that does not now communicate and have come down significantly in cost, but a modem as a gift has some hidden catches. Here in the US, a few people who received modems on Christmas Day have temporarily gone bonkers from frustration when they realized they did not have the proper cables or communications adapters for their systems — and that stores were closed that day! Ditto phone plugs. And, of course, modems sing a siren song to new owners: 'use me, use me'. This may cause new modem owners to disappear for long periods of time (which also makes them the ideal gift for someone you'd like to disappear for a while).

Moving down to more modestly-priced gifts, most computerists can always use more memory. But if you give someone more memory, be sure it's the right kind and speed, and that the person has empty slots for it.

If you are planning to give someone memory chips, make sure too that they have some of the elementary tools associated with chips, such as a pin straightener and chip puller. (Chip pullers are not expensive and belong in the tool chest of everyone who ever looks at the innards of a computer.)

Here's a wonderful gift I heard about that won't cost a penny, and that really is the gift of time. A friend, knowing that her husband dreaded the prospect of wading through opaque documentation to learn a new word processor, learned the basics herself to show him and also prepared a quick summary of the key commands. She figured that she gained several hours with him which would otherwise have been spent listening to his muttering.

Finally, there are a plethora of smaller, last-minute type gifts that any computerist can use. Some time ago, I was given a modest gift in this category that's proven extremely useful: a box of empty Tyvek protective envelopes. (I'm a moderately disorderly person, forever misplacing empty envelopes, and I frequently reach

for the box of empties.) They could even be customized -for example: by decorating them with photos of kids, mates, pleasant scenes . . . There are some clever keyboard covers available for that loveable but slobby computer user in your life (the kind prone to spilling coffee or soft drinks into the keyboard). And perhaps a keyboard drawer will help remind someone to put the computer away for a while.

As we all know, an especially important aspect of Christmas gift-giving is dropping the hint in the right way — not too brazen, but not so subtle as to be easily overlooked. One technique that's been used successfully in the past, especially for those who use their mates' computers, is to leave files lying around containing your wishlist. (WISHLIST or GIFTLIST are some names that have been successfully used in the past.) One friend of ours made sure his wife saw his list by copying it onto every diskette she used: when he was sure it had been seen, he erased the extra copies.

I've found computers an incredible boon in Christmas gifting, particularly in doing the preparatory work to get my Christmas goodies. Here's what I'm doing: to deal with occasional absent-mindedness, Ms. Correspondent keeps her 'To Do' list on her computer, along with a program that pops up dated items when she fires up the computer in the morning. She

thinks she's the only one to put items into the file, so she never questions what her computer tells her to do. She doesn't know it, but I've planted an item on her list about buying some provocative lin-

On Christmas Eve, just after finishing my egg nog and stumbling around the tree, I plan to 'disappear' the leftover fuses (Ms. C. gave up ironing some time last year) and to arrange a temporary power failure on the circuit her computer is plugged in to.

I expect to have a delightful Christmas. Don't miss out on our Christmas Products section next month which features a swag of suggestions for the computerist!

The Unix for Business & Commerce

NOWAVAILABLE

- XENIX 286: IBM AT & close compatibles, TI PRO, Olivetti M28, Compaq, NCR
- PC8, Mitsubishi 286, Corona ATP, Sperry PCIT.

 XENIX 86: IBM XT & close compatibles, ITT, Olivetti M24, Sperry, Wyse, Compaq, Ericsson, Leading Edge, Mitsubishi, NCR PC86, Tandy 1200. XENIX 68K: Macintosh XL
- PDP-11/23, PDP-11/73, Pro 350, Pro 380. (Note: XENIX 11 is not System V).

WHY XENIX?

- · Full commercial support and training.
- Wide and local area networking. Multi-user, Multi-tasking.
- User access controls.
- File Enhancements: and record locking; Shared Data, Automatic File System, check and recovery
- Inter-process communications signals, pipes, print spooler and semaphores.
- Xenix is an entire software family · Xenix lets users tailor their environ-
- Electronic mail.

- Small, fast kernel Full Unix System V optimised for speed on microcomputers.
- Xenix has been installed on more microprocessor-based computers than all other UNIX based operating systems combined.
- Expanded and improved documentation.
- Xenix is full UNIX system V, only better.
- Xenix has superior multi-tasking
- Xenix is tuned for the micro-computer environment.

WHY BLU ESKY?

- We have been in business since 1978. · We have been involved with computers since our inception.
- First Xenix sold in 1982
- We know Xenix
- Some of our customers include: NCR

- Health Commission - Common-— Health Commission — Common-wealth Bank — Westpac — Telecom Australia — Philips — TAFE — WICAT — Dept. Science & Tech-nology — University of New South Wales — University of Sydney.

MEDIA TRANSFER

Blue Sky Industries designed and developed the extremely versatile system now marketed by NASHUA as the NASHUA DATA CONVERTER. • We provide a disk-to-(& from)-magnetic tape transfer bureau. • MAGTAPE — FLOPPY * UNIX — MSDOS — CP/M — CP/M-86 — PCDOS. 8" — 5.25" — 3.5"

SOFTWARE

NOW AVAILABLE

8 MPC

8 RS232 Ports with high-speed intelligent controller and Xenix Driver.

	Γ	7	/	/
XENIX SYSTEM V OPERATING V2.2	•	•	•	Γ
XENIX SYSTEM V OPERATING SYSTEM VERSION 2.1.3				•
LYRIX WORD PROCESSING	•	•	•	•
SCO PROFESSIONAL (Lotus 1-2-3) workalike		•	•	•
MULTI PLAN	•	•	•	•
INFORMIX relational database	•	•	•	•
FOX BASE (D Base II workalike)	•	•	•	•
FOX BASE plus (D Base III workalike)		•	•	•
FOX BASE RUN TIME		•	•	•
FOX BASE PLUS RUN TIME		•	•	•
SCO XENIX 386 TOOL KIT		•	•	•
SCO XENIX NET		•	•	•
SCO UNIPATH SNA 3270 (COMMS)	•	•	•	•
MICRO FOCUS COBOL COMPACT LEVEL II	•	•	•	•
DEVELOPMENT TOOLS INC. animator and forms — 2	•	•	•	•
C — ISAM	•	•	•	•

NEW NEW	NEW		IAEAA
MICRO FOCUS COBOL VS COBOL	•	• •	
SOFTQUAD (publishing software)	•	• •	
MULTI VIEW (windowing environment)	•	• •	

HARDWARE

- Winchester disk controllers for S-100, IBM PC, stand-alone.
- 8 Port intelligent communications board for S-100, IBM PC, IBM AT.
- Streaming tape back-up for Xenix.
- Statistical Multiplexers 8-16-24 ports with error correction.

Australian Distributor



BLUE SKY INDUSTRIES PTY. LTD.

2a Blakesley St., Chatswood, N.S.W. 2067

National: (02) 419-5799

International: +612 4195799. Telex: 74994.

DC NETWORK AUSTRALIA

LOTUS 1-2-3 V2.01 \$565

> DBASE III + \$830

MS WORD V3.11 \$595

NEC MULTISYNCH \$1150

LOTUS SOFTWARE Lotus 1-2-3\$565 Lotus Hal\$215 Symphony......\$850 Freelance Plus\$695 MICROSOFT PRODUCTS Word V3.11\$595 Multiplan.....\$335 Mouse\$245 Windows\$190 Windows/Mouse\$395 **GENERAL SOFTWARE** DBase III+\$830 Multimate Adv II.....\$675 Wordperfect\$475 Paradox.....\$695 Wordstar 2000 +\$275 The Auditor.....\$195 Timeline......\$585 Fastback \$175 Carbon Copy\$285 Sidekick ncp\$115 Norton Advanced \$210 Norton Utilities\$135

- 1. All prices includes sales tax.
- All products sourced from the official Australian Distributor.
- 3. Guaranteed service, support and price

NEC POWERMATE 80286 AT 20Mb 640K Multisynch 8MHz

> PLUS HARCARD 20Mb \$1275

CALL NOW -- FOR AUSTRALIA'S

SYMPHONY V1.2 \$850

Norton Commander	\$120
Norton Guide	
Norton Editor	\$195
Turbo Basic	\$155
Turbo Pascal	\$150
Crosstalk	\$160
Turbo C	
Harvard Graphics	\$495
Harvard Publisher	
Ventura Publisher	
Clipper	\$850
First Choice	
Reflex	
Javelin	
Foxbase III+	\$540
SuperCalc 4	
Framework II	
Xtree	\$95
Wordstar Pro 4.0	\$445
NETCOM MODEMS	****
Modem 3+12	
Smart 21/23 SA	
Smart 1200 SA	
Smart 2400 SA	
Smart 123SA	\$675

SPECIAL OFFER

A.	ORCHID TINYTURBO 286	\$750
B.	ORCHID PC TURBO 286E	\$1595
	ORCHID JET 386	



PLEASE CALL FOR ANY PRODUCTS NOT LISTED

To order or for further information call:

SYDNEY: 77 Berry St., North Sydney 2000

BRISBANE: 286 Montague Rd., West End 4101

MELBOURNE: 5th floor, 499 St. Kilda Rd., Melbourne 3004.

NEC POWERMATE 80386 AT 66Mb 640K Multisynch 16MHz

MULTISCAN 800x600 Colour screen 4 PS/2 \$1295

BEST PRICES & DELIVERY

MULTIMATE ADV II \$675

Smart 1234SA	\$1095
In Modem	
In Modem 123A	\$675
In Modem 1234A	\$860
In Modem 1200A	\$510
Smartmodem 2400A	\$725
Automodem 3+12	
Automodem 21/23	\$435
Automodem 12/12	\$550
Automodem 24/24	
Automodem 123	
Automodem 1234	
GENERAL HARDWARE	
8087 XT Co Pro	\$255
8087 XT Co Pro 8087 Turbo Co Pro	\$350
80287 AT Co Pro	\$375
Hyerace 286 10MHzf	\$695
Quadram MF 384K	\$295
Vega EGA	
Everex EGA	
Orchid Tinyturbo 286	\$750
Irma 3270 Coax	
LACEBO	
HP Series II	\$4995
HEC Silentwriter	\$4495
Epson GQ3500	
DISK DRIVES	
Seagate 20Mb	\$625
Tandon 20Mb	\$660

SEAGATE 20 MB & controller \$625

WORDSTAR V. PRO 4.0 **\$445**

WORD PERFECT V4.2 \$475

INTEL ABOVE BOARD XT \$575

Seagate 30Mb V/Coil	\$1150
Plus Hardcard 20Mb	\$1275
Plus Hardcard 40Mb	\$1950
TAPE BACKUP UNITS Cipher 25Mb ext	
Cipher 25Mb ext	\$1175
Powermate 40 Mb int	\$795
Cipher 60Mb ext	\$1950
MONITOR	
ADI Mono	\$195
Teco Colour	\$595
Teco EGA	
NEC Multisynch	\$1295
PRINTERS	
Epson EX1000	\$1020
NEC P6	Call
NEC P7	
NEC P5	
Brother 1709	
Brother 1509	\$815
Epson LQ 1000	
Epson FX 1000	\$895
Epson LQ 800	Call
Epson LQ 2500	Call
Fujitsu DL 3400	\$1260
Fujitsu DL 2400	
Fujitsu DL 2600	Call
Fujitsu DL 2400	Call
Fujitsu DL 2300	Call

SYDNEY: (02) 922 3155 MELBOURNE: (03) 820 1899 BRISBANE: (07) 844 4733



Les Stein's Envelope

AUTOMATICALLY ADDRESSES ENVELOPES & PRINTS LISTS OF NAMES



1. Hit ALT +



2. Point to the address.



3. Hit F2 — position address on envelope.



4. Hit FIO print.

JUST 4 SIMPLE STEPS

A time saving investment for Offices, Mailing Companies, P.R. Consultants, Legal Offices, Investment Companies — all companies and people who until now have had to write envelopes by hand or had to retype addresses on a typewriter.

SAVES TIME, \$\$\$ and WRITER'S CRAMP

Les Stein's Envelope is a ram resident program that pops up in your word processor and prints your envelope. Point at the address in the letter and it will jump into an envelope on screen — then print.

Any address can be stored into an address list for use next time.

■ Type directly onto the sceen envelope, grab an address from the screen or get one from your address list.

■ Use any size envelope; A4, DL, etc., or a set of labels 1, 2 or 3 across.

Do a bulk addressing from part or all of your address list. ■ Look up any Postcode in Australia in a second and insert into your address.

Automatically prints your return address. It will print on an envelope or any printer. You can put the envelope in normally, or on some printers even sideways.

Les Stein's Envelope makes envelope addressing automatic and so very easy.

IBM PC XT, AT Compatibles — any Daisywheel, Dot Matrix or laser printer.

S59
FULL PRICE
BUY 10 AND
GET ONE
EXTRA FREE!

THIS IS AN AUSTRALIAN PRODUCT.

Perfect PERFECT INTERFACE (Aust.) Pty. Ltd. 7th Floor, 8 West Street, N. Sydney NSW 2060 Phone (02) 957 6686	
Please send me Les Stein's Envelope \$59 each) ,
I enclose my cheque for \$ or please debit my Americal Express, Diner's Club, Visa, Mastercard or Bankcard plus \$6.50 freight.	n
Card expires Signature	_
Name Company	_
Address	_
Phone No	

CANBERRA COMMENT

Government Computer Dollars Go Overseas

 $\mathbf{B}^{\mathrm{uying}}$ Australian is not a high priority for Telecom or the Department of Defence when computer equipment is involved

Evidence published recently in a report from the Senate Standing Committee on Science, Technology and Environment, suggested Australia would never develop hi-tech industries without a fundamental change in government authorities' purchasing programs.

Development of new technologies is heavily supported in Japan, Europe and the USA. For example, where Australia invests \$1 dollar in electronics and computer science research, the USA invests \$74.

Because Telecom and the Department of Defence spend heavily on high-technology they have the opportunity to help develop Australian software and hardware companies.

Between them, the two departments buy 60 per cent of Australia's electronics imports. The most recent figures suggest Telecom and the Department of Defence spent \$1500 million annually on computing and communications equipment.

According to the Senate Committee report, Telecom and the Department of Defence admit not distinguishing between foreign and local industry. Their main concern was keeping prices down.

The latest figures from the Department of Defence suggest 75 per cent of money spent on new equipment went to overseas companies.

The Senate Committee hears evidence that buying locally would do more to develop Australian hi-tech industry than any tariffs, tax incentives or bounties currently available.

Whose Privacy?

A MAN IN South Australia was successfully claiming 14 Family Allowances. The Social Security Department computer questioned the payments because the children in each fake family all had the same birthday. The man was caught through lack of imagination.

Perhaps the Australia Card could stop

this type of fraud. However, many people are worried about the Australia Card invading their privacy. A recent report by the Technological Change Committee on EFT-POS systems contained an interesting section on privacy.

Legally, there is no right to privacy in Australia. The law also has problems defining privacy where hi-technology is involved. For example: does the act of storing personal information equal an invasion of privacy or does the information have to be used?

Buying Australian is not a high priority for Telecom or the Department of Defence when computer equipment is involved.

Australians believe their privacy is threatened and surveys suggest we want laws to protect it, but balanced against this is the general willingness of Australians to give information about themselves to Market Research companies. We seem to make good survey subjects.

Much of our fear seems linked to information stored in computers. In fact, the Australian Law Reform Commission report on privacy found only isolated cases where this happened. The fear of computers invading privacy appears much greater than actual cases.

It is the speed with which information is

Canberra Comment

THE POLITICAL pulse of Australia is in the capital. Canberra, and the goings on there involving the computer scene affect us all — both professionally and privately. Starting this month, William Olsen will be commenting regularly on the implementation of government policy pertaining to the computer industry and government attitudes.

now processed, rather than the amount collected which now seems threatening. As long ago as 1971, a research group at Georgetown University in the USA was given the task of developing a surveillance system for all citizens — their answer was a national EFTPOS system.

They produced a not too serious sample surveillance sheet to back up their report. Subject: John Q Public, 4 Home street, Anywhere, USA, Male, 40, married. Electrical Engineer.

Purchases: July 13th 1984: Wall St. Journal \$1.00; Breakfast \$2.25; Gas \$6.00; Phone calls (111-1234) \$0.25; (222-5678) \$0.25; Lunch \$4.00; Cocktail \$1.50; Bank W/D \$200.00 Cash; Lingerie \$135.97; Phone call (111-8769) \$0.85; (869-1111) \$0.80; Bourbon \$12.53; Boston Globe \$0.50.

Computer Analysis: Owns Shares: heavy starch breakfast — probably overweight; \$6.00 on gas - owns VW. Total gas purchased this week: \$25.00. (Obviously doing something besides driving nine miles to work): Phone No. 111-1234 belongs to Joe Book; Book arrested for SP bookmaking in 1971, '78, '83 - no convictions. Phone No. 222-5678 belongs to expensive men's barber shop specialising in hair restoration; drinks at lunch time; W/D \$200 cash — very suspicious since all legal purchases can be made with EFT-POS: Bought very expensive lingerie not his wife's size; Phone No. 111-8769 belongs to Jane Doe; Phone No. 869-1111 reservations for Las Vegas (without wife); third trip in last three months to Las Vegas (without wife); no job related firms in Las Vegas; purchased bourbon, third bottle this month. Conclusion: either heavy drinker or much entertaining

John Q Public's file contains information which is not really private. But — until recently this information was anonymous because of the huge amount collected and the slow, generally manual, processing required to correlate it.

EFTPOS systems can correlate huge amounts of data and 'personalise' it, so when mainframe computers start talking to each other privacy might suffer.

Some Federal legislation already allows this. Since 1982 the health insurance legislation gives Health, Veteran Affairs,

Hales & Rogers Permanent Discounts and Monthly Specials

brother Printers

Dot Matrix Printers		
M1109 80col 100cps 9pin NLQ friction feed and dual interface	449	631
M1109AP As above with Apple Interface & Tractor feed	539	698
M1509 136col 180cps 9pin NLQ friction & tractor dual interface	795	950
M1709 136col 240cps 9pin NLQ friction & tractor dual interface	995	1340
M1724L 136col 216cps 24pin NLQ friction & tractor dual interface	1290	1683
M4018 136col 480cps 18pin NLQ friction & tractor dual interfaces	2485	3254

Daisy wheel Printers		
HR-20 136col 22cps Daisy Wheel friction feed dual interface	870	1092
HR-40 136col 38cps with tractor cut sheet feeder dual interface	1390	2160
TR-6 136col 36cps daisy wheel 200cps dot matrix	1990	2646
Printer Accessories		
CF-150 Cut Sheet Feeder for HR-20	440	585
SF-40 Cut Sheet Feeder for M1509/1709	290	360
CF-500 Dual bin & Envelope Cut Sheet Feeder for TR6/HR40/4018	995	1317
TF-150 Tractor Feed for HR20	217	282

PRINTER STAND PURCHASED WITH ANY PRINTER ONLY \$15.00 EXTRA (NORMAL PRICE \$35.00)

We put our reputation on paper.


TF-200 Pull Tractor for 4018

SPECIAL S

H&R	RRP
150	207
150	207
150	207
116	147
150	207
150	207
AND G	FT A
nanufacti	rers'
Ξ.	150 150 150 150 116 150 150 AND GI

Software & Accessories Logitech ROM Pack Logitech Apprentice Pack Logitech Magic Toolkit Logitech Wizard's Pack Logitech Windows Pack PMI M-2/86 Repertoire PMI M-2/86 Macro2 PMI M-2/86 Macro2 H&R RRP 510 369 101 171 171 171 Mice 215 233 Loginouse Plus Pack 215 284 Logipaint Plus & PC Paintbrush 261 284 LogiCad Plus & Generic Cad 315 351 Logipaint & Cad 361 402 All Logitech Mice are available in Bus or Serial versions, please please

AMUSEMENTS	H&R	RRP
Ancient Art of War	83	96
Archon	54	61
Flight Simulator	117	131
Gato	60	68
Hitch Hiker's Guide	68	79
Jet	105	114
Leather Goddess	68	79
Newsmaster	142	160
Pitstop II	54	57
Printmaster	85	96
Rogue	54	57
Sargon III	83	113
Seven Cities of Gold	76	80
Starflight	98	103
Zork I, II or III	68	79
We can source a much larger range of g sample including the full Dataflow series software. Call for details.		



170

210

INTRA -Monochrome dual scan **TTL** monitors

12" high resolution in green or amber with tilt & swivel base.

6 months warranty. Extra special while these stocks last.

> \$195 (INCLUDING TAX)

SERIOUS SOFTWARE A tiny sample of the huge range of softw	vare we can	source.	Microsoft Word Microsoft Windows Mirror	790 204 90	960 256 123
Please call for items not listed.			Multimate Advantage	866	1203
Serious Software	H&R	RRP	Norton Utilities	133	166
Ability	187	225	Norton Utilities Advanced	233	302
Attache 4	995	995	PC-Introduction	61	74
Copywrite	95	125	Prodesign II	592	714
dBase III+	950	1470	Sidekick unprotected	117	172
EBA Business Accounting	564	675	Sideways	127	153
EBA Prelude	60	69	Silk	278	345
Fastback	166	198	Supercom Executive	168	198
First Choice	237	329	Symphony	977	1470
Lotus HAL	240	334	TAS Plus Data Base	196	227
Lotus 123	660	1099	TimeL (TimeLine)	706	892
Mace & Utilities	165	195	Twin	292	364
Microsoft Chart	533	654	Typequick	76	86
Microsoft Word & Mouse	1029	1244	Wordperfect Ver 4.2	643	789
			Xtree	131	175

ACCESSORIES	
Printer Stand to suit 15" printers, no paper tray, no bells or whistles, takes a 2" stack of paper under the stand	. \$3
PC Off Desk Stand suits virtually all PC/XT/AT computers. Stands your PC vertically on the floor at the end of your desl	k and
lets you use the top of the desk for what it was intended	. \$3
PC Extension Cables Usually necessary with the PC stand	
Monitor extension cable 3m suits RGB & TTL monitors	. \$18
Keyboard extension cable 1.8m	. \$12
Monitor mains cable extension, for monitors that plug into the switched outlet on the PC	. \$1:
Floppy Disks PERFECT Brand 100% certified with a life time warranty. All prices below are for packs of ten discs.	
Less 5% for 100 discs.	
5.25" DSDD 48TPI Bulk Pack with tabs, labels & envelopes 5.25" DSDD 48TPI Boxed with tabs, labels & envelopes	. \$2
5.25" DSDD 48TPI Boxed with tabs, labels & envelopes	. \$20
5.25" DS1.2MB 96TPI Boxed with tabs, labels & envelopes	. \$7
3.5" DSDD 135TPI Boxed with tabs, labels & envelopes	. \$6
Printer Paner	
11" x 9 5" 70gsm Plain Bond smooth edge 900 sheets	. \$2
A4 70gsm Plain Bond smooth edge 900 sheets	. \$3
11" x 9.5" 70gsm Plain Bond smooth edge 900 sheets A4 70gsm Plain Bond smooth edge 900 sheets 11" x 15" 60gsm Blue Cross Ruled 900 sheets	. \$2

Extension Cables Usually necessary with the PC stand	
itor extension cable 3m suits RGB & TTL monitors	\$18
poard extension cable 1.8m	
itor mains cable extension, for monitors that plug into the switched outlet on the PC	\$12
py Disks PERFECT Brand 100% certified with a life time warranty. All prices below are for packs of ten discs.	
5% for 100 discs.	
" DSDD 48TPI Bulk Pack with tabs, labels & envelopes	\$22
" DSDD 48TPI Boxed with tabs, labels & envelopes	\$26
" DS1.2MB 96TPI Boxed with tabs, labels & envelopes	
DSDD 135TPI Boxed with tabs, labels & envelopes	\$68
ter Paper	
C 9.5" 70gsm Plain Bond smooth edge 900 sheets Ogsm Plain Bond smooth edge 900 sheets	\$26
Oosm Plain Bond smooth edge 900 sheets	\$30
x 15" 60gsm Blue Cross Ruled 900 sheets	\$23
, lo organization and the second and	
ALLEN E DANGE ONLY OFNID FOR PRIOF LIGHT	
SAMPLE RANGE ONLY. SEND FOR PRICE LIST!	
JAMI EL MANGE VILL, VEND I VILLINGE EIVI;	

ales Tax: All prices include sales tax. We can supply tax free, please call for pri ources: All products are sourced from the authorised Australian distributor and ca	
	arry their
Il support	
rices: Are subject to change without notice. Please check before ordering	
tock: We endeavour to keep stocks of the more popular items at all times. Deliver	y usually
vernight providing your order is in before noon!	

To: Hales & Rogers. Please send me the following item s
Name
Address
Postcode
Price List & Newsletter only Add for each order post & packing Cheque enclosed \$
Please charge my Bankcard Master Card
SignatureExpiry Date
L

Social Security and registered Health Funds the right to swap data.

Many government departments would like to link up with the tax computers. However, at present privacy works in favour of the Tax Department — it guarantees that the Tax Department generally gets full income disclosures, both legal and illegal.

Software copyright is a problem for schools because they often need multiple copies, but, generally, can't afford to buy them. Their choice is to not make full use of software or to make illegal copies.

Even without computers the Tax Department has a long arm where gathering information is concerned; for example: in the early 50s a Royal Commission was held in NSW about Licensed Clubs. During proceedings, many publicans came forward to give evidence about their business turnover. Each day the court reporters noticed a 'stranger' with a pencil and notebook sitting at the back of the court.

The stranger was from the Tax Department, of course. He noted what the publicans said about their business sales then compared it with their tax returns. When the Royal Commission finished, some of the publicans were hit with huge tax bills going back ten years or more — they had trapped themselves through disclosing private information for public reasons.

Copyright Problems

THE TRICKY problem of schools and software copyright was discussed recently at the National Workshop on Software for Education. Graeme Inchley from Apple Computers chaired the discussion assisted by Ian Webb from the ACT School's Authority and Lauren Horcope from the Attorney General's Department.

The 1984 amendment to the copyright act protects computer software. However, many education authorities see the problem as far from settled.

Because software production needs time and money, Inchley believes commercial organisations need a fair return on their investment. For software companies to continue producing educational programs some copyright protection is vital.

There is also a need to educate users about copyright.

Webb thought the software industry should get a fair return for its programs, but education software consumers still have the right to expect good software at 'reasonable' prices.

Software copyright is a problem for schools because they often need multiple copies, but, generally, can't afford to buy them. Their choice is to not make full use of software or to make illegal copies. Also, illegal copying is done in many instances simply because teachers, students and the community as a whole do not always take the copyright laws seriously.

Since software copyright is generally untested in courts there are real problems with interpretation. Webb gave the following examples: Who is responsible if software is illegally copied within a school using a school computer — the person doing the copying? The principal? The school? The education system? If there is no clear statement about networking on a software package, what about schools with networks? Finally, is it legal to load several school machines with the one disk?

Horcope explained that the copyright act protects a computer program whether the owner claims copyright or not. When software is purchased 'off the shelf,' the purchaser has a license to use the software — they do not receive copyright in the software itself.

While the copyright owner cannot control how a purchaser uses a program, they can set limits. For example: a buyer may contract to use software on a specific number of workstations; if the software is used on more workstations than have been 'licensed,' it's done illegally. Also, copyright is infringed when an original program is copied without permission of the owner; although, Section 43A of the Copyright Act allows backup copying (unless it is specifically forbidden by the software supplier).

Legally, a copyright owner can sue for damages or take out an injunction to stop further copying. And, the 1984 Copyright Act has no special exemptions for schools, colleges or universities. However, copying a computer program without permission is only an offense if the copies are for sale or if it is proved the person copying knew they were breaking the law.

BLITZER MODEMS

LESS THAN ½ THE PRICE OF COMPETITIVE MODEMS



With these features:

SYNCHRONOUS AND ASYNCHRONOUS COMMUNICATIONS

CCITT V22 (1200 BPS), V21 (300 BPS) and V23 (1200/75 BPS)

BELL 212A (1200 BPS) & 103 (300 BPS)

Auto dial

Tone or pulse dialing

Auto answer

Auto redial Full Hayes AT command set including all 19 "S" registers

Call progress monitoring
Loop back for remote diagnostic
Carrier detect disconnect time adjustable
Internal speaker with volume manually and
software controllable

10 LEDS (LIGHTS) indicate status and activity Low power consumption 1.5 watts.

Housed in an attractive low profile black anodised aluminium case, the Blitzer is professionally packaged and sells for

ONLY \$449 FAX

BBM 12E available for \$349 with all the above specifications excluding V23 (1200/75 BPS)

Both Telecom approved.

The Blitzer Modems are now stocked by major computer dealers, and are distributed by:—



Suite 3, 61A Hill Street, Roseville, N.S.W. 2069 P.O. Box 8, Turramurra, N.S.W. 2074 Phone: (02) 46 3014, (02) 46 3015 Telex: AA24457

> Perth: 3 Topaz Gardens Edgewater 6027 Phone: (09) 306 2056

Aggressively structured dealer pricing

Ten command keys do it all!

available in

3.5


format

The key to Simplicity

Featuring

Wordprocessing Spreadsheet Database Mailmerge Forms & Reports Generator Line Graphics Generator

"There is an attitude which pervades a lot of the business community that if it doesn't cost an arm and a leg, a product must be a loser — don't believe it. If you are an englightened business person or you're one of the more humble computer users with limited financial resources, Intuit offers you incredibly good value." — Your Computer Magazine Sept. '87



Available by Mail Order or Credit Card from

NEWMENON AUST.

P.O. BOX 280, CARLINGFORD 2118 PHONE: (02) 871-7170

INTUIT IS-2000 — Includes 2 disks. 320-page typeset manual. Works on IBM, PC, XT, AT and most compatibles. 256k memory. (384K with DOS 2x3xetc.) with at least 2 floppy. Hard disk version \$149.00 tax included.

Data base power pack \$30.00 Bookkeeping template \$30.00

Name:
Address:
P/Code
Credit Card M/Card Bankcard. Other
Credit Card No.: Expiry date: / /
Signature

DEALER ENQURIES WELCOME



\$175.00



A CHIP OFF THE OLD BLOCK



For quality, value and service the Blue Chip Network meets your needs.

BLUE CHIP A1

1x360K D/DRIVE

256 KB RAM, colour display card, multi-function card, XT style keyboard, green or amber monitor.

\$995

BLUE CHIP PC/AT

1 MEG RAM, 20 MEG hard drive, 1x1.2 MEG disk drive. Green or amber monitor.

\$2995

- Add \$50 for 640 KB RAM
- Add \$200 for Turbo option
- Add \$100 for hi-res monographic monitor
- Add \$450 for colour monitor
- Add \$1200 for EGA monitor.

	\$
Lotus 123	645
Wordstar 2000+	375
dBase III	
Symphony	
Multiplan	
Microsoft Word	
Multimate Adv. 1	
Word Perfect	
First Choice	
Framework II	
Javelin	399
Microsoft Windows	
Norton Utilities	
Open Access II	
Ability	179
Microsoft Mouse	
Genius Mouse	
AST 6 Pack Card	219
Turbo Pascall	149
Turbo Prolog	149
Turbo Tutor	. 59
Database Toolbox	. 99
Editor Toolbox	
Graphic Toolbox	
Game Work	
	,

BLUE CHIP A2 \$1195

As per the A1 with 2 disk drives.

BLUE CHIP A3 \$1395

As per the A1 with 5 MB hard disk.

BLUE CHIP A4 \$4595

As per the A1 with 10 MB hard disk.

BLUE CHIP A5 \$1795

As per the A1 with 20 MB hard disk.

*ALL PRICES INCLUDE TAX

Blue Chip computers are assembled, sold and supported exclusively by the Blue Chip Network.

DANDENONG

92 Thomas Street

Ph: (03) 794 0966

RINGWOOD

8 Railway Place

Ph: (03) 870 2243

COBURG

328 Sydney Road

Ph: (03) 383 5655

ST. KILDA

106 St. Kilda Road

Ph: (03) 534 9437



SURRY HILLS

90 Foveaux Street

Ph: (02) 281 1044

CHATSWOOD

807 Pacific Highway

Ph: (02) 412 4122

PARRAMATTA

463a Church Street Ph: (02) 683 1599

CANBERRA

30 Lyell Street, Fyshwick Ph: (062) 80 7833

GRAPHICS AND FRIENDLY COMPUTERS

We're all familiar with computer graphics and see a number of applications every day — but what place does 'graphics' have in the computer industry itself? Some thoughts from Dr Paul Gardiner, director of marketing for Apple (Australia) . . .

he future of the personal computing industry is not what it used to be. Standards, strategy, survivability and so-called 'conventional wisdom' are currently under review. For the industry watchers, 1986 and 1987 represented the years of living dangerously. Assumptions that were cast in iron nine months ago are now wearing thin. Industry forecasts are being revised and rewritten on a quarterly, if not monthly basis. In less than a year we have gone from 'what if to 'what now' to 'what next?'

This article was extracted from a speech given by Dr Gardiner at the 1987 Australian Computer Society Conference. Less than 15 months ago, everyone thought there was safety in numbers, that going it alone would be a fatal mistake. But in the cold light of 1987 we have learnt that following the crowd can be equally as hazardous — a one way ticket to conformity, cut throat competition and mediocrity.

It is perhaps the understatement of understatements to say that Apple has always resisted conformity, and always stood apart from the industry. During the good times this attitude has made them pioneers, innovators, high tech entrepreneurs, leading edge; during the bad, it has made them mavericks, misfits, the industry loners. What is the philosophy behind Apple's being different?

Being different is easy, but offering a 'meaningful difference' and turning it into an advantage is a substantial challenge. Without meaningful difference the personal computer industry will continue its march into a grey commodity world where growth, profitability and innovation will be measured by single digits, or even fractions

Meaningful difference starts with a philosophy that says 'technology must serve the individual, and not the other way round' — it sounds like an overworked cliche, but many of the industry's problems stem from this very basic point. The industry has never come to grips with the contradiction inherent in the phrase 'personal computing.'

Apple has focussed on the personal side of the equation, which is the focal point of product development and design. Since much of the industry heralds from the data processor world, they stay true to

their computational roots. They are successful at bringing raw computing power down to the desktop but the personal side of the industry is compromised or forgotten altogether.

Apple's meaningful difference is based on the belief that technology must be usable before it can become useful. Fortune magazine recently focussed on this issue when a cover story proclaimed 'The Puny

Apple's meaningful difference is based on the belief that technology must be usable before it can become useful.

Payoff from Office Computers.' To quote Fortune, 'managers and consultants who have studied the problem offer several explanations for why computers have not improved white collar productivity. Getting large productivity benefits from computing systems usually requires a learning process.' The article goes on to say; 'many personal computers, especially machines bought during the PC boom of 1983 and 1984, sit idle much of the time.' Apparently consultants now refer to them as 'DOSty.'

In many ways technology has advanced way beyond mankind's ability to master it. Computers can recalculate a spreadsheet in the bat of an eye, but the average user

still can't get past page 3 of the user manual. Potential buyers are holding back on purchases because the cost and time of training has become prohibitive.

Human understanding of technology has reached the point where 'booting up a computer' these days means kicking the machine out of frustration after experiencing your fifth syntax error.

To help bridge the gap between man and machine there is a trend to the user friendly intuitive graphic interface. We all tend to overlook the impact that graphic representations have on our day to day existence, but they surround us and give us subconscious cues that help us react and make decisions in milliseconds.


Words and numbers are mankind's primary communication tools, but even the graphic manner in which we arrange words and numbers has a huge impact on our perceptions and our attention. To use that overworked phrase 'the medium is the message'.

Transparent Interface

The first area to consider in bridging the gap, is the move towards 'the transparent interface.' This touches on the movement of graphics into the mainstream applications area of personal computing, a phenomena that has been hastened by the birth of desktop publishing, and boosted by the growth of computer aided design. The Macintosh range is an example of the move towards a transparent interface for the whole industry (and an example of meaningful difference, at the same time).

The meaningful difference of the technology within the Macintosh has made it a third industry standard, the first two are, of course would the IBM PC and the Apple II. Then, there is the Apple Macintosh—this personal computer has been purpose designed to have a common interface across all software, embracing all of the major standards in the broader world of PCs, minis and mainframes from SCSI up to SNA.

It's possible to demonstrate with the benefit of hindsight that a major part of maintaining and building a 'meaningful difference' is precisely related to control over the operating system. By keeping this critical resource proprietary, you remain in the driver's seat. Once you lose control of your operating system you can be victimised by your own technology. Witness the current state of affairs in the DOS industry — it's become sort of a high tech killing field.' This is a direct result of the industry's love affair with operating sys-






Figure 1. ROM-based Quickdraw handles the Macintosh's sophisticated graphics routines — it was originally dismissed by the industry as a tool that could drive only simplistic, paint-like graphics.

tems. It is a direct throwback to a fascination with text and numbers, a preoccupation raw computational power, bigger RAM, faster clock speeds and more disk storage. For the most part, the computer industry continues to offer more of the same, only bigger, and faster.

Consider the hardware and software gymnastics required for much of the industry to implement desktop publishing with its heavy reliance on 'graphics.' The reason for this, simply, is that the processor families being used have builtin limitations.

The System Standards

The two main computer system standards are based on the Intel 80386, and the Motorola 68020 processors. The question arises, which is going to be the standard second generation processor — the Intel 80386 or the Motorola 68020 family?

We are dealing with relatively comparable products from a processing speed standpoint. On a Drystone measurement (a standard form of testing processor capabilities), the two products benchmark approximately the same.

But, what's more important, is the de-

Breakthrough!! Give your business one



The 'All New' DSE Multitech PC-710 gives you value like you've never seen before! It's faster — with selectable 4.77MHz or 10MHz clock speeds. New compact design, front mounted switches and keyboard socket, improved keyboard, extended warranty and much more!

The 3 in 1 graphics adaptor card gives you the choice of mono or full colour monitors at the flick of a switch. But what's best about the new PC-710 is the price! Nothing else offers such superior performance at this incredible price!

SYSTEM 1

With twin floppy 51/4" disk drives, 640K RAM, PC compatibility, MS-DOS 3.2 software PLUS 12 month carry-in warranty! Cat X-8150

Incredible!

SYSTEM 2

Single 5¼" floppy disk drive, 640K RAM, 20 Meg hard drive, improved keyboard, MS-DOS 3.2 software PLUS 12 month carry-in warranty!

\$2695

With new improved 28ms, 40 meg disk drive it's almost twice as fast as before and twice as powerful too! Business will never be the same. Check out the features — the price is astounding!

1.2Mb floppy disk drive, enhanced keyboard, new compact design, 6 or 10MHz keyboard selectable clock speed, PC and AT compatible and much, much more!

All these great features plus 12 months on site warranty. The DSE Multitech PC-910 will give your business a break why don't you? Cat X-8200

Compare it! \$4795

The 'New Series' Multitech is here

Prices do not include Monitors. Try our great range at fantastic prices when you buy a system.

• NSW • Albury 21 8399 • Barkstown Square 707 4888 • Blacktown 671 7722 • Blakehurst 546 7744 • Bondi Junction 387 1444 • Brookvale (Warringah Mall) 93 0441 • Campbelltown (046)27 2199 • Chatswood Chase 411 1955 • Chullora 642 8922 • Gore Hill 439 5311 • Gostord 25 0236 • Hornsby 477 6633 • Liverpool 600 9888 • Maitland 33 7866 • Miranda 525 2722 • Newcastle 61 1896 • North Ryde 88 3855 • Parramatta 689 2188 • Penrith (047)32 3406 • Rote 75 9440 • VIC • Ballarat 31 5433 • Bendigo 43 0388 • Box Hill 880 0698 • East Brighton 592 2366 • Coburg 383 4455 • Espanda 379 7444 • Frankston 783 9144 • Geelong 43 8804 • Melbourne City 670 8834 • Richmond 428 1614 • Ringwood 879 5338 • Springvale 547 0522 • QLD • Brisbane City 229 9377 • Buranda 391 6233 • Calma 311 515 • Chermside 359 6255 • Redbank 456 • Chermside 349 450 • Townswiller 25 7522 • Newcood 341 0944 • SNe • Adelaide City 232 1200 • Darlington 2988 977 • Elizabeth 255 6099 • Entield 260 6088 • WA • Cannington 457 8666 • Fremantle 335 9733 • North Perth 328 6944 • Perth City 481 3261 • TAS • Hobart 31 0800 • NT • Stuart Park 81 1977

gree of graphics support that each offers — with the rise of desktop publishing, graphics is moving into the mainstream application area. The architecture for the 80386 incorporates graphics and it certainly has the necessary speed. But when you compare these graphic capabilities with those of the 68020, then the Motorola has decided technical advantages. These include an onboard instruction cache of 256K containing the very fast looping instructions essential for graphics routines. This cache allows the manipulation of lots of data in order to be able to create very sophisticated bit-mapped screens.

There are twice the number of general purpose registers inside the Motorola as there are inside the 386. In fact the 386 doesn't have any cache on it, while the 68020 has an instruction cache, and the 68030 has an instruction and data cache.

Clearly, both sides will invest in bigger and more powerful processors. But will these shifts dramatically change the existing environment? Will they bring meaningful difference to the individual? Will they bring consistency to the software world? The truth is that of the two standards now operating in business, only the Motorola can deliver continuing enhancements with software compatibility, plus a 'meaningful difference' for the individual in the form of a consistent software interface. At the same time, the DOS segment of the industry has yet to decide on an interface standard - Will it be GEM? Will it be Windows 2.0? Will it be something else?

Graphics

Back to the key area of graphics: Quickdraw, in the Macintosh ROM, handles the sophisticated graphics routines and is the fundamental building block for desktop publishing. Yet in 1984, this brilliant innovation was dismissed as a tool that could drive only simplistic, paint-like graphics.

In the DOS world any acceptable level of graphics performance needs additional hardware in the form of a video card, and then there's the problem of choosing which one — PGA card, EGA card, or Hercules card. Which will the major hardware suppliers support if they do move into graphics? Consider also the vital area of developments: within the Macintosh ROM is the Toolbox with some 400 calls in ROM to be used by developers. The development rules are strict, so that consistency is maintained across applications.

The result is software which can easily move from one part of the world to an-

other — the 'localisation' of third party software fast has been made effortless and inexpensive. For example, you might use a remarkable utility program called Resedit which comes to us via a software genius named Gerard Hewton. Let's say you are a small software developer named Living Videotext, and you want to localise your own software product called MORE for the French marketplace.

To begin with, you want to translate the filename. So what do you do? You boot up Resedit and open the MORE menu, you merely replace FILE by typing in FICHE, NEW becomes NOUVEAU, OPEN becomes OUVRE, close down Resedit, Voila! Localisation has begun.

Is localisation really that easy? Witness the fact that Microsoft localised XL for Japan in less than two months. Such a feat usually requires a massive rewriting of code which takes a year to fifteen months. Witness the fact that an unknown UK company called Blithe Software created worldwide acceptance for a relational database called Omnis III, and that another software company called Aldus is localising PageMaker for markets throughout the world (and in the process, is creating a global marketplace for desktop publishing).

Recently, David Herringer of Apple, outlined some of the objectives of the strategic development centre. Imagine what power is brought to Australian developers with a program like Resedit. A local developer in this Macintosh environment can look at simple localising for markets right round the world.

These meaningful differences have already given Apple tremendous momentum in the international marketplace.

The graphically-capable Macintosh ROM of today incorporates long term strategic thinking — features are quietly being added that won't necessarily bear fruit for a number of years.

Connectivity

A few months ago the biggest challenge the personal computer industry faced was 'connectivity.' Whether you are dealing with data communications, telecommunications, or networking. it remains a massive undertaking for the entire industry — but less so since the release of the Macintosh and AppleTalk.

Through Apple's partnership with Northern Telecom in the US, we've made accessing a variety of computer systems on remote databases very easy. Using dialog boxes and soft screen buttons data can be exchanged with the rest of the world via Northern's Meridian SL1 switch. But receiving and exchanging large quantities of text and data from a variety of sources isn't the answer — it's only the beginning.

Again, to provide a meaningful difference these solutions must be usable — they have to address human dynamics first. For that reason, both the Macintosh SE and the Macintosh II can read or write DOS files or run DOS applications.

If you want connectivity under standards like Token Ring, SNA, X25, or Ethernet, the Macintosh has a transparent interface that will support your access into these 'standard' environments — then there is that other networking standard, AppleTalk, which is very simple, and deceptively powerful.

But to the user, all this is reduced to one password, and a few clicks on a mouse.

One other current Apple communication system, AppleLink, gives an idea of what 'meaningful difference' can look like in the systems world when the 68000, graphics and connectivity are all brought together.

When you wish to connect to a mainframe, say, two thousand miles away, you open the Applelink icon; Applelink welcomes you and asks for a password. As the connection is made, the computer gives a quick update from dialling to initial connection, to password validation, to making sure that you have enough accounts on the remote system, to waiting for the main menu.

Once you're into the system it offers you a number of databases while a flashing arrow at the top of the screen tells you that you have some mail waiting to be read.

For the technically inclined, AppleLink looks after all the micro to mainframe dialog. It does the error-free protocols, the CRC checks, the ACK/NAK handshakes, six to eight encoding, connections to the local MRC and the final access to the mainframe.

But to the user, all this is reduced to one password, and a few mouse clicks. That level of simplicity, that transparent an interface — that should be the objective for all computer applications.

ICROLA AUSTRALIA'S NO. 1

PRICES AUSTRAL

LET YOU DOWN

BEST

NATIONAL SALES SERVICE & DELIVERY (all prices include sales tax)

CALL: 02 - 331.7474

OR

FAX: 02 - 331·7499

NEC MULTISYNCH \$1.139 INC. TAX

WORD PERFECT V4.2 \$469 INC. TAX

SEAGATE 20MB and controller \$615 INC. TAX

NEC POWERMATES ALL CONFIGURATIONS - CALL

X-TREE \$79 INC. TAX

\$469

INTEL ABOVE BOARD XT \$567 INC. TAX

SOFTWARE

OOIIWAIL
LOTUS SOFTWARE INC. TAX
Symphony \$849 Lotus 123 \$559 Lotus HAL \$210 Freelance Plus \$670 Graphwriter \$670 In word \$190 Manuscript \$670
MICROSOFT PRODUCTS INC. TAX
Multiplan \$329 Mouse \$239 Window \$189 Window/Mouse \$368 Word \$489 Access \$395 Chart \$480 Learning Dos \$80 Project \$645 RBase System V \$1179 Window/Draw \$330 C Compiler \$695 Cobol Compiler \$695 Pascal Compiler \$495 Quickbasic \$165
SPREADSHEET INC. TAX
Lotus HAL \$210 Lotus 123 559 Twin \$240 Silk \$250 Javelin call VP Planner \$135 Supercalc 4 call
DATABASE INC. TAX
RBase System V

Paradox \$689 Reflex \$215

Q&A VER 2.0 ...

call \$285 \$895 \$950 \$849 \$225 \$195
X
\$130 . \$80 call \$430 \$280 call
\$425 \$530 \$670 \$510 \$360
\$530 \$670 \$510
\$530 \$670 \$510 \$360
\$530 \$670 \$510 \$360 C. TAX \$579 \$695 \$645

WORDPROCESSING INC. TAX

Multimate Adv II\$669 Wordperfect

MS Word \$489 Wordstar 2000 plus call

INTEGRATED INC. TAX

Multimate 3.31

Turbo Database rollox Turbo Lightning Turbo Gameworks Jumbo Pack Turbo Power Tools Plus Turbo Power Extender Turbo Power Utilities Turbo Asynch Plus Tdebug Plus	\$139 \$110 \$390 \$240 \$185 \$205
UTILITIES INC. TAX	
DS Backup Plus FAstback Copywrite Smartkey PC Alien Above Disk Poly Boost Norton Utilities Norton Advanced Typequick Printworks XTree PC Tutorial HOT Newsmaster Newsroom Rapidfile Superkey Smartstuff Mace Ver 4.10 Print Q Sideways	\$168 \$85 \$92 \$195 \$140 \$133 \$208 \$75 \$125 \$79 \$185 \$185 \$185 \$185 \$185 \$180 \$180 \$128
HARDWAR	E
NETCOMM MODEMS INC. T	ΆX
NETCOMM INMODEMS PC inmodem Inmodem 1200A Inmodem 2400A Inmodem 123A Inmodem 1234A Modem 3 + 12 NETWORK AUTOMODEMS Automodem 21/23	\$669 \$849 \$215

Turbo Editor Toolbox

Turbo Graphix Toolbox\$108 Turbo Database Toolbox \$108

Automodem 1234 NETCOMM SMART MODEMS Smart 1200A	\$785 \$725 \$875 \$569
Smart 2400A Smart 21/23SA Smart 1200SA Smart 123SA Smart 123SA Smart 1234SA Datalock 123SA	
Datalock 1234SASecurity Modem	
VIDEO CARDS INC. TAX Colour Graphics Card	

Automodem 12/12 \$539

GENERAL HARDWARE INC. TAX Intel 8087-2

Intel 80287-6	\$370
Intel 80287-8	\$550
Intel 80287-10	\$650
Intel 80387	\$1280
Intel Above Board PC/XT	\$560
Intel Above Board AT	\$780
	\$2880
Qubie 6Pak Plus 384K	\$375
AST Six Pak Plus 64K	\$330
AST Advantage Premium 512K	
	\$880
AST Rampage 256K XT	\$585
AST Rampage 512 AT	\$880
Power Supply 150 Watt	. \$170
Power Supply 200 Watt	\$260
Hyperace 286 Plus	\$689
Orchid Tiny Turbo 286	call

Irma 3270 Coax call

* ABSOLUTELY FREE! - \$1.200 WORTH OF TURBO PC-XT PERFECT SOFTWARE WITH EVERY PERCHASE.

cpu 4.77/8mhz, 640k, clock calendar, ser/par. games port, MSDos 3.2 GWBasic, blank diskettes 1 year Imagineering warranty

2 x 360 FDD, monochrome screen + \$1,200 free software only from Microland 20MB HD, 360K FDD, monchrome screen + \$1,200 free software only from Microland \$2185
20MB HD, 360K FDD, colour screen + 1,200 free software only from Microland \$2585 20MB HD, 360K FDD, EGA screen + 1,200 free software only from Microland

Limited stock available and only until stock exhausted. With every Ultra purchase for the 1st 200 purchases only, one free set of Perfect integrated software (R.R.P. \$1,200) ABSOLUTELY FREE ONLY FROM MICROLAND!!!!

OLIVETTI COMPUTERS

FREE - \$1,200 worth of Perfect Software with every Olivetti purchase only from Microland

Α.	M24 Computer, 640k RAM 20MB HD Complete	CALL FOR
	M24 Computer, 640k RAM 30MB HD Complete	
C.	M24SP Computer, 640k RAM 20MB HD Complete	SPECIAL PRICES
Ď.	M28 Computer, 512k 20MB HD Complete	\$4865
	M28 Computer 1MB, 70MB HD Complete	

KAYPRO COMPUTERS

1.	Kaypro PC, 2FDD, 768KB, 4.77/8MHZ, DOS 3.2, SER, PAR, Clock, Bundled software, 9 expn slots	\$2095
2.	Kaypro PC 30. 1FDD, 30MBHD, 4.77/8MHZ, DOS 3.2, SER/PAR, Clock, Bundled software, 9 expn slots	\$2645
3.	Kaypro 286i, 10mhz, 8026, 640k expandable to 15MB, IBM AT comp, 1.2 MB Floppy, 40MBHD, 8 expn slots	\$call
4.	Kaypro 386, IBM AT compatible, 16mhz 80386, 2.5MB, 32BIT RAM expandable to 16MB, 1.2MB Floppy, 40MBHD,	
	1 v 32 RIT/3 v 16 RIT/2 v 8 RIT elote	\$call

HYPERACE PLUS \$719 INC. TAX

VP PLANNER \$135 INC. TAX

EPSON LX 800 180 CPS \$469 INC. TAX

VEGA DELUXE \$585 INC. TAX

QUICKSILVER COMPILER \$690 INC. TAX

INTEL MATHS	8087-2 80287-8	\$345 \$550
CO PROCESSORS	80287-10	\$650

Orchid Tiny Turbo 286	call
Irma 3270 Coax	call
AST 5251	call
64K Dram Chips	
256K Dram Chips	\$7.50
256K (80 ns) Dram Chips	\$9.00

DISK DRIVES INC. TAX

Miniscribe 30MB	395 115 320 350 740 150
\$12	
Control Data 42MB voicecoil	
Control Data 70MB voicecoil	
Control Data 155MB SCSI \$40	
Control Data 182MB ESDI \$37	
NEC 20MB W/O controller \$5	
NEC 20MB with controller \$6	
NEC 40MB W/O controller \$10	
NEC 40MB with controller \$12	
Plus Hard card 20MB\$12	245
Plus Hard card 40MB\$19	939
Mountain Drive Card 30MB	call
Mountain Drive Card 50MB	call

TAPE BACK UP UNITS INC. TAX

Everex 60MB EXT	
Cipher 25MB EXT	\$1239
Cipher 60MB EXT	\$1489
Alloy 40MB INT	cal
Mountain 60MB INT	cal
Mountain 60MB EXT	cal
Mountain 40MB INT	cal
Mountain 120MB EXT	cal
Other Mountain products	cal
Archive 60MB EXT	
Tallgrass	cal
Tecmar Graphics	
Irwin full range	
5 5	

MONITORS INC. TAX	
ADI 12"	. \$189
ADI 14"	\$240
ADI 4/PX22/EGA"	
TECO Colour	
TECO EGA	
NEC Multisync	
Thomson Composite	
Thomson TTL	. \$230
Thomson Dualscan	
Thomson Colour	
Thomson EGA	
Thomson PGA/ultrascan	
EIZO Flexscan .31mm	
EIZO Flexscan .28mm	
Samsung Full Range from	
Viking Full Range	call
Wyse Full Range	call
VM 1400	. \$240
others call	
TVM MD3 CGA	
TVM MD7 EGA	. \$895
DDINTEDC	

PRINTERS INC. TAX

EPSON	
_X-800	\$459
-X-800	\$690
=X-1000	\$850
EX-800	
EX-1000	
_Q-850	
_Q-1050	
_Q-2500+	
X-800	
SQ-2500	
GQ-3500	\$3495
MICROLINE	
ML 182	
ML 183	
ML 192 +	
ML 193 +	
ML 292	
ML 293	
ML 294	
atest 450 cps	call
FUJITSU	
Fujitsu DX2300	
Fujitsu DX2400	\$985

	Fujitsu DL3400	\$1225
	Fujitsu DL2400	
	Fujitsu DL2600	
	BROTHER	ψ1020
	Brother HR20	. \$845
	Brother 1109AP	
	Brother 1709	
	Brother 1724L	
	Brother 2024L	\$1120
	Brother HR40	
	Others	
	NEC	can
l	Nec P5, P6, P7	ooll
l	TOSHIBA	Call
l	Toshiba P321	call
l	Toshiba P341	
l	Toshiba P351	
l	Toshiba 351C	
l	STAR	Can
l	Star NL10	. \$470
l	Star NX10	
ı		. I
l		I I I I I
ı	- C.C. 112 10 1111111111111111111111111111111	
ı	010	
ı	Star NR15	\$1150
l	Star NB24 10	\$1030 \$1380
	Star NB24 15 Star NB 15	\$1660
ı	Star INB 15	ווממות

LASERS INC. TAX	
Epson GQ-3500	\$4965 \$4465 \$3800 call call

AWESOME I/O CARD \$870

- DECREASE ACCESS TIME TO AS LOW AS 3MS. ON AT MACHINES
- DOUBLES HARD. DISK PRICE CAPACITY.OPTIMISES AS WELL

WYSE TERMINALS PC-XT-AT 80386 CALL FOR AUSTRALIA'S

N° 1 PRICE WYSE 60 + KEYBOARD \$890 INCL. TAX



OSBORNE AMSTRAD

CALL FOR CHEAPEST PRICES

TOSHIBA

CHECK OUR SPECIAL PRICE! **LAP TOPS** T-2100 T-3100 20MB NEC MULTI SPEED

EPSON COMPUTERS *ABSOLUTELY FREE! - \$1,200 WORTH OF PERFECT SOFTWARE WITH EVERY PERCHASE.


EPSON PC 2 x 360K FDD, 512K RAM, Serial & Parallel ports, DOS 2.11 + GWBasic, complete with desk stand	\$1500
EPSON PC 1 x 360K FDD, 20MB HDU, 512K RAM, Serial & Parallel Ports, DOS 2.11 + GWBasic. Complete with desk stand	\$2450
EPSON PCE 2 x 360K FDD,640K RAM, 4.77 – 10MHZ, Serial & Parallel Ports, O wait state, DOS 3.2 + GWBasic.	\$2095
EPSON PCE 1 x 360K FDD, 20MB HDU, 640K, RAM, 4.77 – 10MHZ, Serial & Parallel Ports, 'O' wait state, DOS 3.2 + GWBasic	\$2695
EPSON PCAX 1 x 1.2 MB FDD, 20MB HDU, 640K RAM, 3 speed switchable 6, 8, 10MHZ Volume control, DOS 3.2 GWBasic, Serial + Parallel Ports	\$3400
EPSON PCAX 1 x 1 2 MB FDD 44MB voice coil HDU etc	\$4850

PRICES DO NOT INCLUDE VIDEO CARD OR MONITOR

ALL ITEMS NOT LISTED CALL: 02 - 331 · 7474

GRAPHICS in graphic detail

Arthur Inglis of Comprador Business Systems traces the past, present, and future of Cad (and Cam) technology.



F WE LOOK back even three years ago, talking about serious Cad/cam in the PC environment would have brought shouts of derision. Back then it was a pretty mediocre offering when compared to what is available today. But, even before 1975 there was some activity in the Cad area, mainly related to mainframe systems, of course. Looking even further back to the early 60s, companies like General Motors and Lockheed had undertaken some major developments in the use of computer graphics as used in computer design and drafting; many of those mainframe systems still have the characteristics that were laid down then.

We didn't see much development in the PC Cad area until Apple introduced its 850 systems in the 70s — this was certainly one of the catalysts which started people playing with computer graphics and programming some fairly limited Cad functions.

For the period from 1975 to 1981, we were generally limited to 8-bit machines, so the functions didn't allow even attempting a complex program; and of course the graphics that were available on PCs were virtually non-existent and largely limited to games. But — the foundations were laid for what was to take place in the early 1980s — the 16-bit processor, particularly the 8080 series which, for the first time, allowed development of meaningful systems.

Some of those systems that had been developed on the 8-bit Apples and the like were ported across to 16-bit machines fairly quickly, albeit still with fairly limited functions.

The pioneer machine in that environment was the Victor Sirius which had quite good resolution monochrome graphics on it; the early versions of Auto-CAD certainly performed quite well on that machine.

In 1981/82 there still wasn't much activity — most of the attention has been focussed on AutoCAD — which was the package that sparked interest — but there were others, like Versacad, which had grown out of the Apple environment.

This article was extracted from a speech given by Arthur Inglis at the 1987 Australian Computer Society Conference.

Watch out the CAD's are CAMming

Autodesk

A utodesk was formed in 1982 by a group of 16 who had all worked together previously — they put together a collection of products to market under the Autodesk banner that included a word processor, a type of dictionary package and AutoCAD. Those were first exhibited at Comdex in 1982 and AutoCAD was so successful that the company decided to concentrate its efforts developing it.

So much so that during 1983 they actually sold something like 1000 copies in the US, which was amazing considering that the package was fairly limited in its functions back then and no one really took Cad seriously, anyway. The thing that really gave impetus to the Cad market place was the introduction of IBM PCs combined with improvements in the resolution of monitors.


NEC produced a chip while Techmar and others produced boards which gave a reasonable resolution with an IBM PC. As sales began to pick up, the software developers had money and time to spend enhancing their products. During 1984/85, we started to see some fairly significant advances in functions in the PC-based products like AutoCAD and Versacad.

The 80286

A major marketing thrust developed in 1985 with the announcement of the IBM AT using the 80286 — for the first time, Cad had the power it needed. Most users were still running on 8088 chips — you could go to sleep waiting for a zoom or a pan on one of these machines.

At the same time we started to see a lot more activity in the graphics area. IBM announced the EGA card which gave the market relatively inexpensive graphics with a reasonable resolution. And of course there were other cards (with better resolution than than the EGA) around at that stage — very specialised cards like those from Control Systems, Artists and Onecards that did a reasonable job in presenting high resolution graphics on large screens — 1024×768 .

From 1985 onward there was a tremendous boost in the acceptance of Cad on



PCs and, of course, development kept pace. AutoCAD, Versacad, Cadkey, Caddraught, PC CAD and a host of others came out with features rivalling those found on mini and mainframe systems.


And again we started to push the limits of the software and hardware. In 1986 Compaq announced their 386 machine which gave another boost to performance; at the same time the early graphics cards were being replaced by ones like Vertacom's which uses a 68000 chip that handles some of the processing.

Memory, not Power

Now, with the speed of the 16 MHz 80386 at hand, the limiting factor is not so much the power of the machine, but the available memory. Back in 1969, IBM was selling the 360 Model 30s with 16 kilobyte and 32 Kbyte of memory; a big 360 had 64 Kbyte — you could even run spooling on such a machine, and that was great stuff!

Of course now we are talking about 16 megabytes internally, but PC-based Cad systems are still generally constrained by the

The most powerful and comprehensive Statistical Graphics System for your PC is also the easiest to learn and use



STATGRAPHICS®

Unique interactive environment

Forget what you have heard about months of study to master statistical graphics. STATGRAPHICS is completely menu driven so you can get into your statistical analysis work quickly and be productive right from the start. And, once you are in, there's no looking back. You can change between numerical and graphical analysis at will, altering variables as many times as you want, and see the effect immediately.

You can also enter and access data easily as STATGRAPHICS has a full-screen data editor and interfaces with standard ASC11 files, Lotus 1-2-3® and Symphony® work sheets and dBASE® files.

Powerful statistics

STATGRAPHICS offers a full range of mathematical and statistical procedures. There are over 250 programs, including:

- ANOVA balanced, unbalanced and nested designs.
- Complete regression analysis.

- Experimental designs for industrial statistics.
- · Quality control charts.
- Multivariate and univariate techniques.
- Non-parametic methods.
- · Forecasting and time series analyses.

Sophisticated graphics

STATGRAPHICS has a wider graphics capability than any other PC statistical software. It gives you the optimum presentation choice to suit the data, audience and situation from programs, such as:

- Two- and three-dimensional line and surface plots.
- Bar and pie charts.
- Histograms.
- Time sequence plots.
- · Quality control charts.

And, you can change colours, labels, scaling and line and point types, or display several plots on the same screen.

STATGRAPHICS is part of the STSC, Inc family of PLUS ★ WARE products and is marketed

and supported Australia-wide by McMullan Kilvington Pty. Ltd. Demonstration disks and training are available.

Contact: Amanda Crofts on (03) 690 4466.



McMullan Kilvington Pty. Ltd.

70 Bridport Street, Albert Park, Victoria 3206. Tel. (03) 6904466.

STATGRAPHICS and PLUS ★ WARE are registered trademarks of STSC, Inc. dBASE is a registered trademark of Ashton-Tate. Lotus 1-2-3 and Symphony are registered trademarks of Lotus Development Corp.


STSC

A PLUS★WARE™ PRODUCT



Price & Payne 1733 MMK

IF YOU'RE IN THE BUSINESS OF DEVELOPING PC-BASED APPLICATIONS...



HERE ARE A FEW CONCRETE REASONS WHY YOU SHOULD BE USING CLARION

CLARION quickly generates code that would normally be time consuming. Have your client sit with you during prototyping, design screens and reports in minutes, eliminates design errors and get instant approval.

CLARION's language, file system, and development utilities are all tightly integrated to improve your productivity. You don't have to write code for data entry screens, windows, point-and-shoot menus, or field level help.

Moving to CLARION is easy. You build on what you already know. The language is clean and powerful, freeing you to be creative again.


The Data Base Language Extension Module will let you read and write directly to dBase III files without converting or copying them. It's a great way to migrate dead-ended applications as your client's budget and business allows — and a great business opportunity for you.

Save precious man-hours and shorten the whole development process. Develop networked screen intensive applications with a user-interface that your client's will love. Your pricing will be more competitive too because your costs are lower and "run-times" are free.

Telephone Digital Matrix now on (02) 558 3344 and ask about our special introductory offer, and our 16 page colour brochure that will give you more exciting information.



ANYONE WHO HAS JUST PURCHASED A CONVENTIONAL P.C. HAS MY SYMPATHY.





AMIGA 500 REC. RETAIL PRICE \$999 excluding monitor	MEMORY 512K internally expandable to 1Mb	MULTI-TASKING yes
COLOUR	SOUND	IBM COMPATIBLE
4096 colours	4 independent stereo channels, built in music and voice synthesiser	no

AMIGA 1000 REC. RETAIL PRICE \$2495 excluding monitor	MEMORY 512K internally expandable to 9 Mb	MULTI-TASKING yes
COLOUR 4096 colours	SOUND 4 independent stereo channels, built in music and voice synthesiser	IBM COMPATIBLE yes*

AMIGA 2000

Too bad you couldn't wait just a little bit longer.

Because Commodore has just released the complete Amiga range.

And any conventional PC is in grave danger of becoming rapidly obsolete.

There are three computers in the Amiga range, and each one of them has its main processor boosted by three co-processors.

So when it comes to performance, comparing Amiga with the conventional PC is like comparing the family car to a Formula I racer.

And we're not just talking about speed and power, either.

*IBM is a registered trademark of International Business Machines Corporation.

*Optional

Every Amiga, from the A500 to the incredible A2000, offers no less than 4096 colour options. The opportunities for graphics and animation are incredible.

Every Amiga can multi-task (run more than one program simultaneously).

And every Amiga has 4 channel stereo sound, a built in music synthesiser, and a pitch and tone modulated speaking voice.

And yet, the most impressive thing about the Amiga is not the features.

It's the price tag.

Less than \$1000 for the Amiga 500, \$2495 for the Amiga 1000, and only \$2999 for the Amiga 2000 with optional IBM* compatibility.

With a wide range of business software and specialised graphics tools, the Amiga is the only choice for home, education and

So why invest money in the technology of the past, when the technology of the future is available today.

From Commodore, naturally.

For further information on the Range, send this coupon to Marketin Commodore Business Machines Pty Lane Cove, NSW, 2066.	g Department,
Name	
Company	
Address	
Postcode Telepho	one

YOU KEEPING U P WITH THE COMMODO RΕ AMIGA? 640 Kbyte limit under MS-DOS. Of course the new range of IBM machines have overcome this, although they are still too limited in numbers to have had much impact.

CAM

The early Cam systems, if they can be described as that, were really just tape preparation systems to aid the programming of machine tools. For example, there were small packages for Apple machines that output punched paper tapes.

Of course the factors that influenced Cam are the same ones that affected Cad. Probably the most important has been the development of high speed processors — IBM's 260 Model 30 was big and it rented for around \$15,000 a month, but the power of a 386 is 3 to 4 times that of a Model 30 — certainly the I/O isn't as fast yet but the raw processing power and number crunching ability are far and away ahead of the old 30s (installed in their own airconditioned rooms, and with what seemed like a staff of thousands — and now we sit all that on a desktop).

C Compilers

ne factor that has influenced both Cad and Cam has been the development of C compilers from Unix. (I've heard Unix referred to as the operating system standard you have when you are not having an operating system standard.) C has been particularly crucial in developing Cad as it is today.

Autocad is written in it; Versacad, originally written in Pascal, has been ported across to C, opening a whole spectrum for the developer.


Another smart thing that some of these Cad producers did was to produce a system with open architecture — users could modify the package and add functions of their own. For example, the big strength of AutoCAD has been third party support. Initially functions were added through external programs, but now, with autolisting implemented, applications can be written internally.

The Present

of course the result of all this is a huge installed base of Cad systems. With AutoCAD's 80,000 copies installed representing about 44 per cent of the Cad market, that represents an enormous revenue; they are selling something like 7000 copies of AutoCAD a month worldwide now. That's generating a fairly significant amount of revenue that can be used to employ more programmers and develop more and more functions.

Today, there is a wide acceptance of micro-based Cad systems in the market. Back in the early days of Comprador when we went out knocking on doors and tried to sell AutoCAD to people like architects, their initial reaction was 'well you're wasting my time — go away — nothing we do will work on a PC.' That attitude has changed dramatically; the architectural market was probably the hardest to penetrate and now there is an increasing general acceptance of the legitimacy of Cad on PCs.

Prior to that acceptance, the general attitude from mainframe or mini Cad systems producers was 'well it's a toy, don't get involved with it'. Looking back two years ago, Intergraph, a mainframe Cad package developer, ran a whole series of ads in engineering and architectural magazines pooh-poohing PC-based Cad; in effect they said, 'look, don't get involved with PCs, they're just toys — just look at the things we can do with Cad.'



There has been a dramatic reversal of that attitude and there is not one mainframe or mini producer of Cad who hasn't got a PC-based system. Many of them were a bit late in moving and felt the pinch as PC-cad moved into the market-place.

So we are seeing a whole re-orientation of the marketplace: the revenue growth in Cad/cam systems in the US last year actually diminished but the number of workstation seats grew dramatically — that's a result of a re-orientation of the market towards the PC-based systems.

Many of these PC-based systems have functions that were only available in mainframe systems two years ago; in fact, in many cases, if you compare functions on a logical basis, the PC packages rival the mainframe ones. And we are seeing a trend towards the intelligent workstation. This is not to suggest that there is no place for mainframe Cad, there is and there always will be, but the functionality is now down at the PC level.

A 3D Perspective

Solid modelling isn't yet available with PC packages; 3D capabilities are still limited to 'wire frames.' There are rendering packages available, though, which can be used to 'colour' the faces of an object so it looks as if it is solid.

In the future we are going to see a movement towards parallel processing. This means that some of the processing load will move from the PC to the graphics board itself where we have things like displayless processors storing the display list on the board — instead of waiting minutes to zoom in on an object, you can now do it in seconds.

On the software side we are going to see a full solid modelling capability which will backend into the Cam side where it will integrate with the generation of programs to run machine tools. We are going to see much tighter integration in all aspects. For example, the facilities planning package for architects I mentioned earlier will drive builder material and space utilisation programs, even leasing programs.

So, in my opinion, the whole market is just going to explode in the next two years.

Gains or Pains

Some salesmen will tell you that you can pay for a Cad package in the first five minutes of use. That's not true. At Comprador we have seen situations where there has been no real productivity gain, but users turn to Cad for other reasons such as more accurate drawings.

We have an architect in Sydney who has six workstations installed. They are being used for both facilities planning and architectural work. In facilities, you are just placing chairs, tables, cupboards and such things on floorplans — this is one area in which there can often be dramatic improvements. In this particular office, running just 6 MHz XTs with 19 inch Artist One screens, productivity increased about two-fold — and I was surprised: I didn't believe we would see any productivity improvement in this instance.

If you come down to it — it's horses for courses and you really need to look at every particular application before you can say 'this' is what I need.

GRAPHIC

Desktop Publishing is primarily aimed at the heart of the graphics arts industry — typesetting. But, commercial typesetters haven't been idle — newspaper consultant Mark Snell reports on their reply.

NTIL RECENTLY, desktop publishing (DTP) has largely been ignored by the graphic arts industry. Initially treated with contempt, now it has least created a greater awareness of What You See Is What You Get (WYSIWYG) screen display.

Two major typesetter manufacturers, Compugraphic and Itek, are offering DTP packages or 'personal typesetting work stations' as they prefer to call them.

The Compugraphic PTS (Personal Typesetting System) Publisher and the Itek PTW (Personal Typesetting Workstation) run under DOS on IBM XTs or ATs and produce laser printer output.

Both may be used to drive trade quality typesetters directly and without the need for expensive interfaces. They are fully compatible with those typesetters and have all the standard typesetting features, including access to the full range of type styles. Also, both have a form of WYSIWYG and require no more technical skill to operate than any other DTP package.

Best of all, they are affordable. The Compugraphic PTS can be set up for about \$17,000 including computer, monitor and laser printer, while the Itek PTW costs about \$25,000 ready to run — well within the current range of DTP prices.

Jargon . . .

The PTS actually emulates Compugraphic's MCS typesetting terminal, at less than half the price, while the PTW is a new product which combines typesetting requirements with the best of PC word-processing and DTP.



At the time of writing, Compugraphic had not released its PTS system. The program reviewed was an identical product, Deskset Desiqn (spelt with a q). But before going into a detailed comparison, it is worth delving into some of the concepts and jargon that are used in any typesetting or DTP system.

Whether you are a desktop publisher or a trade typesetter, certain things are unavoidable — there must be some means of determining type style, size and relative position.

By convention, type styles are called

founts or fonts and are described by names and allocated numbers for reference. Type size is defined in points, one point being roughly 1/72 of an inch. Width or horizontal position is defined in ems (after the capital letter M which is the widest letter in most fonts.) or picas and points. A pica and an em are two names for the same thing: 12 points. Depth or vertical distance between lines is referred to in points. And in newspapers at least, it is also common to refer to depth in centimeters and width in columns, which is the way advertisements are sold.

ARTS AND DTP




Figure 1. Itek's Personal Typesetting Workstation includes an IBM XT (or AT) with a 20 megabyte hard disk and monochrome monitor, a Digitek 4000 typesetter, and the necessary software.

There is no particular reason, other than convention rooted in tradition, that these measures need to be used and many DTP packages offer a variety of options for the user.

Typesetting is usually described in terms of line length, type size, style and line spacing, using whatever unit is pre-

ferred. Each line of characters can be set to the left of the line, to the right, in the centre, which is known as quadding the line left, right or centre. It can also be stretched to fill the full width of the line, which is known as justifying.

Characters are also described in terms of their relative width which is not dependent on type size. Tables of font widths contain the width of each character in relative units based on the capital M. The Compugraphic system uses 54 units to the em, while Itek uses 36.

The relevance of this will become ap-

parent in the following discussion, as a major difference between DTP to date and trade typesetters is the typographical control that the user can exercise.

As any user of DTP would know, the characters in each font vary in width, also, word spacing is varied to achieve setting in justified columns. Generally, the DTP user will think no more of spacing than this but — for the serious user spacing, more than anything else, is the secret to good design and the ability to exercise a high degree of control is required.

Trade typesetting machines commonly offer user control over letter spacing, word spacing and hyphenation, each of which can have a great impact on the finished product. Generally, three controls exist over letter spacing: kerning, tracking and individual widths.

Kerning usually refers to trimming the width of a letter to suit an adjacent letter. The letters AV, for instance, will look further apart in the word HAVE unless the AV pair is kerned. Most typesetters have automatic kerning of up to 256 pairs, each of which may be redefined by the user.

Tracking refers to the overall amount of white space between letters. This affects readability and impact — smaller type requires more relative space between each letter than headlines. Most DTP packages do not provide this compensation. Typesetters do and they also offer the ability to define this setting.

Typesetters also allow individual character widths to be defined. Unlike many DTP packages, font width tables are accessible and the relative widths of individual characters can be permanently changed to suit a user's needs. Alternatively, the width of one individual letter in one job may be adjusted.

Hyphenation at the end of lines is also important to presentation as well as readability. Good hyphenation keeps word spacing as even as possible while retaining readability. As well as providing both logical hyphenation and an editable exception dictionary, most trade typesetters allow the user to specify the minimum numbers of letters acceptable at each end of a hyphenated word as well as the maximum number of consecutive lines in which hyphens may appear. In newspaper setting, for instance, a greater number of consecutive hyphens and shorter prefixes and suffixes are acceptable than in book work

As well as this, typesetters offer control over word spacing, with the user able to define the optimum, the minimum and the maximum spacing. When the maximum word spacing is reached in justifying a line, letter spacing is implemented to fill the line out.

Many DTP packages do not even offer hyphenation, let alone letterspacing or kerned pairs and certainly do not allow the operator to set his own parameters in this area. Both the Itek and the Compugraphic systems offer all the facilities of their standard typesetters.

Another difference is in the form that the characters are stored, typesetters will commonly use an outline algorithm rather than have bit-mapped characters. This method of character reproduction is not dependent on resolution and means type sizes are available from 5 to 72 point in 1/2 point (Itek) or 1/4 point (Compugraphic) increments. It allows a variety of output devices: low or high resolution screen, laser printer or typesetter.

This also makes possible tricks such as expanding, condensing and obliquing a standard face. A trade typesetter would not normally use such gimmicks because they have the effect of an anamorphic lens rather than producing a true italic or expanded font. But where an italic or condensed font of a sans serif face is not on hand, obliquing or condensing the standard version might be the last resort.

DTP Novices

Another area where traditional typesetters and DTP programs have shown a totally different approach is in the way commands and instructions are implemented.

DTP has concentrated on being readily accessible to novices and being a pleasure to use while a trade typesetter needs speed, accuracy and efficiency from a competent operator. The DTP approach has been well documented in the pages of *Your Computer* by Matt Whelan and others.

Type sizes are often selected visually on screen by trial and error, while positioning is decided by pointing with a mouse-controlled cursor. This method does ensure the finished product is close to what is expected but it slows a good typist by making use of a mouse compulsory. It does not allow for accurate positioning and it isn't efficient enough for many commercial applications.

The traditional approach is to have commands embedded in a text file; each command is executed as the file is processed. The file is usually edited with a form of word processor which keeps a running count of depth, width and other parameters.

For some time, similar products have been available for PCs which use embedded commands but they do not offer a running depth count. These products, which include JustText for the Apple Macintosh and PCTex for the IBM, have not received a lot of attention in computer magazines. They are nowhere near as much fun to look at or play with, even if they can do the job more efficiently.

At least one small weekly tabloid newspaper in Victoria, which uses an Apple Laserwriter for typesetting, has switched from the archetypal DTP, Pagemaker, to JustText for reasons of efficiency.

The running depth count, or copy fitting, is achieved in traditional typesetters by performing a hyphenation and justification routine. Known in the trade as H&J-ing, the process is usually displayed on screen either as the text is keyed in or subsequently. Most of the larger typesetting systems, including the Atex used at such papers as the Melbourne Age and the Leader suburban group, use this time-consuming process to display line breaks and calculate measures before sending a file for typesetting.

Where a display of more than just line breaks is required, it is possible to attach a 'preview' screen, usually at significant expense. This is an even slower process which constructs a WYSIWYG picture of the finished product. In practice, few people purchase such an option — it's usually just as quick to typeset the job and reset any changes required. Besides, most operators soon become proficient at using the running depth count to achieve the results they want.

As mentioned earlier, the Compugraphic PTS emulates this traditional style of operation, including the preview screen option. Text is keyed in, with appropriate commands. It is then converted to a preview screen presentation, before it is sent off to the laser printer, to the typesetter or stored to the Compugraphic MCS format disc.

A sample sentence might be —

When set it looks like this —

Pack my box with five dozen liquor jugs.

— the type size is 9 point; each line is spaced 10 points apart; the sentence is set across a line length of 8 ems and the type-face is style 5, Helvetica; style 7 (bold) is be used for the word 'liquor.' That portion of the line, that could not be justified across the full 8 ems, would be pushed to the left. The typesetter would then be ready to start the next sentence on the next line.

The text can be H&I'ed as it is entered, with a running count in the status line, or the job can be typed in and automatically H&I'ed later. Where lines are short and many hyphenation decisions are needed. such as in newspaper columns, this can take significant time. The PTS documentation quotes its speed as 700 characters a second when setting 20 pica lines. This may sound fast but this article, for example, set on a column width of 13.6 em, would take 30 seconds to process. Such a wide measure requires few hyphenations but the time increases as the column measure gets smaller and the number of hyphens increases.

The PTS

The PTS provides function key macros which provide command skeletons ready for the user to insert the relevant numbers. Among the commands available on the PTS are some of the more complex ones commonly available on typesetters, including hanging indent and tabulation, and commands which replace an otherwise complex series of commands, such as drawing boxes and matrices, and setting in columns.

The PTS program incorporates many of the attractions of the DTP packages. It is designed to be mouse-driven, with pop-up menus, help screens and many commands available by pointing and shooting. But this is not compulsory. All the same facilities are available from the keyboard. The keyboard itself can be configured to any of several layouts and keys are available for user-defined macros.

Another facility not commonly found on typesetters, which both the PTS and the PTW do have, is the ability to read text files from a variety of word processors and graphics files from specified graphics programs. The Compugraphic system can incorporate graphics files from PC Paintbrush, Dr Halo and Lotus 1-2-3, while Itek can use GEMDraw files.

When the job on the PTS is ready for printing, it must be displayed in preview mode. This typically takes more than a

LOTUS, HISTORY IS ABOUT TO REPEAT ITSELE

INTRODUCING SILK™ SPREADSHEET SOFTWARE. IT'S NOT A LOTUS CLONÉ. IT'S BETTER.

SILK is prepared to meet the Goliath of the spreadsheet software industry head on. We've prepared by investing over 40 man-years in its development.

SILK stands alone as an extraordinary and ingenious product that will transport you to a new, higher level of power and performance.

THE EXPERTS CALL SILK "LOTUS VERSION 3.0"

Minutes into the SILK demo, even the most skeptical users are won over. Here's how SILK goes **beyond** Lotus:

BE PRODUCTIVE ... ON THE FIRST DAY

SILK is easy to use. In fact, SILK's command structure is largely compatible with Lotus 1-2-3. But unlike Lotus, SILK has built-in utilities that allow you to move easily between Lotus versions 1A and 2.0 and DIF files.

HELP IS "LIVE"

SILK has the **only** HELP system that allows you to work in the program at the same time you are receiving help. No more switching back and forth. A single keystroke puts you in touch with "context-sensitive help." A window comes up to explain the functions of the system relative to where you are at that time.

ALLOCATION—A DIFFICULT MODEL MADE EASY

You can easily proportion all the values in a range with one keystroke. Just enter your values, point to a range and you're done!

TIME-SERIES MODELING IN ENGLISH PLUS VALIDATION

SILK speaks your language, not computerese. The benefit is reduced errors, entry time and training.

SILK automatically validates all entries. It highlights all entries not matching your criteria and restricts movement of the cell pointer to those cells.

SILK AUTOMATICALLY RECORDS EVERY KEYSTROKE ON HARD DISK

Eliminate the disaster of lost data. If a power failure occurs, simply play back your work and SILK recovers the entire model!

These are just five of the dozens of **standard features**, not upgrade enhancements, built into SILK!

ONCE YOU'VE SEEN SILK DEMONSTRATED, YOU WON'T WORK WITH ANYTHING LESS

For more information call PC EXTRAS Sydney (02) 319 2155 Melbourne (03) 698 7562



Look out Lotus, we've got what it takes!


SPECIAL INTRODUCTORY RETAIL PRICE \$345

SILK is designed for IBM PCs and compatible computers.



PC EXTRAS

Go The Water Tower, No. 1 Marian Street, REDFERN HILL, N.S.W. 2016, Ph. 319 2155.



"Epson LQ-2500+: Letter quality from 24 pin technology." JAMES DIBBLE

To get the best from your computer you need a printer that gives you letter quality printing, quickly. To find such a printer look

no further than the new LQ-2500+ from Epson. The latest in 24 pin technology from Epson, the LQ-2500+ produces letter quality printing at an exceptionally fast rate.

There's also a colour option for

outstanding graphics

in seven colours. And of course the new LQ-2500+ is fully backed by Epson's 12 month national warranty. The new LQ-2500+ is another fine example of why Epson is the world's number one name in printers.

For a first hand demonstration of Epson's exceptional new printer, ring today for the name of your nearest dealer.

In computers and printers your number one choice.

EPSON®

minute. The PTS can be configured to work with several different types of graphics cards, from the standard IBM CGA with 640×200 resolution to the recommended Wyse 700 with 1280×800 resolution. The job can be displayed at actual size, 150 percent larger, twice actual size or to fit the full page on the screen.

Once it has been prepared in preview mode, it can be sent to the laser printer. Even with the required JLaser Plus card which drives the Canon engine of the laser printer directly, output takes a further minute.

While the operation of the PTS represents an unquestionable improvement over other DTP packages and even over many trade typesetters, the time spent waiting has a significant effect on productivity, particularly if the job is not right the first time.

Itek PTW

Itek's PTW system goes a long way to overcome typesetting problems and outperforms trade typesetters many times as expensive.

It does this in three ways: it has a very fast H&J routine it appears on the screen instantaneously. It allows printing to proceed as a background task while editing proceeds. And its text entry screen provides the WYSIWYG function.

Unlike the PTS, once a file is entered it requires no further processing and may be saved to disk. Up to 9 files may be placed in the print queue, for printing in turn as editing continues.

For the extra money you pay for the PTW program, you get a product which has obviously been designed by someone who has put in a lot of thought. The best of traditional typesetting is combined with the best of word processing and DTP. Productivity is never compromised and the temptation to introduce gimmicks has been resisted. Command entry procedures prevent mistakes being made and the screen shows what will be printed as the job is typed in.

One of key elements to speedy processing is that the screen display is not true WYSIWYG. Firstly, the display is 15 per cent larger than actual size, although retaining correct proportions. This means the smaller type sizes remain readable on the screen. Secondly, the display is only a representation of the font being used, showing roman, bold, italic and bold italic. It uses just one sans serif screen face to represent any type style. This also aids readability, as serif fonts are not easy to

read on computer screens. However, the major advantage is in speed.

Limiting the screen font to one style allows quick screen preparation while retaining the correct relative proportions for design purposes. An alternate screen is provided to display the full page, where it is quickly prepared using boxes and lines to represent the type.

In PTW, commands are entered at the press of a single key. They are fully prompted and avoid the insertion of figures in a skeleton required by PTS. The parameters are not displayed in the text display, other than by a hairline representing the presence of a command. When parameters need to be reviewed, it is merely a matter of moving the cursor to the appropriate place in the text and reading the details from the status panel. The panel also provides the prompts and messages as they occur.

The PTW also provides facilities common to some typesetters but not found in PTS. One is the facility to define formats — in the simplest application, this represents no more than macro substitution. For instance, typing —

<sf1><ps9><|s10><|18><ft5><ef>

on some typesetters would store the size, line space, line length and style commands to memory as format 1. The code –

<uf1>

embedded in the text would implement the appropriate coding. A more sophisticated version, similar to a DOS batch file and sometimes called a document style, includes a series of instructions which are executed one by one by a merge, or continue, command. One such document style might then represent type specifications for, say, the New Products section of this magazine, specifying parameters for heading, supplier and then the rest of the item. The PTW uses both formats and document styles.

In Summary

In these ways, the PTW is superior to the PTS. But it should be remembered that both products represent significant improvements and value over other DTP packages.

They remain easy to use for the novice, basically being word processors with WYSIWYG capabilities. Both provide normal word processing commands such as

the ability to delete, move or copy blocks of text at the touch of a key. They offer overwrite and insert modes and both have search and replace facilities. The PTW even has a spelling checker, which can check words as they are typed in or it can be used to scan the job later. Anyone who uses a word processor should have no trouble with this aspect of the program.

Anyone who wants to be a desktop publisher has to come to grips with ways of defining style, size, line length and so on and these two packages are no exception. However, no more knowledge is needed to operate them, than is needed for other DTP packages. Both have detailed prompting and help screens which enable a tentative user to find his or her way. And while both offer a high degree of typographical control, no knowledge of the finer points of typesetting is needed to get a better result than other DTP packages. Both programs come with default settings which provide kerning and other character spacing parameters without the need for any operator involvement.

It is encouraging to see the graphics arts industry finally addressing itself to DTP. These first two products could herald a new era of sophistication in DTP. Rochester Communications is already selling a couple of PC-based typesetter utility programs. They say a second version of Desktop Design is on its way, as well as another similar product called PS Compose.

Product Details

Product: Compugraphic PTS (Personal Typesetting System)

Distributor: Seligson & Clare Pty Ltd, 10 Cameron St, Moreland Vic. 3056 (03) 38 3433

Price: \$3300 untaxed Software only \$19,500 untaxed Complete package Note: At the time of writing, Compugraphic had not released its PTS system, though it is available now. The program reviewed was, we understand, an identical product, Deskset Design (spelt with a q), which is distributed in Australia by Rochester Communications, 146 Darlinghurst Rd, Darlinghurst 2010 NSW (02) 330 581.

Product: Personal Typesetting Workstation (PTW) From: Itek Graphix, 308 High St, Kew Vic. 3101 (03) 862 1733 Price: \$20,000 untaxed Basic system

AutoSketch

If you're after a drawing package that's easy to learn (and to pay for), David Chatwin has found one that offers some unique features.

HAT DO YOU get if you cross AutoCAD with Paintbrush? The answer might well be AutoSketch. This similarity is one of the strong points of the package. If you are currently using Paintbrush (or a similar program), then you are going to feel right at home with AutoSketch. On the other hand, regular users of one of the more powerful Cad packages might think AutoSketch looks like a toy: that's a shame, as the package has a lot going for it.

Installation is very easy, it is just a matter of either copying the program onto your hard disk or making backup copies of the floppy diskettes.

The first time you run AutoSketch, it will ask you for information about the hardware configuration you are using, such as display type, printer, and other preliminaries. This information can be changed later, as required.

AutoSketch is not very fussy about what hardware you are using, as long as you have either a hard disk and one floppy or two floppy drives, a monitor with at least CGA resolution, and DOS 2.0 or higher. A minimum of 512 kilobytes of RAM is suggested, but the more RAM you have, the bigger and better your drawings can be. I would recommend using a mouse (as it is a lot easier than using the cursor keys), and of course a printer (or plotter) would be nice if you want some sort of output.

It will support plotters, as well as a





Figure 1. AutoSketch would be useful in small companies and government departments who want a Cad package for floor plans, organisation charts and other simple drawings.



math coprocessor. There is also an enhanced version available which will only work on machines with a coprocessor. According to the distributors, the standard version of AutoSketch will run three times quicker with a coprocessor installed, whilst the enhanced version runs nine times quicker than the standard.

The AutoSketch screen looks (and feels) a lot like a normal GEM type screen, with a menu bar across the top, and a prompt line at the bottom. When you pick one of the choices from the top menu bar, a vertical sub menu appears offering all the options for that choice. You are then either presented with a dialogue box, or a prompt on the bottom of the screen, depending on what option you choose. GEM (or even Ventura) users will feel right at home with this screen, and those not familiar with it will still pick it up quickly, especially if you have used Windows.

In addition to the menu bar and the prompt line, two other useful bits of information are shown on the screen (see Figure 2). In the top right hand corner there is a memory gauge and a digital clock. The memory gauge shows how much of the available memory you have used as a percentage. This is the first time I have seen this on a Cad package, and I reckon it's a great idea that other programmers should take note of. The digital clock is less useful, but it's sometimes nice to know that it

is now I am and you're still playing around with the package you are supposed to be reviewing.

A Toy

When I started using AutoSketch I thought it was a bit of a toy. This 'toy' feeling was reinforced by the discovering a tic-tac-toe type game as one of the menu choices. While the game is fun (and challenging) I really feel that it may deter some of the more serious potential buyers of the package. However, once I started to use the package seriously (and was cured of my addiction to the game), I was very quickly impressed by the power and ease of use of AutoSketch.

AutoSketch is very easy to learn and after the first couple of hours I hardly needed to refer to the manual. The manual is well written for the potential market for this package. It's small, being 58 pages long, in an A5 size, but it seems to contain all the information you need. Another thing I liked about the manual was that it is written in 'plain English', with very little jargon, and an excellent glossary of technical Cad terms.

Selectability

You can either use the mouse to select from the menu bar, or use the function keys instead. In fact, templates for labelling the function keys are included in the

sample drawings that come with the package. While these may not be as neat as the plastic templates that some packages provide, they are certainly a lot cheaper and offer the added advantage that you can run another copy off if you lose or destroy the original.

There are a total of 56 drawing commands available, including commands for plotting and file saving or recall. Whilst the users of some other Cad packages may think that 56 is not very many commands, for most users it will be more than enough. All the available commands are presented on the Quick Reference Guide, which I found to be almost as useful as the full manual.

The zoom facilities are excellent, with the option of choosing the degree of magnification, seeing the entire drawing on screen, or blowing up a particular area to fill the screen. One zoom feature I liked was being able to see the last view again. This is great for zooming out to see the overall drawing, and then back in again to work on a small part of the drawing. Again, this is another feature I have not seen on other Cad packages, and I found it to be very useful.

The range of settings for the different drawing options is great, and the method of selecting the different options is very easy for first time users. An example of this is with the Line Type option. The dia-

Kaypro Computers Announces the KAYPRO PC-30.

With an Extra Ten Million Bytes –



the hard-drive KAYPRO PC - but not one

penny to the price. That means you get IBM compatibility, American-made durability, and the convenience of a 30-megabyte hard drive. All at a Kaypro price that's easy to take.

Get two-speed processing (4.77/8.0 MHz), AT-style keyboard, and free software that includes WordStar Professional Release 4. MS — DOS 3.21, GW-BASIC & MORE . . .





For more information on Kaypros complete line — PC, XT AT and 386 micro-computers, or the location of your nearest dealer, phone (03) 597 0133 or (02) 542 3866

logue box displays the different types of lines available, and you use the mouse to point to the one you want. This by itself is not earth shattering, but the really nice touch here is if you change the scale factor, the display of the different line types changes immediately to show you how the new scale looks. This sort of approach indicated to me the thought that has gone into the development of this package.

Dimensioning facilities are good, the only real deficiency I could find was the inability to dimension an angle. This deficiency was overcome somewhat by the measurement facilities offered. There are five measurement options available which enable you to measure the distance between two points, the angle between two bearings, the area enclosed by a series of points, the co-ordinates of the cursor and the compass bearing between two points.

Making Ghosts

One feature which I found outstanding was the 'ghosting' offered when using the Change menu. This menu enables you to alter your drawing by stretching, rotating, moving, copying, scaling or mirror imaging parts of it. When you are using one of these options, AutoSketch will draw a ghost image of what the final result will be, before you actually complete the operation. The longer you give it to draw the ghost image, the better the detail. Again, I have not seen this offered on a similar package before, and it is very useful, especially when it stops you rotating a part of your drawing over the top of two hours work.

Another nice touch is the windows that are used to define the objects to be affected by a drawing operation. If you pull the window to the left, you get a dotted window, and the drawing operation will affect all objects within or touched by the window frame. Pull the window to the right a solid window appears, and only those objects entirely within the window will be affected.

Text entry facilities are good, with the ability to enter overscoring, underscoring, and degrees, plus/minus (tolerance) and diameter symbols. The obliquing angle as well as the text height and baseline angle are all easily set. I missed the ability to be able to force the text to fit within certain boundary points (as you can with say, ProDesign II). Also, there is only one font to pick from, which I found a bit of a restriction, but depending on your planned use(s), this may not be a problem.

AutoSketch is able to transfer drawings into DXF format, so that you can use them

in its big brother, AutoCAD, as long as you are using version 2.5 or higher of Auto-CAD.

Plotting

The plotting/printing facilities are excellent, with a wide degree of control over how the drawing is to be output, as well as what pens to use, and what speed to use them at. I especially liked being able to select pen speed when the drawing is plotted, as this enables you take account of the pen type and plotting surface very easily.

The other plotting/printing feature I liked was the ability to define what part of the drawing is to be output, and whether the selected area is to be plotted original size, or scaled to fit the entire sheet. One of my few complaints about the manual has to do with this feature, as I found it was not very well explained.

Overall, I am impressed with AutoSketch. It is very easy to learn and use, but it still offers some quite advanced and powerful drawing features.

I can see a lot of use for this package in small companies and government departments who want a Cad package to draw up floor plans, organisation charts and other simple drawings. It certainly is not the sort of package you would think of using for complicated mechanical or architectural drawings. But for small applications, it would be ideal as it would not represent a big investment in terms of money or manhours invested in getting it installed and running.

As with ProDesign II, AutoSketch would be an excellent investment for those people who just want to play around with Cad to find out what it is all about.

The one big advantage that AutoSketch has over the opposition is its affordability, being one tenth of the price of some of the packages on the market. Autodesk have to be on a winner, I know that I will be buying a copy, and I think that a lot of other people will be too.

Product Details

Product:AutoSketch

Distributer: Autodesk, 136 Briose

Road, Richmond, 3121 Vic.

Phone: (03) 429 9888

Price: \$146 Standard package; \$179 Enhanced version (both prices taxed

ProDesign II

WATCH FOR David Chatwin's review of ProDesign II in our December issue. □



THE ALL AUSTRALIAN MUSIC MAKERS' MAGAZINE

For: Musicians, Road Crews, Recording Engineers, Lighting People, Managers, Promoters and anybody interested in what goes into today's music-making.



HAVE YOU GOT YOURS YET?



Your Computer's CADalog and Graphics too!

So, you want to get in the Cad/cam picture? Or graphics? But where do you start? If you're going to become heavily involved in either of those areas, you're probably going to need a combination of a fast machine (or an accelerator card), a high resolution monitor (or a graphics card, or both), a plotter, and relevant software. To help you get started, we've assembled a listing of a number of suppliers of those, and related products. At the end of the listing, we've given addresses for the distributors — if you want to know more about their products, give them a call (they'll be able to refer you to someone close to home).

Software

AutoCAD

Autodesk Australia Price: \$5217 taxed

A Cad drafting program which has 3D programmed through Autolisp, custom menus, a library of application programs, and graphics interchange — needs at least an XT.

AutoShade

Autodesk Australia Price: \$777 taxed

Surface rendering or shading program which makes solids out of wire frame drawings.

AutoSketch

Autodesk Australia Price: \$146 taxed (Standard) and \$179 (Enhanced)

Custom Cad program which offers 2D 'associative' dimensioning, infinite zooming as well as more usual drafting features — needs at least an XT.

Chart Master

Tech Pacific Price: \$644 ex tax

Business graphics package for displaying numerical trends and relationships in bar, line, pie, scatter and area surface charts.

Diagram Master

Tech Pacific Price: \$597 ex tax

Business graphics package for organisation and Gantt charts. Also offers a free form drawing board to create a variety of business diagrams.

LogiCADD

Micro Australia Price: Not supplied A PC CAD program which produces final art work for printing.

Map Master

Tech Pacific Price: \$1895 untaxed

Mapping, an Australian version, which allows company sales and marketing data to be shown in regions, territories, branches and so on

OrCAD/SDT/VST PSpice

Prometheus Software Price: See below

A low end, but powerful, design Cad package which features four zoom levels to magnify the trace display and many user selectable functions. 'Netlists' to other packages; includes a 3600 'part' library. OrCAD/SDT \$1275, OrCAD/VST \$1985, PSpice \$1921.

Polaris

Elcomp Price: \$5400

A low-cost full 3D Cad package, offering up to 16 layers for display; simultaneously displays a selected subject as viewed from four independent view points; includes Cam and Bill of Materials for engineers. (Reviewed this issue.)

ProDesign II

Software Suppliers Price: \$599 taxed

A basic Cad package that offers plotter quality output on a dot matrix printer and a virtual screen, said to eliminate the need for an expensive monitor and an adaptor.

Protel PCB

RCS Design Price: \$1068 taxed

Schematic layout and design package for the Compaq portable range, using Compaq monitor with 720 x 350 resolution (\$984), and prints out to a Houston pen plotter (\$2625).

Protel Route

RCS Design Price: \$1068 taxed Schematic layout and design package that uses a high-res monitor (720 x 350).

QikDraw

Chan Computing Services Price: Not Supplied

An Australian created Cad/cam package — features include 3D surface modelling, IGES drawing file exchange capability, and the ability to accept DXF input files.

Racal Redcad

RCS Design Price: From \$7392 taxed Speciality PCB design package; needs an AT.



TekniCAD from Tektronix shown designing a 3D colour graph.

RoboCAD-PC

Robocom

Price: Not supplied

A professional 3D drafting package using 'point and click' methods. It features a comprehensive library, intelligent hatching, and ISO Text.

RoboSolid

Robocom

Price: Not supplied
The 3D solid modeller compan-

ion to RoboCAD.

ScanPro

Software Suppliers Price: \$1194 taxed

Converts scanner produced images so that they can be read by Cad software (circles and arcs are recognised); three resolutions.

Sign Master

Tech Pacific Price: \$438 ex tax

Business graphics package, offering presentation quality word charts, signs and tables.

Tektronix PC-05 TekniCAD

Tektronix Australia Price: Not supplied Software which provides Tektronix 4105 emulation for PC/XT/AT and compatible computers, used in design drafting work.

The Magician

Sourceware

Price: Not supplied

Versatile Cad graphics package providing full colour selection, editing of designs and portability. Available for both the IBM PC and PS/2. Features integrated business graphics.

TurboCAD

Busiware Price: \$399 taxed

A low end Cad package that supports EGA and CGA and numerous plotters.

VersaCad Design

Imagineering Price: \$5620

A 2D drafting, 3D modeling, bill of materials, bi directional CAD communications integrated into one package, off-line plotting that lets you designate a minimally-configured computer as a plotting workstation.

Videoworks

Busiware Price: \$189 taxed Animation package for the Macintosh.

Graphics Cards

Hercules Colour Card

Micro Australia Price: Not supplied

A 640 x 200 and 320 x 400 resolution monitor with two colours in high-res and four in low. CGA compatible.

Hercules Graphics Card Plus

Micro Australia
Price: Not supplied
A 720 x 348 resolution card
providing a RamFont of 3072
characters and graphic elements.

Hercules Incolour Card

Micro Australia Price: Not supplied

A 720 x 348 resolution card which can select 16 colours from a palette of 64. Designed for IBM PS/2 as well as the PC range.

Hercules Plus

Micro Australia Price: Not supplied A 720344 resolution. Has drivers

for Lotus, Symphony, Word, Framework.

RAMpage AT Memory Boards

Imagineering
Price: Not supplied
Provides both 6 and 8 MHz
speeds and up to 2 Mbytes on
each board.

Tektronix PC4100

Tektronix Australia Price: Not supplied

High performance graphics adaptor, offering 25,000 vectors/-sec, 640 x 480 resolution, 256 colours, 16 million palette, EGA and CGA emulation.

Verticom M Series

Sourceware Price: See Below

High resolution colour graphics cards designed for PC CAD applications, particularly AutoCAD. M256E has a resolution of 640 x 480 and sells for \$4400 taxed, offering 256 colours from a palette of 262144 colours. The M16E also has 640 x 480 but only 16 colours from a palette of 262,000 — around \$3500 taxed.

Verticom H Series

Sourceware Price: H256 \$7200 taxed, H16 \$5900

Colour high resolution graphics cards designed for PC CAD applications, particularly AutoCAD. 1,024,768 pixel resolution, with either 16 or 256 colours from a palette of 262,144 colours.

Accelerator Cards and Boards

All Aboard

IDEAssociates
Price: Not supplied

An all purpose board that can provide EGA graphics resolution and IBM mono/colour graphics — available with 10, 20 or 30 Megabyte memory.

All Aboard 286

IDEAssociates Price: Not supplied The 286 version of the All Aboard.

Datamatic 1000 PC Card

Datamatic

Price: Not supplied Half-slot card with a resolution of 960 x 700. Monochrome text and Hercules graphics applications are displayed at 1024 x 700 resolution.

Everex EPGA

Vahive

Price: \$2399 taxed

A 640 x 480 resolution card with 256 colours from a palette of 4096. Compatible with IBM PGA card.

Evergraphics Deluxe

Vahive

Price: Not supplied Compatible with Hercules RAM font card; runs 1024 x 704 and 1024 x 352 on standard monochrome monitor. Windows, Auto-CAD and Lotus 1-2-3 drivers are included

Hypertec Accelerator Cards

Hypertec

Price: See Below Hyperace 286 \$1279, Hyperace 286 Plus \$1365, 6 MHz Maths Coprocessor \$697.



Pay-If-You-Like Software

Why pay hundreds of dollars for software? There is an inexpensive alternative for your IBM PC or compatible - and it's not illegal.

Just a couple of software packages could cost more than your clone. Unfortunately many users faced with exorbitant software costs resort to illegal copying. Now there is a legal way to acquire software for little more than the cost of a diskette.

The concept is known as User Supported Software. This approach to software marketing bypasses the high publishing and distribution costs associated with most software. For a nominal fee you can obtain high quality software and if you like the software you are encouraged to send a donation to the author, usually between ten and one hundred dollars. In other words you pay if you like the software. If the software is not to your liking you may still keep it. Manuals are supplied on the diskette and are printed out by the

PC-SIG is the world's largest distributor of user supported software with a library which now contains over 800 disks. Anybody can purchase disks or join as a member. Members receive our Directory, discounts and a bi-monthly magazine with descriptions of the latest additions and reviews of the more popular disks. Our magazine is not just a few photocopied pages but a professional publication of

A full listing of the library is available in our 400+ page directory. The directory specifies any system requirements and is categorised into various applications.

The following is a small selection from the library...

□ #5 & #730 PC-FILE +

Jim Button's very popular database filing system now easier to install and use and it runs faster. Reports can be prepared or set up for your word processor. #10 CHASM

A CHeap AsseMbler useful for those wishing to learn about assembly language

#90 & #594 GENEALOGY ON DISPLAY

Written with concern for the novice Genealogist. As well as expected features eg printing family trees, family group sheets, and descendents charts the program creates parent/child indexes and prints ID numbers.

#105 PC PROFESSOR

A tutorial on the BASIC programming language which increases in complexity

#184 DISKETTE UTILITIES AND UNPROTECT

Create disk sized directories to store with the disk, create RAM disks and run popular software on your

#199 PC-CALC

Complete with tutorial and many advanced features. Similar to Visicalc. Able to import data from PC-FILE.

#254 PC-DOS HELP

Just type help for an on-line help on DOS commands - very convenient for hard disk users.

#273 BEST UTILITIES

A collection of utilities from earlier PC-SIG disks -RAM Disk, selective copy and delete, backscroll, browse, spooler and more.

#320 TOUCHTYPE

Colourful way to improve your typing - PC keyboard.

#403 PC-TUTOR

Ideal for new users to gain a basic understanding of their PC and how to use it. An interactive introduction to the IBM PC and DOS

#455,681,682 PC-TYPE +

Jim Button's WP - Mailmerge which works with PC-File, Wordstar, and ASCII files, spelling checker, whoops key and on-line help.

#457 ARCADE GAMES

An assortment of arcade games including Flightmare and Spacewar

#476 PATRICK'S BEST GAMES.

An assortment of five games which will run on the Mono monitor.

☐ #478 HARD DISK UTILITIES

A collection of utilities for the hard disk user from earlier disks in the library.

#480 PC OUTLINE

Can outline and organise documents point by point ideal for typing essays and ads like this.

🗆 #505 PC STYLE

Analyses text files for readability, - considers number of words per sentence, % of words of specific length, personal words, action words. Make your writing read better!

#523 SIDEWRITER

Your spreadsheet too wide to print? This program turns your printout 90 degrees and prints down the

#528 NEW YORK WORD

A full function word processor even including automatic hyphenation (and de-hyphenation). Unlike some WP it can edit large documents.

#599-601 DREAM

A three disk set much like dBASE - can custom design database applications, which include reports, sorting and querying abilities, and data retrieval abilities without writing code.

#618 MAKE MY DAY

A complete time management system with appointment calendar, job scheduler, time log and expense manager. All that is needed to organise your business and personal schedule.

#641 MAHJONG

A fascinating game with extraordinary graphics. Excellent documentation for beginners with play levels from beginners to excellent.

#646 AMY'S FIRST PRIMER

Six games to teach basic reading skills to a prereading child - positive reinforcement promotes "learning is fun" attitude.

☐ #669-670 GRAPHTIME II

Business presentation graphics with line, column, and pie charts. Works with dBASE Multiplan and Lotus. Has help key

☐ #683 BUTTONWARE ADVENTURES

Two text adventure games - be a Castaway or travel to South America on a spy mission. Runs on Mono.

#687-689 IN-CONTROL

Comprehensive business contact filing system with on-line documentation, high speed search, electronic Rolodex, and appointments with tickler file.

#705 CHILDREN'S GAMES

A straight forward approach to making fun educational with mono graphics. Geared for 2 to 10 vear olds

#708 BACKGAMMON

At last Backgammon for your PC - keeps track of points, games, gammons and backgammons. An instant opponent

#710 INSTACALC

A memory resident spreadsheet which you can call up at any time. In one step you can add a table of figures from the spreadsheet into a letter you were typing on your WP

#718 LQ PRINTER UTILITY

Enables your matrix printer to print a variety of fonts in near letter quality. You can even create your own fonts plus print large letter banners.

#723 SUPER PINBALL #1

Become a pinball wizard with these five great pinball games. Uses your shift keys as flippers.
#726 GOALSEEKER

Work your LOTUS, Multiplan, Supercalc4, VP Planner backwards with Goalseeker.

#727 POWERMENU

Relieve yourself of the worry of sub-directories. All your applications can be just one keystroke away.

#728-729 HOMEBASÉ

A second generation desktop organiser. PC Magazine said "it delivers the most bang for the buck among desktop organisers.

☐ #741 PURCHASE ORDER SYSTEM

Keep track of outstanding orders and print them by account, supplier or purchase order.

☐ #751 AsEasvAs

A spreadsheet with ability to plot graphs. Has range formatting, does block copies, block moves, file extension is .WKS

☐ #754 UVESTER

Track your investments and calculate Internal rate of

#756 MEMOIRS

A diary system with encryption of the diary or an ASCII file.

#760 MINIGEN

Turbo Pascal screen code generator - paint screens. open and close windows and create pull down menus.

#761 The IMP Shell

A Powerful expert system - has utilities to develop and test new expert systems. Good for classification tasks, troubleshooting and choosing from

#765 GALAXY

A fast RAM based WP. Very easy to use with choice of menus or keyboard commands.

#763 FINGÉRPAINT

One of the very few good paint programs that will run on a Hercules card, with variable drawing functions and text

☐ #780 BRIDGEPAL

Looking for up to three partners to play Bridge with? A great way to practice

#800 THE BAKER'S DOZEN

A collection of 13 useful utilities from Buttonware.

The PC-SIG Library is not only growing but it is regularly updated - many alternate sources of User Supported Software have very old versions. Beware of the apparent hargains!

	d like to try P vard me these	C-SIG software e disks:	
TOTAL	5 25"	@ \$ 13	
TOTAL		@ \$15	
(not JX 360		@ \$15	
Annual men Starter Pack	nbership « Six disks	@ \$28	
a Mellineis	hip 5.25"		
Postage and	3.5"		 10
r ustaye and	•	\$5.0 TOTAL	00
Payment by		Bankcard	 t
	Visa	M/charg	e
Card No.			
Expiry	_ Signed		
Name			
Address			
	State	Code	
	NACCOM Pty PO BOX	381,	
F	Pennant Hills,		
	Call on 02 8 Fax on 02 8		
	Viatel *4		
Lool	for PC-SIG's log	o on grey diskettes	

7075

Hypertec AT Memory and Video Boards

Hypertec Price: See Below

Hyper 128AT \$495, Hyper 384AT \$645, Hyperam AT \$1341, Hyperam AT MF \$1809.

Hypertec Multifunction Boards

Hypertec Price: See Below

Four models: the Hyper 256 \$195, Hyper 512 \$450, Hyper 256MF \$560, Hyper 512MF \$820. Hypertick \$110, Hyperport \$385, Hyperam MF \$810, Hyperam MF \$1197, 156K RAM (9 chip set)

Hypertec Video Multifunction Boards

Hypertec Price: See Below HyperEGA \$845, Hypervid \$1274, Hypervid 256 \$1522, Hypervid 512 \$1650.

IDEAgraph

IDEAssociates Price: Not supplied

A graphics board that can provide resolution from 512 x 512 through to 1024 x 1024. Works on all IBM compatibles with medium to high resolution monitors. Up to 256 colours from a palette of 4096.

Micro Enhancer Deluxe

Vahive

Price: \$499 taxed

Runs extended EGA modes at 640 x 480 and 752 x 410 with 16 colours. Runs Hercules software on standard EGA monitor.

Overboard

IDEAssociates Price: Not supplied

Combines IBM enhanced graphics or IBM mono/colour graphics with serial, parallel ports and a real time clock.

RAMpage EGA

Imagineering Price: Not supplied

Offers up to 2 Mbytes on each board. Switch selectable EGA. CGA, MDA and Hercules Compatible Graphics modes. Up to 16 colours from a palette of 64 in 640 x 350 resolution.

Monitors

ADI Monitor Range

Imagineering

Price: Not supplied

A full range of color graphics monitors; for example the PX-32 allows 4096 colours for your Cad/cam integrated workstation with a a resolution of 720 x 480.

EP 1201CRT EGA Performer

Multitech Computers Price: Not supplied

A high resolution color monitor with 640 x 350 resolution and 64 colours

 832×600), three cursor sizes, and a reminder icon for inactive screen). Also for the Mac II.

NEC APC IV Powermate Monitor

RCS Design

Price: Not supplied Versatile monitor which runs on

most graphics cards, providing 1120 x 750 resolution

Sekata CRT EGA Performer

Multitech Computers Price: Not supplied

A high resolution color monitor with 640 x 350 resolution and 64 colours.

Colour high-res monitor with 640 x 480 resolution.

Verticom Monitors

Tektronix PCD13

Tektronix Australia

Price: Not supplied

Price: Not supplied

100 Hz.

Color monitor with a resolution

of 900 x 660 dots. Multiscan ac-

cepts horizontal inputs from 15

to 34 KHz, and vertical to 50 to

Sourceware

Price: See Below

The CD3 19 inch monitor for the Verticom H series of graphics cards, \$11,300; CD4 16 inch for the H series, \$7200; CD5 19 inch for M series, \$7300; MD1 19 inch for DT 1280 (monochrome), \$4700.

WY-700

Imagineering Price: Not supplied

IBM compatible monitor with resolution up to 1280 x 800.

Printers/Plotters

Bruning Zetadraf Plotter

Kenelec

Price: \$17.500 taxed

A professional plotter with an eight-pen holder; can take A0 paper; features a 40 Kbyte buffer (optional 512K), auto pen sensing, and an intelligent control panel.

Comx PL-80

Mike Boorne Electronics Price: \$500

A low end plotter that can double as a conventional printer; restricted to four colours, and A4 size paper.

Enter SP1000

Kenelec

Price: \$7590 taxed


A mid-range plotter that can take Al paper; features an intelligent control panel, custom set up, adjustable speed and acceleration.

Enter SP601 Sweet-P

Kenelec

Price: \$1650 taxed

A six-pen machine running at 14



The Sakata SC200 Plus colour display monitor.

LaserView 19 inch Monitor

Computhink Australia Price: Not supplied

A high resolution 1664 x 1200 monitor with a refresh frequency of 60 Hz.

LaserView Display System for the Mac SE

Computhink Australia Price: Not supplied

A high resolution of 1664 x 1200 monitor with paper white phosphor display; offers user selectable features (such as two resolution modes 1664 x 1200 and

Sekata SC200

Multitech Computers Price: Not supplied

A high resolution color monitor with 640 x 200 resolution and 16 colours. 2000 character display.

Sekata SG2500

Multitech Computers Price: Not supplied A high resolution monochrome green screen monitor.

Sony CPD 1302/1402E Monitors

Sonv

inches per second, which takes A3 or A4 paper. (Reviewed this issue.)

EP 1201A and 1600

Multitech Computers Price: Not supplied Nine-pin dot matrix printers with high-resolution dot addressable graphics.

Fujitsu Printer Range

Imagineering
Price: Not supplied
High powered graphics color dot
matrix printers, ranging from the
9-pin DX2300/2400 series
through to the 24-pin
DL3300/3400; features no DIP
switch settings and color graphics.

Ioline LP4000 Plotter

Barrington Corporation Price: \$9400

An AO size plotter which can take paper down to business card size; features up to 20 pens and a user selectable key pad which (after power off), remembers all the previous commands of size, pen speed and micro calibration.

Mural Plotter

Barrington Corporation Price: \$4900

An AI size flat bed, single pen plotter; designed to work with AutoCAD, and AutoSketch and ProDesign.

Numonics 546/5860

Imagineering
Price: Not supplied
Features a 60K buffer and up to
14 pens. Can handle paper from
A4 to A1.

Oasys Laserpro Range of Laser Printers

Kenelec


Price: Ranges from \$3670 to \$6370

Eight page per minute laser printers, giving from 150×150 dpi to 300×300 dpi.

Roland Plotter Range

Imagineering Price: Not supplied

A range of plotters, starting with ones suitable for home and school use or Cad beginners, through to powerful, professional machines.



The Wysepc 386 comes with a single 1.2 Mbyte, 51/4 inch floppy drive.

Miscellaneous

AST Premium AT 286

Imagineering Phone: (02) 697 8666 Price: Not supplied

An 80286 machine running at 6 MHz; features either a 720 x 350, or 640 x 200 resolution. Video adaptors support IBM, EGA, CGA, MDA, Hercules graphics and text modes.

Logitech Mouse

Micro Australia Price: Not supplied Runs with Hercules cards, and works on LogiCADD and Logipaint design packages.

MacTablet Range

Sourceware

Price: \$1245 Base price Drawing tablets for the Macintosh 128 through to the Mac Plus.

Mitac 160T

Multitech Computers Price: Not supplied IBM PC/XT clone running at 8 MHz switchable to 4.77 MHz; Phoenix Bios.

Mitac Computitan

Multitech Computers Price: Not supplied IBM PC/AT clone running at 10 MHz switchable to 6 MHz; Phoenix Bios.

NEC APC IV Powermate

RCS Design

Price: From \$5115 taxed An IBM AT compatible running at 10 MHz.

Numonics 2000 Series

Imagineering Price: Not supplied

Collection of professional drafting pens and digitising tablets offering a resolution of 1000 lines per inch. Output is compatible with all major software. Total packet for the 2205 range includes 12 x 12 tablet, stylus, 4-button cursor, RS232 cable and a power supply.

Staedtler Plotter Pens Staedtler

Price: Not supplied A comprehensive range of plotter pens — includes the new disposable liquid ink pen, the Sprintpen.

SummaSketch Digitiser Tablets

Sourceware Price: 961, \$1295; 1201, \$1895; 1812, \$2945

Range of digitising tablets; the 961 is 9 x 6 inches; the 1812, 12 x 18 inches.

TeleStar 386

Datamatic

Price: Not supplied

The Televideo TeleStar 386, designed for Cad and other drafting applications, features a 1280 x 1024 monitor with a choice of 256 colours from a palette of 4096. All models include a three button optical mouse.

Wysepc 386

Imagineering

Price: Not supplied
An expandable 16 MHz 32-bit
machine designed specifically for
CAD work.

Distributors:

Autodesk Australia

136 Briose Rd, Richmond 3121 Vic. Phone: (03) 429 9888

Barrington Corporation

303 Putney St, Adelaide 5000 SA Phone: (08) 232 1333

Busiware

33/8-24 Kippax Street, Surry Hills 2010 NSW Phone: (02) 281 1300

Chan Computing Services

Innovation House, West Technology Park, The Levels 5095 SA Phone: (08) 260 8278

Computhink Australia

11 Hamlet St, Cheltenham 3192 Vic. Phone: (03) 584 3188

Datamatic

9 Byfield St, North Ryde 2113 NSW Phone: (02) 561 2594

Elcomp

23 Northam St, Glen Waverley 3150 Vic. Phone: (03) 561 2594

Hypertec

404 Henry Lawson Business Centre, Birkenhead Point, Drummoyne 2047 NSW Phone: (02) 819 7222

IDEAssociates

PO Box 254, Bondi Junction 2022 NSW Phone: (02) 387 5222

Kenelec Pty Ltd

48 Henderson Rd, Clayton 3168 Vic. Phone: (03) 560 1011

Micro Australia

5 Blaxland Rd, Ryde 2112 NSW Phone: (02) 809 6722

Mike Boorne Electronics

3/61A Hill St, Roseville 2069 NSW Phone: (02) 46 3014

Multitech Computers

15 Catalina Drive, Tullamarine 3043 Vic. Phone: (03) 330 3748

Prometheus Software

3/191 Riversdale Rd, Hawthorn 3122 Vic. Phone: (03) 819 6088

RCS Design

728 Heidelberg Rd, Alphington 3078 Vic. Phone: (03) 496 404

Robocom Pty Ltd

693 Whitehorse Rd, Mont Albert 3127 Vic. Phone: (03) 890 1699

Sourceware Pty Ltd

586 Pacific Highway, Chatswood 2067 NSW Phone: (02) 411 5711

Software Suppliers

7 Avon Rd, North Ryde 2113 NSW Phone: (03) 890 1699

Sony Australia,

33 Talavera Rd, North Ryde 2113 NSW Phone: (02) 887 6666

Staedtler Australia

1 Inman Rd, Dee Why 2099 NSW Phone: (02) 982 4555

Tech Pacific

119 Ferrars St, South Melbourne 3205 Vic. Phone: (03) 690 9055

Tektronix Australia,

80 Waterloo Rd, North Ryde 2113 NSW Phone: (02) 888 7066

Vahive Pty Ltd

12A Mars Rd, Lane Cove 2066 NSW Phone: (02) 427 6111



BEEKEEPER

Accounting system and business monitor Avail (DOS) IBM PC/XT & Clones, MICROBEE (CP/M), and most other CP/M systems.

FEATURES

- **★** Double-Entry Accounting
- ★ Income and Expenditure (Profit and Loss)
- ★ Cash Book
- ★ Listing of Transactions
- ★ Up to 200 Chart-of Accounts (user selectable)
- ★ Balance Sheet (what is your **real** financial situation?)
- ★ USER decides when to close off accounting period.
- ★ Data stored in 3 Random Files.
- ★ Auto sense if Bank is overdrawn (alert given)
- ★ Approx 5000 transactions per month capacity
- ★ Self teaching simple screen instructions
- ★ Manual supplied
- ★ Compiled for rapid execution (DOS only)
- ★ Runs on BEENET and STARNET LANS (Microbee)

Ideally suited for Small Businesses, Home Accounting, Schools, Clubs, etc., for everyday Financial Information. Reduce your Accountant's Fees at Tax Time.

PRICE: \$96.00 (inc. S/Tax)

Orders, Enquiries (sample printouts)
ANN COURT COMPUTER SERVICES
6 ANN COURT, ASPENDALE, VIC. 3195
TEL.: (03) 580 6424 VIATEL 358064240

Let Attaché Software introduce you to computerised accounting the easy way, absolutely FREE and without obligation.

Attaché, the biggest name in micro accounting systems, has prepared a demonstration disk that runs just like the real thing.

Just load it into your IBM or compatible and examine Attaché in the convenience of your office or home.

Attaché can do it all: accounts receivable, order entry, invoicing, sales analysis, inventory, accounts payable, department/project costing, general ledger and payroll.


This is your risk free opportunity to prove to yourself how Attaché can streamline your accounting. At prices starting as low as \$788, you can't go wrong.

Simply mail your FREE OFFER coupon today or phone (02) 929 8700. Distributors Australia-wide.

Bullet proof reliability.

Mail to: Attaché Software Australia Pty Ltd 10th floor, 8 West St. North Sydney NSW 2060. YES! Please send my FREE Demo Disk and other information about Attaché.
Name
Company
Type of Business
Address
Code Bus. Phone
Computer type (if any)yc

Star Printers. When you feel the need for speed



Star's new range of dot matrix printers gives your personal computer a triple-hit

- High quality output in draft or near-letter-quality mode
- High-speed output up to 300 characters per second
- Fingertip control to select pitch, typeface, print mode, margins,

Whether you need quality output of word processed documents or full-width spreadsheets and graphics, you will find a Star printer that meets your exact needs.

Choose from the economy of the Star NX-10 with 120 cps draft and 25 cps NLQ, through to the top-line NB24-15 printer which boasts 15-inch carriage, a 24-pin print head, 300 cps draft output, and true letter-quality at 100 cps.


Add competitive pricing, interfacing with a range of PCs (Commodore, Apple II, Macintosh and IBM), a buffer that has twice the memory capacity of our competitors and a reputation for reliability second to none in the printer business.

Now ask yourself why you would look beyond Star. Phone now for the name of your nearest dealer.



Phone: (02) 736 1144 7/25 George Street Homebush, NSW 2140 Telex: AA73872 Fax: (02) 736 1032 Melbourne: (03) 544 6676 Brisbane: (07) 875 1551

SM 4208 B



"Computerised accounting was not meant to be easy"... WRONG!

PC Accounting has been specifically designed for small business, the tradesman, the retailer, the farmer, professionals or any other small business. It assumes the user is probably not an Accountant nor a computer expert, but a business person who wants an easy to learn, easy to use accounting system to run on their IBM-PC or compatible. The program is for the person wanting the computer to work for THEM not be a SLAVE to the computer, learning and operating complex systems. Fully menu driven and extremely simple.

"Good accounting systems cost hundreds of dollars"... WRONG!

Here is an accounting system with General Ledger, Accounts Receivable, Accounts Payable, Payroll, automatic production of Profit & Loss and Balance Sheets for only \$69. Plain continuous paper is used, no need for expensive preprinted forms, although they can be optionally used to improve presentation if required.

"All accounting systems take a lot of setting up"...WRONG!

Not this one, it's all done for you no complex space allocations to calculate, no complex charts of accounts to design, or complex report generations — no it's all done and ready to use straight away. The inbuilt chart of accounts can be modified to suit any business in minutes, or optionally we offer an "off the shelf" or "tailor made" chart of accounts/report generation service.

"I wouldn't even have time to read an accounting system manual"... WRONG!

It's not large or complex for example the general ledger manual runs to a mere 12 pages, the accounts receivable manual only 10 pages. All in plain English with no complex terminology. It's so easy to use a complex manual is not needed.

"I don't need an accounting package"... WRONG!

No business can afford to be without good records, if you leave it all up to your Accountant at the end of the year you are paying heavily not only for his expensive labour but more importantly you lack information on your business throughout the year. With this system you can prepare an up to date Profit

and Loss and Balance Sheet just by pressing a button...complete control! Have Statements to your customers at month end, this will improve your cash flow.

"Accounting systems need hard drives and large memory"... WRONG!

It's happy with only 256k and one floppy drive, the General Ledger module will run on 128k

SPECIALLY WRITTEN FOR...

tradesmen

FOR THE SMALL BUSINESS

"IT'S SIMPLE AND FOOLPROOF"

- retailers
- · farmers and graziers
- · small manufacturing companies
- marketing companies
- professionals

. . in fact any small business.

The Australian and New Zealand version of this package is supported by a firm of Public Accountants, who have specialised in small business. The package is written in compiled Turbo Pascal, the source code can be purchased through ourselves. Program specially written for Australia and New Zealand for Accounting Management Resources by Jerry Medlin, based on but vast improvement of his PC-GL, PC-AR systems, a high volume selling small business package sold worldwide. Use only the module you need.

Will run on IBM-PC, XT, AT and COMPATIBLES using MS or PC-DOS 2.0 or above.



	Accounting Ma	anagement Reso	plus \$2 for postage urces, P.O. Box 363,
QTY Bankcard \square		NT Cheque 🗌	Money Order 🗆
	(CARD)		(EXP. DATE)
Name			*
Address			
	St	ate	Postcode
Phone	Sig	nature	
Purchase orders acce	pted from Governme t price \$57.50 whe	nt bodies, schools and	nust be Australian dollars. d institutions. Price includes ate supplied). If 3½" discs

LOOK WHO'S JUST BLITZED THE MODEM WAR! The Bit Blitzer 12E Modem.

The Bit Blitzer 12E outprices and out performs the rest. It's the professional modem.

LOOK AT THE FEATURES

- 300 and 1200 baud full duplex
- Telecom approved
- Auto answer
- Auto dial
- Hayes compatible
- Low power consumption
- Front panel indicators
- 12 month guarantee

LOOK AT THE PRICES!

12E 300/300 1200/1200 full duplex Call for prices

Due in August the 123E with the same powerful features of the 12E modem but with 300/1200 and 1200/75 viatel modes of operation.

123E 300/1200 full duplex 1200/75 viatel mode Call for prices



HYPEC FOR MODEMS

НУРЕС

HYPEC ELECTRONICS PTY. LTD

(INCORPORATED IN N.S.W.

21 RYEDALE ROAD, WEST RYDE, NSW 2114, AUSTRALIA. POSTAL ADDRESS: P.O. Box 438, RYDE, NSW 2112,

AUSTRALIA. TELEX: AA71551. HYPEC CABLE: 'LAMRON' SYDNEY. FAX 808-3596. TEL: (02) 808-3666.

TOWNSVILLE, (077) 75-4088. PENRITH, (047) 33-1287. DEALER ENQUIRES WELCOME.


SPECIAL

Free communications Software

with this modem Your

choice SUPERCOM II

choice or FREEWAY



T'S FINALLY happened: I've gone cross-eyed! Now before some of you start suggesting it has something to do with my habits, it's come about as a result of the latest package to hit my desk for review. The package in question is a Cad/cam package called Polaris. While I might be exaggerating about the crosseyed result, this package does take a bit of getting used to since it uses two monitors for display purposes.

One monitor is used for displaying the graphics (or drawings), whilst the other is used for the input of commands and for text and numeric displays.

This product is more than a Cad package, as the manual says, it is really a Cad/cam system. It comes in two parts: the software (which is supplied on a floppy), and a display driver card that fits into a normal PC expansion slot. This card is more than just a display driver, as it also contains its own NEC 7220 processor which takes care of most of the numerous calculations and other hard work that Cad normally involves.

This means that the processor in the PC (be it a 8088, 8086, 80286 or whatever) is freed from those tasks that is wasn't designed for (like large calculations) and is left to do those things that is does reason-

ably well (like I/O handling and getting commands from the keyboard).

This approach also has the advantage of reducing the amount of code that is used, to the extent where the software occupies a minuscule 150 kilobytes on disk and the package as whole only occupies 415 Kbyte of RAM, including the drawing. This economy in the use of storage space is almost unheard of in the world of Cad packages.

Another definite advantage that arises from this system is that Polaris will quite happily run on a basic PC with one floppy drive (and no hard disk), though I am not sure that I would recommend it.

Installation

Installing the system is relatively easy. First you must fit the Polaris card into an available slot on your PC. The distributor did recommend that I use slot I on my PC, which involved moving my normal display card to slot 2 so ... I found out the hard way that the card must go in slot I, as strange things happen if it goes into slot 2. After installing the card, you should then plug in your two monitors. With the two screen approach, only one monitor needs to be a high resolution (EGA) type. The monitor that is used for entering commands can just be an el-cheapo mono-

Figure 1. If you want to draw in 3D, Polaris makes it relatively easy — the user has the choice of views of the object to be shown at the same time, or, having only the front, side, top or isometric view individually on screen.

chrome (or colour), low resolution garden variety monitor. This does present the opportunity to reduce the cost of having to use two monitors.

The next step is to copy the Polaris software onto your hard disk (or a floppy). Polaris is then started by entering Cad (very original filename that) when you are logged onto the appropriate drive and directory, after you have booted your computer in the normal manner. If you need to reconfigure Polaris, there is an install program that must be run, after which the file linker (LINK) is automatically run to link the object files that comprise the code.

Only two problems appeared with the installation (apart from the slot I and 2 problem) — the first was that Polaris did not want to work from drive D, but was quite happy with using drive C. This appears to be a hangup in the package - the distributor later informed me that *only* drive C can be used.

The second had to do with my HP LaserJet printer (a LaserJet Series II to be exact). For some reason, the laser printer did not want to start with the Polaris card installed in the computer. It would go through its usual self checking routines when turned on and then would just sit there saying 'warming up.' This could be a real problem in some locations, so make sure that your printer is compatible with Polaris before laying your money on the line.

Three-level Menus

Once you have started the package, the drawing monitor shows the drawing area, complete with an indicator at the bottom giving the X and Y directions. The text monitor presents you with a menu giving the current options, as well as a display that gives details of the current cursor position, and the last point set.

It might pay to mention here that the entire Polaris system is menu driven and after a while I found it to be just a little unwieldy. Each menu has a maximum of nine choices, numbered I to 9, and the menus run down to (normally) three levels. If you get your calculator out you will see that this gives you a maximum of 729 menu choices. Thankfully, not all these are used, with some menus only having a few options, which keeps the number of choices down to about 150.

In use, you would normally call on the mouse to highlight the menu option you want and click the button to select. (I found a bit of a problem here in that while my Mouse Systems mouse worked perfectly, my Microsoft mouse was very 'jumpy' and tended to skip over three or four options when the slightest movement of the mouse was made. What was even stranger was that both mouses worked perfectly on the drawing screen, with the Microsoft mouse only misbehaving on the menu screen. It is also possible to select a menu choice by inputting its number from the keyboard.

Whatever method you use, once the selection is made you are moved down to the next menu level and when you reach the bottom, the system will ask you for whatever information is needed to carry out the selected operation.

If you are feeling very confident after a bit of experience with the system, then it's possible to shortcut the long menu system by inputting the complete list of numbers for a particular option. That is, to select option 1 from the main menu, then option 8 from the next menu and then option 2 from the third (and last) menu, you

can simply enter 182 at the main menu. Apart from the menu structure, I found Polaris easy to learn and quick to use.

Rather than cover all the detail on what the package can and cannot do, I will just present those areas where I feel it differs from the opposition — firstly, Polaris will run faster with a mouse than with a digitiser. Now, this might sound a little bit strange, but it is true. The actual speed difference is hard to quantify, as I found that it seemed to run quicker with my Mouse Systems mouse than with a Microsoft mouse.

One feature which I personally found annoying but which some people may like is that, for many operations, each drawing point needs to be entered twice. The first click on the mouse button will move the cursor to the nearest point already in existence, at which stage the package virtually says 'is this the point you wanted?'. You then have to click a second time on the mouse button to confirm that this is indeed the point that you wanted. I generally found this to be more of a hindrance than a help, but then like I said, some people may like it.

One area in which Polaris is streets ahead of the opposition in that it is possible to leave the program, go back to DOS, run, say, your wordprocessor and return to Polaris without losing your drawing. In fact, you can take up drawing where you left off before. Also, it's possible to run DOS commands from within Polaris; this is very useful, especially when you have forgotten which directory you stored the last drawing in. This feature comes about because of the use of a separate processor with its own memory. (I have fond memories of my boss coming in to my area with the main monitor on my PC running Word and the graphics monitor displaying four space shuttles. It took him quite a while to recover and I'm sure he still thinks it was done with mirrors.)

The text inputting abilities are not outstanding, with very little choice in sizing or typeface available. In fact there is only one style (or typeface) of text available. Compared to (say) Prodesign II and other packages, the text inputting facilities are rudimentary. A nice touch, however, is the ability to either keep text in scale with the drawing when a zoom is done, or to keep the text its original size, so that it remains readable no matter the zoom factor.

Output from Polaris is restricted to plotting only, though I expect that those using this package would normally have a plotter to go with it.

3D with Four Views

Another area where Polaris works well is in 3-dimensional (3D) drawing. If you want to draw in 3D, Polaris makes it relatively easy, with the user having the choice of which views of the object he wants to see on screen at the same time. You have the choice of seeing the front. side, top or isometric views individually on screen, or of seeing all four views at once. The four view choice gives an excellent overall perspective of the object being drawn, and it is quite fun to watch lines being drawn in all four views simultaneously. The four view screen also allows you to see exactly where on the 3-dimensional object the line you have just drawn on (say) the top will wind up. If you have a need for 3D drawing/display capability. Polaris is worth considering.

Hatch Your Own!

The ability to define your own hatching pattern is another useful feature, as is being able to define a number of 'objects' as a group. This group can then be copied, moved and erased within the current drawing. A group differs from a library element in that it can contain more than one object and that it is only part of the current drawing and cannot be used in a different drawing.

When you are inputting co-ordinates for a drawing operation, such as setting a point, it is possible to enter a formula, rather than just a number. This means that you can input a delta-X of 100+(2.5*3.6) instead of getting out the calculator to work out and input 109.

The delete and trim options give the user an extensive ability to delete parts of a drawing, as well as to simply trim off those little bits of lines that always seem to wind up poking out where you don't want them.

One feature which I feel sure would be most useful to mechanical designers is the ability to move and rotate an area of the drawing. With this feature, you can draw two parts of (say) a mechanical device like a joint which has an arm protruding from it; the arm must be free to move within a certain area. You could then take the arm and insert it into the joint (on screen of course) and, using the rotate feature, rotate the arm into all possible positions to see if it has sufficient clearance from surrounding objects. This, of course, is only one possible use of the rotate option. I am sure that any imaginative designer could think of a lot more.

Dimensioning facilities are excellent, with the ability to dimension horizontally,

vertically, parallel to a line, from one base point or from each consecutive point and angles can also be dimensioned, as well as the radius and diameter of curves and circles. Text entries can also be added to a dimension, so that tolerances and so on can be specified when the dimension is drawn.

Only four line types are provided, which can be a bit of a restriction in complicated drawings, although I suppose you could use different colours if needed.

One very interesting feature of this package is its ability to work out a program for a numeric control cutting machine. This part of the package is called the CNC module, which stands for Computer Numerical Control (you all knew that of course). Polaris will let you take a drawing (say of a machine part) and you can guide it around the outline that you want to cut. As you guide it around, it works out the instructions needed to control the NCC machine and comes up with the required program, including any tool up and down instructions. Polaris will even simulate the action of the cutting head on the monitor, just so you can make sure you have done the right thing. If you want to, you can then edit the program before sending it off to your cutting machine. The other interesting feature here is that you can take an existing CNC program and load it into Polaris. The program can be loaded either from disk, or through an RS232 port.

As with most Cad packages, Polaris will read plotter files (both Hewlett Packard and Houston Instruments), so that getting a drawing across from another package should be fairly easy.

As an interesting aside, it appears that Polaris was originally developed to run on a Commodore 64 for the Israeli education department. It's a little bit mind blowing to think of all this power being available on a C64 but the distributor assures me that the story is true.

The manual is well written, though it seems to have suffered a bit in the translation to English, as some sections need to be read a couple of times before they make sense but it's certainly nowhere nearly as bad as some other translated manuals I have seen. The manual does lack an index but it is laid out in the same order as the menus within the package, with each section having the same number as the menu choice it refers to, so section 5.7 refers to option 7 on menu 5. The manual falls somewhere between being a reference document and a learning guide.

If a tutorial was added it would make an




Figure 2. The dimensioning facilities with Polaris are excellent, with the ability to dimension horizontally, vertically, parallel to a line, from one base point or from each consecutive point, and angles can also be dimensioned, as well as the radius and diameter of curves and circles. Text entries can also be added to a dimension.

excellent learning guide and if an index were added it would make a good reference manual. Certainly, all the information you need to know is in there, it's just a matter of finding it.

I found Polaris very easy to learn, and after the first couple of hours use, I did not need to refer to the manual.

To me, Polaris is a fairly specialised package, which would be ideally suited to a manufacturing environment. It would not, for instance, be suited to the production of architectural or building drawings. However, I could see it being useful in a manufacturing or mechanical engineering company, especially those that have numerically controlled cutting machines.

While it has some drawbacks, they are minor compared to its advanced features in some areas and none of the drawbacks would be a problem in in the area I mentioned above. Certainly its speed, regardless of the machine being used, is outstanding and the ability to run a Cad package on a plain ordinary PC may be just what some people are looking for. The flip side of this coin is the need to purchase an additional monitor, but this would not be too much of a burden with EGA monitors running at about \$950, and monochrome monitors only costing about \$300. The display/processor card will support monitors with resolutions up

1024 x 1024 pixels, which is not bad in anyone's language.

And the Cost?

How much is all this power going to cost you? The current price for Polaris is \$5400 (including tax). This price also includes training and free upgrades as they come out. You would need to add the cost of additional monitor to this price, but even you had to buy an EGA monitor, the total cost would still be under \$6500. As this includes training and upgrades, it is not a bad price to pay for a package as powerful as this.

Polaris is not the sort of package you would buy if you just want to have a look at what Cad is all about, or if you want to produce building drawings. But if you are serious about implementing a Cad/cam system in your factory, it may be just the thing you are looking for.

Product Details

Product: Polaris

Distributor: Elcomp Pty Ltd, 14 Whiteside Rd, Clayton South 3169

Victoria (03)561 2594

Price: \$5400 taxed (includes display driver card with NEC 7220 processor)

BUY YOUR UPGRADES DIRECT AND SAVE

HARD DISK DRIVES	NEC
SEAGATE	20 MB with Controller and Kit \$ 615
20 MB with Controller and Kit \$ 615	30 MB with OMTI RLL Controller and Kit\$ 699 40 MB 40 ms Access Drive Only\$ 945 20 MB 3½" Drive Only\$ 675
Controller and Kit	CMS

GUARANTEED... Your Money Back on any product if not 100% Satisfied

VIDEO CARDS		_	FUNCTION CARDS	
Monochrome/Hercules Graphics & Printer	\$ 96	Multifunction	n/Clock 384K Zero K	\$139
Colour Graphics/Monochrome & Printer Short	\$ 96	Multifunction	n/Clock 1.5MB Zero K PC/AT	\$182
Colour Graphics/Monochrome/Hercules & Print EGA/CGA/MGA/HGA Comp. Also NEC Multisync EGA/CGA/MGA/HGA Comp. + Double Scan CGA	\$144 \$296 \$321		CONTROLLERS rd Disk Controller 10 MB to 40 MB PC/	KT\$149
		OMTI Hard I	Disk Controller. RLL: ST506 PC/XT	\$200
MEMORY EXPANSION CAR	DS	Advance Ha	ard Disk/Floppy Controller A/T	\$271
Memory Expansion 64-640K Zero K	\$ 60	Advance Ur	iversal Floppy Controller PC/XT/AT	\$ 88
Memory Expansion 2MB EMS Compat. Zero K	\$151	RIBBO	NS	
Memory Expansion 128K for PC/AT	\$ 63	EPSON	EX 800, 1000	\$ 16
		EPSON	LQ 1000	\$ 14
MULTI I/O CARDS		EPSON	MX 80	\$ 12
Advance Floppy/Printer/Clock/Game Port	\$134	EPSON	MX 100	\$ 14
Clock/Calendar Card	\$ 55	NEC	P3	\$ 18
Clock/Calendar/RS232 Port	\$ 70	NEC	P5	\$ 13
Printer Card/Parallel Port	\$ 42	C. ITOH	8510	\$ 10
Printer Card/RS232C Port	\$ 63	OKI	80	\$ 10
Printer Card. RS232C/Parallel Port	\$ 65	OKI	84	\$ 10
Print/2XRS232/Clock/Game Card	\$ 93	TOSHIBA	T 1350	\$ 14
Printer Card for PC/AT	\$ 93	BROTHER	1509	\$ 18

ACCESSORIES

40 MB 40 ms Access Drive Only...... \$ 992

Keyboard:	
Tactile PC/XT/AT	\$ 119
Mouse - Witty PC/XT/AT	\$ 85
Joystick PC/XT/AT	\$ 24
Power Supply 150 W	\$ 150
Ram Chips 64K Each	\$ 3
Ram Chips 256K Each	\$ 6



20 MB Hard Card..... \$ 779

Mountain Tape Backup Drive complete with Software and Manuals. TD4440.....AT Compatible TD4340.....XT Compatible

MODEMS

300/1200 BPS Full Duplex	
Hayes Compatible	\$365
300/1200/75 BPS Full Dup	lex
Haves Compatible	\$480

DISKETTE DRIVES

NEC 51/4" 1.6 MB\$	216
NEC 3½" 1.0 MB\$	192



ADVANCE PERIPHERALS PTY LTD Suite 3, 846 Pacific Highway. (P.O. Box 215) Gordon, N.S.W. 2072.

Prices Quoted Include Sales Tax
Prices Are Subject To Change Without Notice

TO ORDER PHONE (008) 25 1489 N SYDNEY CALL FAX: (02) 498 2665 51/4" DOUBLE SIDED DOUBLE DENSITY DISKETTES

TO DISKS
FOR ONLY
\$9.90
PLUS POSTAGE

SPECIAL INTRODUCTORY OFFER VALID UNTIL 31/12/87

CREDIT CARDS ACCEPTED

LIFETIME WARRANTY MADE IN AUSTRALIA

GUARANTEED TO EXCEED THE ANSI SPECIFICATION YOUR MONEY BACK IF YOU ARE NOT COMPLETELY SATISFIED

DISKETTES 10 PACK

5¼" 10 BRAND DS DD \$ 9.90 5¼" VERBATIM BRAND 1.6 MB \$41.10 3½" VERBATIM BRAND 1.0 MB \$39.70 ORDER NOW



ADVANCE PERIPHERALS PTY LTD Suite 3.846 Pacific Highway. (P.O. Box 215) Gordon, N.S.W. 2072.

Prices Quoted Include Sales Tax
Prices Are Subject To Change Without Notice

TO ORDER PHONE (008) 25 1489 IN SYDNEY CALL 498 2411 FAX: (02) 498 2665

DISCWARE The Empire Strikes Back

Clearance Sale – All Products Latest Versions

Lotus 123 \$ 560

IBM SOFTWARE	
Above Disk	\$199
Clipper	\$799
Coda	
Copywrite	
Crosstalk Mk4	\$350
Crosstalk XVI	\$140
dBase III plus	\$799
Eureka: The Solver	
Fastback	
Fox Base+ Multiuser	\$760
Framework II	\$899
Freelance Plus	
Harvard Professional Publisher	\$850
Harvard Total Project Manager	\$669
Javelin	\$330
Lotus HAL	
Lotus 123	\$560
Lotus Manuscript	\$675
Microsoft Word	\$680
Mirror	\$ 49
MultiMate Graphlink	
MultiMate 3.3	\$615
MultiMate Advantage II	\$680
Norton Advanced	\$219
Norton Utilities ver. 4	
Paradox 2 Multiuser	1,7-
PC Alien	
RapidFile	
Ready	
Reflex 1.1	\$229

Clipper \$ 799	9	79	\$	Clipper
----------------	---	----	----	---------

IBM SOFTWARE	
Silk	\$270
Super Calc 4	
Supercom	\$150
Symphony	\$875
Timeline	
Turbo Basic	
Turbo C	
Ventura Publisher	\$1450
VP Planner	\$150
Word Perfect	\$485
Word Star Easy Extra	\$120
MODEMS	
NetComm 3+ 12 modem	\$229
NetComm Smart 123A	\$860
NetComm Smart 1234A	
NetComm In/Modem	\$350
NetComm In/Modem 1234	\$859
NetComm In/Modem 123	\$695
NetComm In/Modem 1200	\$529
NetComm Smart 2400	
NetComm Smart 1200	
NetComm Trailblazer	\$Cal
PRINTERS	
Brother M1709	\$999
Epson LQ1000	\$1325
Epson RX 100+ incl. csf	
Impact LS800-3	
NEC P5 Pinwriter	

Toshiba	p	341	\$	990
IUSIIIDa	л.	JII	 Ψ))0

PRINTE	RS
NEC P6	\$880
NEC P7	\$1190
Toshiba P351	\$1695
Toshiba P341	\$990

STORAGE SYSTEMS

Archive 45 MB	\$1525
DSDD floppies (10)	\$18
DSDD floppies (100)	\$150
Irwin 10MB tape internal	\$1150
Miniscribe 30MB	\$750
Plus HardCard 20 MB	\$1250
Plus HardCard 40 MB	\$1950
Seagate 30 MB Kit	\$700

IBM HARDWARF

THE RESIDENCE OF THE PARTY OF T	
Hercules Ram Font	\$499
Hypertec Multifunction 512 KB	\$399
Intel Above Board	\$599
Microphonics Voice Command	\$999
Microsoft Mouse	\$260
NEC Multisync	. \$1199
Qubie 6 Pak 384KB	\$429
Sigma Color 400	\$990
Tall Tree JLaser + AT	. \$1100
Taxan Super Vision IV	. \$1350
TVM EGA MD7	\$950
8087	\$279



DISCWARE DISCWARE

(02) 212-6933

150 Broadway, Broadway, NSW 2007. FAX: 211-4065 TLX: AA 23509

ALL PRICES INCLUDE SALES TAX. AVAILABILITY MAY BE LIMITED AT PRICES ADVERTISED. PRICES APPLY TO STOCK HELD AS AT 23/9/87.

DISCWARE The Best Amongst the Best

Clearance Sale – All Products Latest Versions

Toshiba T 3100/20 MB \$6550

AT-286/40 MB \$3995

Kaypro 286i \$2800

THE DISCWARE AT-286 - MADE IN USA

INTRODUCTORY PRICE \$2995



PU:	80286, 8/10 MHz
AM:	1 MB RAM
OM:	IBM AT compatible.
ISK STORAGE:	1.2 MB Floppy Drive, 20 MB Tandon Hard Disk.
(PANSION:	6 x 16 bit slots. 2 x 8 bit slots.
IPUT/OUTPUT:	Parallel/Serial.
OWER:	180 watt power supply.
PTIONS INC:	Mono or Colour Card. Key Lock 12 months warranty. 45 MB option.

LIMITED QUANTITY AVAILABLE AT THIS PRICE

TOSHIBA T3100

THE AT FOR THOSE ON THE GO

CPU:	8 MHz 80286
RAM:	640 KB expandable internally
	to 2.5 MB
ROM:	IBM AT compatible
DISK STORAGE:	720 KB 3.5" floppy disk
	drive, one 20 MB hard
	disk, connection for
	external 360 KB 5.25"
	floppy disk drive.
EXPANSION:	Internal expansion slot
INPUT/OUTPUT:	Serial and parallel ports.



KAYPRO

THE PERFORMANCE SETTERS

Ko	vor	0 2	126	
N.			\mathbf{m}	

71	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
CPU:	16 MHz 80386.	
RAM:	2.5 MB 32 Bit wide RAM, expandable to 16 MB.	
ROM:	IBM AT compatible.	
DISK STORAGE:	1.2 MB floppy, one 40 MB High Speed hard disk.	
EXPANSION:	One 32 Bit, three 16 Bit and two 8 Bit slots.	

Kaypro 286i

CPU:	10 MHz 80286.	
RAM:	640 KB expandable to 15 MB.	
ROM:	IBM AT compatible.	
DISK STORAGE:	1.2 MB floppy, one 40 MB High Speed hard disk.	
EXPANSION:	Eight expansion slots.	
		CONTRACTOR OF THE PARTY OF THE

Kavpro PC/PC30

		A STATE OF
CPU:	8.0 MHz 8088/V20.	
RAM:	768 KB	
ROM:	IBM PC/XT compatible.	
DISK STORAGE:	2 x 360 KB/1 x 360 plus 30 MB hard disk.	
EXPANSION:	Nine expansion slots.	



DISCWARE

(02) 212-6933

150 Broadway, Broadway, NSW 2007. FAX: 211-4065 TLX: AA 23509

ALL PRICES INCLUDE SALES TAX. AVAILABILITY MAY BE LIMITED AT PRICES ADVERTISED. PRICES APPLY TO STOCK HELD AS AT 23/9/87.

FLOTTING AND DOTTING

If you need a dedicated plotter, we've got one for your short list — and, if speed is paramount, we've got a printer for that short list, too.

NE OF THE essential pieces of equipment for effective graphics and computer aided design is a reliable graphics printer or plotter. If you shop around, you'll soon be amazed at the number of machines available: these range from low priced 'toys' to fast, versatile, clear-imaged plotters, costing around \$7000.

There are many points to look for in a plotter: the number of pens it carries, size of paper it can handle, the plotting speed, the type input and output ports, graphics emulation, the method of capping pens, how easy (and messy) will pen cleaning be — and: will it work with *your* computer *and* software: try it before you commit yourself. Of course, the most important feature is the quality of the output and whether it suits your purposes.


The Sweet-P 601

The Sweet-P is an affordable American manufactured plotter that gives good quality plots. It has six pens to select from; these are held in a simple but effective mechanism. The pens are automatically capped when they're returned to

The Plot Thickens . . .

IN OUR MAY '87 issue we presented the last part of our Printers Feature which covered plotters — if you're in the market it would be worth looking at the reviews of the Comx PL-80 Plotter (distributed by Mike Boorne Electronics, (02) 46 3014): and the DXY-980 Plotter from Roland, (02) 982 8266. There's also a box item giving advice on buying plotter pens.

their holders after use. Each of the six holders is numbered so that you can set the output text pen numbers to the colours you want.




The one problem with the pen selection on this machine is that the wheel turns slowly to bring the pens in reach of the plotter arm, which considerably slows printing if there's a need to change colours — and the wheel has a tendency to 'clank' as it turns. The other sounds the Sweet-P made while plotting was a bit of a 'clunk' as the plotting arm was raised and lowered and a 'whirring' sound as the paper was moved — this all makes the plotter sound noisier than it is — we only mention it as a general comment: most flat bed plotters make essentially the same noises — more 'notice-y' than 'noise-v."

Drawings are done on a flat bed (as opposed to a drum), with the paper clamped down in the centre of the bed — A3 and A4 sizes are catered for. When plotting, the paper moves quite fast and is held firmly.

Flat bed plotting has the inherent advantages that the pens are always pointing down so the ink generally flows well (the tips don't have a chance to dry and clog) and the paper is kept relatively flat, avoiding warped paper (and distorted plotting). The disadvantages are that the plotter takes up a lot of room and the plotting mechanism is comparatively noisy.

The Sweet-P (there must be a story in that name) has an appreciably faster plotting speed than many expensive plotters — it's rated at about 36 cm/second. Other numbers of interest are the Resolution (also called 'smallest addressable step size' - it's basically a measure of the closest that two lines can be drawn together), which is given as 0.10 mm (about the middle of the range for plotters); and the rated acceleration for the plotting arm is 3Gs (again, about average — the higher the number, the less time you'll spend waiting for the plotter when it has a lot of tracking across the page to do).



plotter at this end of the market.

The Fine Line

The quality of the output from the Sweet-P is impressive considering the price — the lines were clear and straight and the colours were very full without bleeding at the edges.

There were, however, distinctive dots where the plotter would start and finish a line which can be a problem when you want detailed, presentable work. Also, the orange ink, for some reason, did not fill solid blocks of colour evenly evenly; this

was most likely just a problem with that particular ink cartridge.

The Sweet-P is new to Australia, so we were suitably impressed to see that it is mentioned in the set-up selection for Acad, the drawing package we use here for testing — this is an indication that there should be few software hassles with the plotter.

Centronics parallel and RS232 serial ports are both provided — the machine should plug straight in to most IBM-type computers. Selection of ports, transmission baud rates between the plotter and computer, and paper size are made using the DIP switches located at the back of the plotter. DIP switches also provide for selection between the two graphics options, either the Hewlett-Packard graphics language or software driven graphics.

Summary

If you are looking for relatively good quality output, but have no real need to pay for a professional quality plotter, then the Sweet-P should be on your short list.

Product Details

Product: The Enter Sweet-P 601 Plotter From: Enter Computers, California USA Distributor: Kenelec Pty Ltd, 48 Henderson Road, Clayton 3168 Victoria (03) 560 1011


Price: \$1650 taxed Plotter \$32 taxed Pack of 6 pens

The Honeywell Bull 4/66

A now for something quite different: For general office work (and at home), printing speed and noise tend to be the points users mention most often when asked something like 'are you happy with your printer?' And, if the printer has some sort of graphics and color capability, as well as being fast and quiet — what more would you want?

The Honeywell Bull 4/66 Printer fits all those criteria — with a bonus: there's no need to rethread the paper if you want to change from continuous paper to single sheets (in fact, paper changing on the 4/66 is about the easiest we've seen on any dot-matrix printer). In Europe, this feature was considered so nifty, the machine was voted Peripheral Product of the Year during the 1987 RITA (Recognition of Information Technology Awards).

The size of the printer, 18 cm x 63 x 41, is reminiscent of a large daisywheel and it's as heavy, weighing in at 20 kg — but that weight's needed to keep it on the desk while printing: this machine flies!



The 4/66 'sprints' out around 420 cps (characters per second) in draft mode (and that's well under what it's rated at). Unfortunately: at first glance it looked like Greek, and at second glance it was unreadable (the machine we looked at was 'factory new' — we can only hope this was a problem with this particular unit, and is not typical of the model).

This is an 18-pin printer, so we had expected much better results, even at that incredible speed. (For a general discussion on dot matrix printers, see 'Printers — Part 1' in our May '87 issue).

The 4/66 can print out 17.1 character per inch in draft, (that means it will print 132 characters across on 80-column paper) — but, again, the quality is border-line: even 18 pins have trouble keeping up with the speed of the paper and printing head. Of course legibility increases as the speed drops down, but even in 'Quality' mode there were parts missing from characters. Also, letters like w, x and m and some of the graphic characters tended to fill in — but the speed was a very respectable 65 cps (measured; it's rated at 75). Compare that with a run of the mill machine's 20 to 30 cps in Near Letter Quality mode.

If we bear in mind that Honeywell's traditional area is mainframes and peripherals to suit, that partly explains the high-speed/low-quality results we obtained. Make no mistake, if speed is paramount, then the 4/66 should be considered, particularly for mundane and time-consuming tasks like printing invoices and stock lists (or a few thousand lines of code). In Double Strike or Quality modes, the machine is still *very* fast and the result is readable — the head just needs a second pass to keep up.

The printer comes equipped with dot, line and mosaic graphics as well as the IBM character set. Dot matrix graphics ranges in resolution from 60 horizontal x 72 vertical dots per inch (dpi) through to 240 horizontal x 72 vertical. The 4/66's graphics are flexible — each pin is programmable, so custom fonts and characters can be designed — but suffer the limitations of dot-matrix printing, as opposed to laser.

Printing modes, including draft, each have emphasized, double strike, double width, italics, subscript, superscript, and underline. Additional fonts are available through cartridges which fit in the top left of the printer, underneath the tractor feed cover. There are only two fonts available per cartridge, however.

Draft mode

ABCDEFGHIJKLMNOPORSTUVWXYZ[

17 cpi mode

APOINT CHILKE MESORSTOWERYZEVO" 'abcdefqhijkle

Quality mode

ABCDEFGH1JKLMNOPQRSTUVVXYZ[

Figure 2. Three samples from the Honeywell Bull 4/66.

The Control Panel

The control panel has the no-nonsense look of a mainframe machine — there's no pastel consumerism here. Easy to follow indicators and a four-character display show the operating state of the printer, while a touch-sensitive panel is used to change it.

Conclusion

If speed is what you're after, especially if it's coupled with a flexible, heavy duty printer capable of four-colour graphics (albeit, rather limited in scope), and you can justify the price — the 4/66 is a machine you'll probably still be happy with five years from now.

Product Details

Product: The Honeywell Bull 4/66 ??? From: Honeywell-Bull Australia, 124 Walker Street, North Sydney 2060 NSW (02) 923 9660

Price: \$4500 Printer; \$900 Sheet feeder; \$300 Serial interface; \$90 Font cards (two fonts per card). (All prices taxed.)

Graphics Techniques

— the Fundamental Concepts

OMPUTER TECHNOLOGY is a tool which extends the abilities of our bodies and minds. With it we can 'build' simulated objects and manipulate them at will by using various computer procedures or algorithms. These techniques, making possible the amazing graphics we have all seen on expensive machines, have recently become available on computers within reach of the home user.

This 'graphics revolution' has been sparked off by a number of developments — first of all, the cost of video hardware is plummeting as a direct result of the falling cost of RAM (Random Access Memory) chips. This has made high resolution graphics more readily available to the average user.

More importantly, however, there is the increasing emphasis on user friendliness and the more natural it feels to use a computer, the greater is its effectiveness as a design and analysis tool. It seems that the more transparent the system, the better results users can get from it.

This software push has in turn caused a rapid development of faster and higher resolution video technology and so the cycle of better hardware and software continues. You can expect that high speed, TV quality scenes will soon appear on your computer monitor — if they haven't already

Video Display Technology

To gain an understanding of how graphic software procedures work, it's necessary to examine how the computer display system works. The way the computer is wired (the hardware), determines the types of manipulations that are possible with the software.

For example, we must keep in mind that the image is updated for display at a predetermined rate, usually 25 times a second — any slower than this and animated sequences 'flicker.'

We've all seen computer graphics — but how is it done? In the first of a new series, Miroslav Kostecki explains the basics of your computer's graphics system.


```
### DRAW LINE ###
   ' # Miroslav Kostecki # August 1987 #
   'draws line from point a,b to c,d
   'distributed as evenly as possible
50
   'using only plots
60
70
   'use integer variables
80 DEFINT a-z
90 GRAPHICS PEN 1
100 CLS
110 a=100: b=100
120 c=600: d=205
130 GOSUB 180
140 '
150 END
160
             draw line between points a,b and c,d
170
180 u=c-a: v=d-b
                   'distance along and up
190 dlx=SGN(u): dly=SGN(v)
                             'diagonal direction
200 d2x=0: d2y=SGN(v): m=ABS(v): n=ABS(u)
210 IF m < n THEN d2x = SGN(u) : d2y = 0 : m = ABS(u) : n = ABS(v)
        m is the larger of abs(u) and abs(v)
220
230
        and n is the smaller
240
    s=INT(m/2)
250
260 FOR i=0 TO m
270
     PLOT a,b
280
     s=s+n
     IF s \le m THEN a=a+d2x: b=b+d2y: GOTO 320
290
310
     a=a+d1x: b=b+d1y
320 NEXT i
330 RETURN
```

Listing 1. A Draw Program using the algorithm in Figure 3. The program tests to see if it is taking the shortest path from the starting pixel, to the finish.


Block Graphics

Early displays were based on blocks of dots forming character symbols — the familiar text screen. This has generally been extended, so that in the full IBM character set, for example, we now have 255 different symbols; these are defined on 8 dot by 8 dot squares and stored in permanent ROM in the video electronics. These symbols include the alphabet (upper and lower case), lines, shapes and blocks of shading.


The display screen is usually divided into 80 blocks across and 25 blocks down, giving a possible 2000 characters displayable at once. The graphics systems stores the character codes in RAM (1 byte per code); each of these 2000 bytes can be accessed and changed by computer programs and procedures.




All 4 quarters are blank, so the graphics character code is 128.



The new character code is 128 (blank) plus the values of the dots — 128 + 2 + 4 + 8 = 142



Each quadrant is given a value for a 'dot' in that quadrant.



Here, the character code is — 128 + 2 + 4 = 132

Figure 1. Block graphics on a text screen.

A common method of using a text screen to display dot graphics, is to use graphic symbols which are divided into quarters. Each quarter can be either black or white, resulting in 16 possible symbols for each character position.

The blank symbol is given a certain set character code (128 in the IBM set) and each quadrant is given increasing values of 1, 2, 4 and 8. When a dot is added to a certain position, the new character code is


arrived at by adding the value of the quadrant — see Figure 1.

The use of graphics symbols among text has made possible graphics transfers over modems — this technique is used by videotex systems like Viatel because it is very conservative with respect to the number of bytes needed to create a display.


Another advantage over newer types of displays is the quick manipulation of characters on the screen. Only 1 byte in memory must be changed to change a whole character.

Dot Manipulations Onscreen

Graphics is normally displayed on what is called a memory-mapped or graphics screen. Here each dot (pixel) is held in memory and can be accessed and changed separately. This means any pixel can be set on or off at any position of the display which makes the graphics much more flexible. Figure 2 shows how the pixels are stored in groups to form bytes of screen memory.



Four colour pixels, each with its own binary code.



These are stored in the display memory as an 8-bit byte. Each byte is displayed on the screen in sequence to give the 'picture.'

Figure 2. Pixels on a memory-mapped graphics screen.

```
10
             ### FILL ###
20
     follows the left and right edges
     # Miroslav Kostecki # August 1987 #
30
40
50 MODE 1: DEFINT a-z
60 GRAPHICS PEN l'border & 10 random lines
70 MOVE 0,0: DRAW 0,398
80 DRAW 639,398: DRAW 639,0: DRAW 0,0
90 FOR i=1 TO 10:DRAW RND*640,RND*400:NEXT
100 '
110 GRAPHICS PEN 2
120 m=2
                   'size of pixel
130 x=320: y=200
                   'start position
140
    GOSUB 180
                   'fill x,y
150
160 END
170
          fill subroutene
180 c=TEST(x,y): a=x
190 ud=-2: tx=x: ty=y
200
   WHILE a <= x
     WHILE TEST(a,y)=c: a=a-m: WEND: a=a+m
210
220
     WHILE TEST(x,y)=c: x=x+m: WEND: x=x-m
230
     MOVE a, y: DRAW x, y
240
     y=y+ud
250
     WHILE TEST(x,y)<>c: x=x-m: WEND
260
     WHILE TEST(a,y)<>c: a=a+m: WEND
270 WEND
280
     IF ud=2 THEN RETURN
290 ud=2: x=tx: y=ty+ud: a=x
300 GOTO 200
```

Listing 2. A Fill Program illustrating one simple algorithm for coloring a 'block.'

An extension of the simple memorymapped screen is a palette system for storing shades and colours. With this system, a number of colours are taken from a particular table and stored in memory.

For example, you might be working in a resolution that allows for only 4 colours on the screen at any given time. If, say, there are 27 colours in the table, you can use all the colours but not at the same time. The 4 colours you choose may be changed at will.

The unlimited manipulation of adjacent pixels on a memory-mapped display system has enabled graphs, spray effects and textures to be applied to the video screen.


Drawing Lines

To draw a line, it must be converted from the continuous form we see on paper into a sequence of discrete pixels that can be displayed on a monitor. Of course, the line's final representation should resemble its intended form, looking like a straight line with consistent width and accurate position.

Early line drawing algorithms used a horizontal and diagonal lines approach. These were easy to implement and were fast but they were also very restrictive. The algorithm now widely used to draw lines is presented in Figure 3. In a nutshell, the process tests to see if it is taking the shortest path from one pixel to the next. Study the diagram and then try the Draw Program in Listing I yourself.

If you use low resolution displays, you

will have notices 'jaggies' or stair-stepping to the sides of lines. A technique for reducing this effect, called 'anti-aliasing', is to vary the brightness of the line with less bright neighbouring pixels. As a result, lines and edges will look nearly continuous and may even appear to have more precision than the resolution of the screen.



- 1) Let S be M/2.
- 2) Move along 1 step.
- 3) Now, let S be S + N.
- 4) If S is now greater than M, then a) Move up 1 step.
 - b) Let S now be S M.
- 5) Loop until the line has moved M steps.

Figure 3. The algorithm commonly used to draw a line.

One of the uses for lines used this way is to greatly speed up plotting shapes. As an example, imagine plotting a circle using only discrete pixels — you need to plot points close enough for there to be no gaps. However, if you use lines you need to calculate a point for only every 2 degrees of the circle and then draw lines

between them. In most cases, this gives an indistinguishable result but it's many times faster.

Filling Areas

A block of colour can easily be created by drawing layers of horizontal lines but a universal fill algorithm to fill any set shape greatly simplifies programming.

The Fill Program in Listing 2 illustrates one simple algorithm. The left and right edges of the block are found by testing the dots along each direction and a horizontal line is drawn between them. The next line down is then similarly tested and drawn until the left and right edges meet. Then the process is repeated going up. This results in a fast algorithm — but it will not work for concave shapes and may even erase parts of them. Careful placing of the starting position will enable the user to fill a complex shape with few starting points.

More complex fill algorithms are used to fill a shape with a certain pattern. These programs work similarly but refer to a look up table when they apply the points to the screen. Masking can be achieved with single colour fills to obtain areas of textures — first, create a block of texture, then apply an outline in a certain colour; then filling to the edge of the outline colour leaves a textured shape.

I hope these insights into the basics of your computer's graphics system has launched you into graphics processing technology. In the next article, I'll explain how to turbocharge slow graphics.

THE COMPUTER PAPER SPECIALISTS

For QUALITY Computer Paper in Cartons or Micro Packs


- ★ Word Processing Paper. 279mm x 241mm 70gsm Bond with Micro Perforations.
- ★ Now available in BLUE, PINK or YELLOW Bond Paper.
- ★ Also 2 Part & 3 Part White Carbonless Computer Paper.
- ★ True A4 Word Processing Paper. 297mm x 241mm 70gsm Bond with Micro Perforations.
- ★ Listing Paper. 279mm x 381mm 60gsm Bond. Available in Blue Half Shadow, Fineline or Plain. Also 2 Part, 3 Part & 4 Part BHS or F/line Carbonless Listing Paper.

Also available • COMPUTER ADDRESS LABELS • COMPUTER PRINT-OUT BINDERS
• CUSTOM PRINTED COMPUTER FORMS

COMPUTER PRINT & PAPER CO. PTY. LTD.

141 HERALD STREET, CHELTENHAM, VIC. 3192. PHONE: (03) 553 2100





Which IBM Compatible will you choose to save yourself money on?

There's no better place to save yourself money on an IBM Compatible than at Robs Computer Centre. Whether your PC needs are for home or corporate use we've got the support and backup you need to get up and running fast.

Throw in the following generous discounts and you can see we have just what you're looking for at just the right investment.

The Skai XT Turbo. \$1,385, Save \$725!

An outstanding performer thanks to its dual speed turbo CPU. You get 640K RAM; dual Japanese floppy disk drives; battery backed clock calender; printer & serial ports; eight expansion slots; joystick port; AT style keyboard; and MS DOS 3.1 Software and manuals. Assembled in Australia with quality components. 12 months warranty.

Optional monochrome monitor and video card \$200.

The Kaypro Turbo Only \$2,295. Save up to \$1800!

Kaypro's famous "Made in the USA" reliability and non-obsolescent design makes for good value. You get 768K RAM, high speed NEC V20 dual speed turbo processor; 6 free slots; 132 Watt power supply; New enhanced keyboard Hercules Mono TTL, CGA and EGA colour and composite video output.

Mention this ad and get an extra \$1400 worth of software free! (Includes Wordstar Version 4, Spelling Checker, GW Basic, Games, and Poly Windows.)

The Epson PC AX. Only \$3,696. Save \$966!

Epson's superb AT compatible is

yours to keep at this amazingly low price.

You get a 20 Mb hard disk; 640K RAM, 1.2MB floppy disk drive, 9 slots, serial and parallel ports; 3 CPU speeds (up to 10 Mhz!); MS DOS 3,2 and GW Basic Software & manuals. Optional Monochrome Monitor & Video Card \$295


Call for more information

So call us today on (03) 794 8990



Robs Computer Centre

Cnr Thomas & Scott Sts, Dandenong 3175 Phone (03) 794 8990



Price Breakthrough Complete PC compatible for under \$1000

ACER PC500 PLUS By Multitech

Pigs fly backwards! When you see the incredible performance and value of the new DSE Acer PC 500+ by Multitech you'll realise that anything is possible.

Starting at less than \$1000 you get a high speed computer system with mono monitor and MS.DOS 3.2 software! It's ready to run.

Featuring standard 256/640K RAM (depending on system), switchable 4.77 or 8 megahertz clock speeds, serial and parallel ports, single or double 51/4" disk drives, optional hard drive, Hercules compatible MGA card... and more! * 12 months carry-in warranty

Three systems to choose from:

System 1

Value plus! With 256 RAM (expandable to 640K) single 51/4" floppy disk drive, MS.DOS V3.2 software! Cat X-8050

Mono monitor Cat X-2400 (Includes monitor!)

COMPLETE! \$995

System 2

For home or business! With 256K RAM (expands to 640K), twin floppy disk drives and MS.DOS. Cat X-8051

Mono monitor Cat X-2400 (Includes monitor!)

ONLY \$1295

System 3

Huge 20 Meg hard drive, single 5¼" floppy disk drive, 640K RAM, MS.DOS software — all at this amazing price!Cat X-8052 Mono monitor Cat X-2400 (Includes monitor!)

Hard Drive System! \$1995

1200 Baud Intelligent Modem! Bit Blitzer

Check out the price! Then check out the features. The Bit Blitzer 1200 Baud full duplex, intelligent modem is sensational in all respects. Features 1200/1200, 300/300 (and 1200/75 for Viatel on the 123E) baud rates, auto dial/answer, tone/pulse dialling, full Hayes AT command set, the most

comprehensive instructions we've seen and much more!


Model 12E Model

300/300 AND 1200/1200 full duplex. Cat X-3306 Model 123E

Works with Viatel! 300/300, 1200/1200 and 1200/75 Baud rates!

399


\$499



DICKS SMITH COMPUTERS TOP

NSW • Brookvale 93 0441 • Chullora 642 8922 • Gore Hill 439 5311 • Miranda 525 2722 • Newcastle 61 1896 • North Ryde 88 3855 • Parramatta 689 2188 • Tamworth 66 1711 • Wollongong 28 3800 • York St 267 9111 • ACT • Canberra 80 4944 • VIC • Elizabeth St 670 9834 • Richmond 428 1614 • Springvale 547 0522 • QLD • Brisbane City 229 9377 • Buranda 391 6233 • SA • Adelaide 232 1200 • WA • Perth 481 3261 • NT • Darwin 81 1977 • TAS • Hobart 31 0800

There's still




no better

SQ-2500. Only \$1,975, Save \$523!


Large 136 col; superquick 540 cps, 24 nozzle ink - jet dot matrix; 5 fonts; noise free.

place to



LQ-1000. Only \$1,194, Save \$150! Large 136 col; fast 180 cps; Roman font 24 pin dot matrix.

save yourself




money

FX-1000. Only \$922, Save \$244!

Large 136 column; fast 240 cps; 9-pin dot matrix.

on an



Epson printer!

Thanks for helping us to become one of Australia's largest suppliers of Epson printers.

We aim to keep bringing you the best prices possible with the finest support and service there is.

We'll match any advertised price to ensure you don't go elsewhere.



Robs Computer Centre

Cnr Thomas & Scott Sts, Dandenong 3175 Phone (03) 794 8990

CAD-3D for the Atari

S A CIVIL ENGINEER, I use computer aided design (Cad) tools frequently in my work. These are mainly programs for taking surveyors' field observations and ultimately turning them into finished road designs. I also use Autocad extensively, either as a drafting tool in its own right or to enhance the output of the survey and road design programs.

Autocad is a massive program, occupying nearly a megabyte on the IBM and costing over \$5000. However, until the recent release of Version 2.6, its 3D abilities were severely limited. With this background, I was intrigued to hear of Tom Hudson's package CAD-3D for the Atari 520-ST. Could a program costing only \$80 or \$90 compete with the likes of Autocad? Could it provide a real 3D design tool?

Well, the first answer is no: CAD-3D is not a competitor for Autocad and is in reality a very different type of program — it's designed purely for the production of 3D images of solid objects. It is *not* suitable for the production of engineering plans or architectural drawings. With these limitations in mind, CAD-3D is a specialised program which performs brilliantly.

The Opening Screen

The package is supplied on a single-sided disk containing the CAD-3D.PRG and RSC files, together with the animator folder and support programs. There are also a couple of example picture files — this disk is full! There is no room even for a Desktop-Inf file. Luckily, the program is not copy protected, so the user can make a backup disk containing only the files that will be used. However, picture files will need to be stored on a separate disk.

The opening screen of CAD-3D is a standard GEM desktop fully occupied by four windows labelled Camera, Top, Front and Right. Unlike standard GEM windows, these can not be resized or moved around but the Camera window can be blown up to full screen size. Low resolution mode is not available, only medium and high.

In order to create an image, a number of pre-formed objects are used or you can 'roll your own' using the Spin and Extrude

Stunning three-dimensional graphics for under a \$100? As a heavy user of Autocad, Paul Fisher wanted to see if CAD-3D could provide a comparable 3D design tool. He reveals all . . .

tools. The pre-formed objects are cube, sphere (in three degrees of smoothness), wedge and torus. Selecting any of these from a drop-down menu will result in a perspective view of the object appearing in the Camera window. Opening the other windows will show standard orthographic projections of the image.

The relative dimensions of the object can be altered by using the scroll bars in the top, front or right view windows. A sphere can easily be stretched into a football, for instance.

The scroll bars on the camera window perform a quite different function. In the

default mode, the horizontal bar controls the zoom function (which operates just like a zoom lens on a camera) and the vertical bar controls perspective. By exaggerating the perspective, quite spectacular views are possible, giving a feeling of massiveness to quite simple objects.

By clicking on the Close Window box, the Camera window's scroll bars are toggled to control the viewpoint. The view can be revolved around the object, viewing it from any angle.

The Extrude tool acts just like an industrial extrusion plant. Using the mouse, the operator draws a cross section of the ob-




Figure 1. The opening screen of CAD-3D is a standard GEM desktop fully occupied by four windows, labelled Camera, Top, Front and Right. Unlike standard GEM windows, however, these can not be resized or moved around but the Camera window can be blown up to full screen size.

ject, then 'extrudes' it to a pre-determined length. The sketching process is made easier and more accurate by overlaying a grid on the screen and optionally 'snapping' points on the cross section to grid points. One minor difficulty with Extrude (and also with Spin) is that the cross section may only be drawn in a clockwise direction and lines may not cross each other.

Spin acts like a lathe and allows the creation of rounded objects of great complexity. The obvious example (which is illustrated in the documentation) is a wine glass. As with the Extrude tool, Spin requires a cross section (actually only a half a cross section, as it is mirrored) to be drawn using the mouse. The section is then spun to create the solid object. The user has the option of controlling the degree of smoothness of the finished object. Increased smoothness is achieved by increasing the number of planes generated; of course this uses more memory and also slows the process to a crawl.

Creating Shapes

One of my few gripes about CAD-3D is that the spinning of complex shapes takes a very long time — at first I thought the program had crashed. It takes even longer to join objects. However, when you realise the amount of number crunching required to achieve the finished article, it does not seem such an unreasonable wait.

Having created shapes, either by extruding or spinning them or by using predrawn spheres and the such like, it's possible to illuminate them using up to three spotlights and a diffused 'ambient' light. The careful manipulation of the lights — number, direction and brilliance, together with view point and perspective, can drastically alter the appearance of objects.

Although the camera window gives a reasonable view of your object, an alternative 'superview' is available. This occupies the whole screen, and shows the object (or group) in shades of colour on a black background — most impressive. Colour may either by 14 shades of 1 colour, or 7 shades of each of 2 colours. (Shades of grey are used in the high resolution mode).

Objects may be depicted in wire-frame format, as wire frames with hidden lines removed, as solid objects or solid objects with the edges of each plane outlined. This last mode gives the most realistic appearance but does take longer to calculate and display.

It is possible to join a number of basic objects to create shapes which are not otherwise possible. For instance, a chess




Figure 2. The masterpiece on the distribution disk is Stonehenge — a complete 3D model of the famous neolithic monument. When viewed backlit with blue light, this is truly a remarkable image. It is all the more remarkable in that your viewpoint can be moved right inside the circle of stones.

knight can have a spun body joined to an extruded head, with distorted wedges for ears. The proportioning of the various objects to ensure a proper fit on joining is a matter for considerable trial and error but worth the effort in the long run. (Speaking of long runs, joining objects takes even longer than spinning them.)

The documentation consists of a small paperback manual written in a very friendly conversational style. It is certainly not intimidating but is to brief and does not always cover all aspects of some complex operations in sufficient detail. (Compare this to the massive tome which accompanies Autocad.)

In addition to the program files, the CAD-3D distribution disk contains a number of ready made images. These include the Antic software logo and a stylised word Start. However, the masterpiece on this disk is Stonehenge — a complete 3D model of the famous neolithic monument in deepest, windswept England. When viewed backlit with blue light, this is truly a remarkable image. It is all the more remarkable in that your viewpoint can be moved right inside the circle of stones.

Animation

AD-3D has an animation facility, but quite frankly it is probably not worth the trouble. The user is required to create a series of images then record them one-by-one onto an animation file. Normally, this would consist of recording a series of views of the same object, to gain an impression of movement. The animation

program then shows the views one at a time, like a slide show.

A second animation program can take images in Neochrome format, and display them one after another. With a lot of memory and a ram disk, this becomes a proposition (Oh for a Mega!!)

It is worth mentioning at this stage that a second version of CAD-3D — called CAD-3D II — has been released with much improved animation facilities but requires too much memory to run on an unexpanded 520 ST.

CAD-3D is a program which takes a lot of practice and effort to achieve results, but having reached a reasonable level of proficiency, the user can turn out some positively stunning graphics.

Product Details

Product: CAD-3D for the Atari **From:** Antic Publications, Honeyvale, California

Review Copy from: Computer Oasis, 37/406 Stirling Hway, Cottelsoe 6011 WA;(09) 385 1885

(Note: There is currently no Australian distributor for CAD-3D, but many dealers are importing it on their own — check with your local dealer. Computer Oasis also stocks the latest version, CAD-3D II, which lends itself more to animation than the original version of CAD-3D. CAD-3D II is available for the Atari 1040.)

Price: \$89.99 taxed (CAD-3D), \$199 taxed (CAD-3D II)

Computer New Faces

Or, How To Get Rid of That Unsightly Bump

A Melbourne cosmetic surgeon Tim Hartnell discovered is using high-resolution graphics and an arts software package to 'redesign' people.

MELBOURNE cosmetic surgeon has found high-resolution computer-generated graphics, and an arts software package, are potent tools in helping him give his clients the new noses, breasts and bottoms they desire.

'The traditional way of determining such things as the kind of nose shape desired was to do little sketches and then just talk to the client,' the Brighton surgeon said.

'However, the big problem here was that the kind of final result which I imagined the client wanted and the result which the client had in mind, could be quite different. The computer equipment I bought has removed this ambiguity.'

Hi-tech Love Affair

You'd suspect a love affair with hi-tech when you first enter this surgeon's waiting room. A television set connected to a video recorder is in one corner and a ghetto-blaster pumps away in another.

The surgery is akin to the demonstration room of a particularly classy computer showroom. A video camera, complete with spotlights, a *very* high resolution monitor, an AT-compatible with hard disk, a graphics tablet complete with stylus and a hi-res screen-dump photoprinter all jostle for space.

The heart of the system is a WYSE-286, an AT-clone, fitted with a Truevision Advanced Raster Graphics Adaptor (TARGA)



board made by AT&T, the doctor explained.

'The software I use, Truevision Image Processing System (TIPS), is designed to work hand-in-glove with this board. This is basically a graphics package; it is not designed specifically for medical use. I bought the software and the TARGA board in America, because I considered it was exactly what I needed. And once I'd set it up here in Melbourne, I discovered I could have bought the whole lot in Australia from a company called Vision Control in Melbourne.

'I also bought the Mitsubishi copier (which produces the high resolution screen dumps) in the States, along with the camera,' he said.

The TARGA board and TIPS software are designed to allow any PC compatible computer to capture digitised images from a video camera, VCR, videodisk or other composite video source. Then the keyboard, mouse, or graphics tablet with stylus can be used to modify these

Figure 1. The WYSE-286 PC fitted with a Truevision Advanced Raster Graphics Adaptor (TARGA) being used in a Melbourne surgery for 'design' work.



Figure 2. The 'before' shot (on the left) was taken with a video camera; the image was digitised and saved to disk, then duplicated in two windows. The after image (right) was formed by sampling the background color and using that to paint over the edge of the nose until the desired shape was achieved.

TAILOR-MADE CAD.


Compared to AutoCAD, the others just don't measure up.

AutoCAD, the fast and accurate computer-aided-design software from Autodesk, turns your personal computer into an electronic drawing board. But AutoCAD's real power is in its flexibility.

ÂutoCAD's open 'architecture' allows you to customise the way it responds, thus tailoring the package to suit your working style.

AutoCAD's embedded programming

language, 'AutoLISP' gives you the power to automate design routines and interface to over 450 application programs, including more than 50 developed in Australia.



AutoCAD drawings can even be changed with other applications software, databases and mainframe CAD systems.


AutoCAD support is second to none. Highly trained dealers, authorised training centres, user groups, newsletters, conferences, application programs, and even two dedicated magazines, are all effective tools which contribute to your productive use of AutoCAD.

For all this you may think that AutoCAD would be expensive. Not at all. AutoCAD performs about 90% of mainframe CAD tasks. With over 100,000 users world-wide, including 2,500 in Australia, AutoCAD is now the standard for all CAD systems.



Your success is made to measure with AutoCAD.

For further information contact your authorised AutoCAD dealer or phone Autodesk Australia on (03) 4299888 for the name of the dealer near you.



images, changing the colours, shapes and so on and add text.

As far as he knows, this setup is the only one being used by a cosmetic surgeon in Australia, although the system has been put to other uses.

'BHP have a system, although I don't know what they're using it for and I understand at least one Australian police force is working with it to produce an up-to-date version of the old IdentiKit system.'

How It's Done!

 $S_{\text{combine to give you the perfect nose}}$ or bum?

'I start up the equipment and select the TV option from the menu board in the graphics software. Then, I put the patient in front of the video camera and more or less 'take a photo' of the part of the body I'm going to be working on. So, if it is the nose, I take a shot in profile, or a back view of the lower half of the body for the hips, and so on.

'When I have the image I want on the screen, I save it on hard disk, then split the

screen into two windows and duplicate the image in both halves. This allows me to manipulate one image, while I leave the original image to the left of it for comparison. To change the shape of a nose for example, I get the computer to sample a bit of the background colour, and then simply 'paint' over the edge of the nose with this background colour until the patient and I agree on the shape we want. I can also do such things as improve the shape of a chin, neck or ears in the same way. Peoples' eyes light up once they see what they can look like.

The doctor had one patient, a male, who had a scar on his face which made him very self-conscious. To show him how he would look without the scar, the doctor used the software to sample the colour of his face and then painted that over the scar.

'It was incredible to see his reaction. It was the first time he had been able to look at his face in his entire adult life and not see the disfigurement. I use the same approach, of sampling a bit of flesh tone and then painting with it, to erase frown lines

and other wrinkles,' the surgeon said.

According to the doctor, the best thing about using such a setup is that both he and the patient can be sure they are talking about the same thing.

'Rather than having to use phrases like I want my nose to be less prominent we can work out exactly how it should look on screen and agree on a shape before any surgery gets underway,' he said.


The doctor usually gives a patient who is enquiring about possible surgery a printout of the split-screen images, with the before and after shots, so they can take it home to study.


'In the old days, even if we used photos, and sketched changes directly on to them, it could take a week before we had photos we could use and the sketches were far from being satisfactory,' the doctor said.

So, if you've got crows feet from staring at your VDU for too long, your posterior has been buffetted from its youthful perfection by sitting for ages at your keyboard, or you'd just like new hips, breasts or a change of nose for the summer, hitech wizardry is waiting to help.

Dot, Daisy and Laser.







The new family of Olympia Printers with a prestigious technological heritage.

For over 80 years Olympia has been a leading innovator in typing technology for the office. Our reputation for efficiency, reliability and service is renowned.

Now Olympia introduces its new range of printers, all with that famous Olympia standard of quality. The Olympia dot matrix printers produce clean, crisp printing at speeds from 130 CPS to 200 CPS for a wide range of applications.

Our range of daisywheels is unsurpassed in printing quality.

And our Laserstar 6 is compact, versatile, compatible and offers all the benefits of the latest in desktop printing technology.

Whatever your printer requirements are, Olympia has a model for you.

Contact Olympia now for further details.



Phone (008) 251448 for an Olympia dealer near you, or Olympia (Australia) Pty. Ltd., 59-61 Dickson Ave., Artarmon, NSW 2064. Phone: (02) 439 3444.

OLY416

VIATEL \$99!



Commodore 64/128 Viatel Modem with software! Scoop purchase. Low, low price. Limited stock. ORDER NOW!

There has never been a better time to get into Viatel. For only \$99, you can purchase this TELECOM APPROVED, full featured Commodore 64/128 Viatel Modem. And you don't even need a datasette or disk drive to use it! Included is a sophisticated software package which features, easy installation with all cables supplied, cartridge based... no waiting for software to load! and save Viatel screens to disk or tape.

Our price of \$99 includes packing, freight and sales tax — NO hidden extras!



One stop Commodore shop. 352 Murray Street (Cnr King Street), Perth, W.A. 6000. **Telephone Sales: Call (09) 321 2932.** By the way if you don't already have a Commodore 64 computer, we'll sell you one for only \$349, (also including freight, and sales tax etc!)

Order now! Stocks are limited!

ORDER/INFORMATION FORM

COMPUTER CITY, P.O. BOX 184, NORTHBRIDGE, W.A. 6000.

NAME:		
ADDRESS:		
POST CODE:	TEI	
ITEM	QTY.	UNIT PRICE

TOTAL:

My cheque/money order for \$ ______ is attached. Please charge my Bankcard/Mastercard/Visa/Diners/Amex (Please indicate)

CARD NO. ______ EXPIRY DATE: _____

PLEASE SEND FURTHER INFORMATION ON _____

SILK ... a smooth spreadsheet

John Nicholls usually doesn't take much note of hype, but -

OTHING runs as smooth as Silk.... 'Silk is a software masterpiece; Silk is Lotus Version 3.0; Silk stands alone as an extraordinary and ingenious spreadsheet product that will transport you to a new, higher level of power and performance.'

These are the some of the modest claims from the publishers of Silk — 'over 40 man-years in its development.' Whatever my feelings about all this hype, I must agree with some of it: Silk is 'an extraordinary and ingenious spreadsheet.'

Silk runs on an IBM, Compaq or compatible computer and requires 512 kilobytes of RAM (440 Kbyte after loading DOS), not an unusual requirement these days but it does make 640 Kbyte almost mandatory and even then limits the size of your spreadsheet; memory permitting, the maximum is 256 columns by 2048 rows (524,288 cells).

It can run on a 2 floppy disk drive system but really needs a hard disk. It can take advantage of expanded memory and an 8087 or 80287 co-processor. If you have enough expanded memory you can place the entire worksheet there. The combination of an 80287 and the Assembly language in which it is written, makes it *fast*.

Installing Silk is simplicity itself — copy the 5 disks and answer 4 questions about the types of display and printer you will use for text and graphics. The down side of this is that you may not be able to do any fancy printing. To load Silk you can either go through an Access system or straight into the spreadsheet. The Access menu has a novel touch — keyboard logging.

Keyboard Logging

With keyboard logging enabled, every keystroke is recorded in KEYSTROK.-LOG. The keystrokes previously stored in the KEYSTROK.LOG file are moved to a

backup file called KEYSTROK.BAK, so records are available of the last and the second last times you used the worksheet. What value is this? If you've ever forgotten to save a file, or if you've ever experienced a power failure in the middle of doing something, you'll know why! As the process is entirely automatic and has negligible effect on Silk's speed, it could well be a valuable feature.

A friend of mine has developed a routine to show off this feature. Try this on any other spreadsheet (better still, don't try it) — He creates a Silk worksheet, en-

ters some figures, and then, with the worksheet still on the screen, turns the system off! He then turns the systmback on and invokes Recovery — it's fascinating to watch the screen filling up with the figures entered before power was 'interrupted.'

After Silk is loaded, it displays the familiar blue top and side bars with letters for columns, and numbers for rows. Time and date (American format) appear in the top left corner. Press the slash key (/) and a 2 line menu in yellow appears at the bottom of the screen. The second last line displays the menu choices, with one




Figure 1. Silk requires 512K of RAM which 640K almost mandatory and even then the size of your spreadsheet is limited by memory; the maximum spreadsheet size is 256 columns by 2048 rows (524,288 cells).

choice highlighted. The bottom row shows the choices available if you press the highlighted key. The horizontal menu wraps round, as all such menus should. Selection is by using the Space and Backspace keys, or by simply pressing the first letter of each command. As you move down from one menu level to another, the choices already made appear on the third bottom line, so you can see exactly where you are and what you have done. Also the designers of Silk have elected to put a lot of choices on each line, producing a broad range which is probably easier to use than a narrower range that requires you to drop down a number of levels.

The use of the Space and Backspace keys in the menus takes a bit of getting used to, but has apparently been done to allow moving around the worksheet with the normal cursor movement keys even while a menu is displayed. To retrace your steps in the menu system the convention of using Esc is followed, although to return you directly through all the steps, F7 is used.

Help

ost of the main menu choices are Most of the main mena size those self-explanatory, so we'll skip those and go straight into Appendix, another remarkable feature of the package. Appendix introduces us to Silk's on-line Help facility. When you call up Help, the screen is divided vertically down the centre and the Help fills the right half, with the spreadsheet remaining in the left. Not only can you see the spreadsheet, you can continue working on it. Appendix starts by explaining how Help works. As this information is too lengthy to fit on one screen, you can scroll up or down one line or one screen at a time, as well as going straight to the beginning or the end of the Help message. You could describe this as being non-context-sensitive help; in other words it's always the same no matter where you are in the spreadsheet commands.

Once you're in the Appendix, you can also select items from a short menu: Functions, Key-Definition (function keys), Row-Codes (indicating that a particular row is part of a Time Series Model), Indicators and Macros.

The other part of Silk's Help facility is the context-sensitive part. Press F1 on a blank worksheet and you get Help on the Ready mode. The Slash Key brings up the menu and the Help changes to give you Help on the menu choices; this happens no matter where you are in the menu structure. The combination of context-sensitive and non-context-sensitive help

should mean that you don't need to read a manual and this is in fact what has happened; the manual doesn't cover each of the functions, commands and macros in detail because you can use the Help system instead. The only features the manual does cover in detail are those claimed to be unique: Keystroke Logging, On-Line Help, Time Series Model, Allocation and Form Processing.

As well as explaining these functions, the manual is intended to provide a conceptual introduction to the spreadsheet. First-time users are advised to read the conceptual introduction and go through the tutorial lessons.

We've had a look at the first two of these 'unique' features; now let's have a look at the others.

Time Series Model

Even if you don't recognize the phrase Eyou are almost certainly familiar with the concept. A series of columns (months) and a total (year) is the format of the most commonly-used spreadsheet. Silk's feature is designed to take away some of the drudgery of constructing such spreadsheets. You specify Base time periods and Summary time periods and the program puts identifying headings at the top of each column. You fill in a Data Field Schema Definition FORM to record the specifications of each Data Field. The names of the data fields appear down the first column.

When you highlight a cell, the status line shows the Time Period Name, the Data Field Name, the cell format and any applicable formula. In an ordinary data field the formula may refer to other data fields (SALES-COST OF GOODS) and in a Summary Period column the formula will use the time period names — SUM (PROFIT(Jul/87,Aug/87,Sep/87)). Notice the use of Names instead of cell addresses; this should make the spreadsheet easier to understand. There are other advantages too: formulas are stored in the FORM, reducing memory required to store them; if you add a data field or a time period you don't need to copy formulas to the new cells, you can validate data field entries, either during data entry or when the worksheet has been finished; and you can use the LAG function to use a formula that refers to a value stored in a different time period.

Allocation

Data Allocation refers to the situation where an amount should be allocated in differing proportions to a number of

categories. Perhaps an example will make this clear — We have received 200 (dollars, lemons, software packages — it doesn't matter what), and we want to allocate them to A, B, C, D and E in the proportions shown —

Α	1	11
В	3	32
С	5	53
D	3	32
Ε	7	72
Totals	19	200

We also want the amounts to be calculated so that the numbers produced are whole numbers and that they add up to 200; the last 2 requirements are typical, even though they contradict each other.

In Silk, you access Data Allocation by selecting /Data Allocate. The first parameter required is Multiple, which determines the accuracy with which the quantities are calculated. In our example we want whole numbers, so Multiple is 1. If we were dealing with sums of money and wanted the calculations made to the nearest cent, the Multiple would be .01. Depending on the value of the Multiple, the numbers in the range may not add up exactly to the total; when this happens, the last value in the data range is adjusted up or down to make the range add up correctly. Silk allocates the 200 thus —

Α	1
В	3
С	5
D	3
Ε	7
Total	19

Data Allocation could be invaluable when doing financial projections: income projections, sales projections and so on.

Form Processing

Forms Processing allows you to make and save the specifications of certain commands. These are PRINT, GRAPH, Goal Seeking criteria, Data Sort and Data Regression. You can store as many as 240 forms for each category. Rather obviously, the Worksheet Default Settings Form can have only one lot of settings, so you can set up a different form if you expect to be using different settings frequently. For example, you can save two different PRINT forms with different margins and page lengths, and you can choose which one you want to use without having to change the specifications each time.



COMX PL-80

USER FRIENDLY AND ACCURATE

The PL-80 is designed to have both the printing and plotting modes selectable by the user, it can work as an plotter or a normal ASCII character printer with four basic colours: black, red, green and blue. The PL-80 plots up to 92mm per second with a resolution of 0.2mm per step.

HIGH-LEVEL COMPATIBILITY WITH MOST SOFTWARE PACKAGES

The PL-80 has a standard built-in Centronics Parallel Interface. It is compatible with most micros including IBM PC series, Apple, Commodore, and many others

COMPREHENSIVE USER MANUAL

The PL-80 users manual is designed for both hobbyists and professionals. It covers a great variety of graphic functions written in standard BASIC, so that you can tackle almost any graphic tasks required.

LOOK AT THESE FEATURES:

Plotting area: 192mm×13000mm

: Cut sheet - 215.9mm×279.4mm Paper size

(letter size) 210.0mm×300.0mm

(A4 size) Roll Paper – 214mm width

50mm core dia. (max.)

Max. plotting speed

92mm/sec.

Step size 0.2mm

Pen types : Ballpoint type (water soluble)
OHP type (oil soluble)
No. of pens : 4 (black, red, green, blue)
Panel Control : Up, Down, Left, Right, Pen Select,
On line

Power, On Line Indicators

Interface Options

Centronics parallel interface Emulates Roland DXY800 for AutoCAD, Amdek Amplot II for

Lotus and Symphony.
Water pens, Oil pens, Paper roll, Print rom, Font rom — Pack centronics cable.



Suite 3, 61A Hill Street, Roseville, N.S.W. 2069 P.O. Box 8, Turramurra, N.S.W. 2074

Phone: (02) 46 3014, (02) 46 3015 Telex: AA24457

Aggressively structured dealer pricing

SOFTWARE • SPREADSHEET

Amalgamated Products Cost of product production




Figure 2. Silk can produce 9 types of graphs: line, bar chart, horizontal bar chart, stacked bar chart (shown), mixed graph, pie chart, exploded pie chart, XY graph, and hi-low-close-open graph.

Graphs

o prepare a graph, you first select /Serf I vices Graph, which brings up a Form for you to fill in (you can save up to 240 graph forms). This form has no less than 33 fields to fill in, but after you've done the first one you'll probably find that you won't want to vary most of the fields too often. Amongst the usual choices are less common ones such as 2 footnotes and 2 sideways titles, both in whatever colours you care to choose.

Silk claim it produces 9 types of graph. but you might lump some together: pie chart and exploded pie chart, for example. Anyway the 9 claimed are: line graph, bar chart, horizontal bar chart, stacked bar chart, mixed graph, pie chart, exploded pie chart, XY graph and hi-low-close-open

The 'mixed graph' is a bar chart plus a line graph marking the sum of each of the data range values that correspond to a given X-range value.

Function keys

Cilk uses 21 function keys, each of the Iten keys both unshifted and Control shifted, plus one Alt shifted. The unshifted function keys have definitions that are reminiscent of Lotus 1-2-3, although they are not all the same.

If you are familiar with 1-2-3, you will be reminded time and time again of those things in Silk that are similar to, but not identical with, 1-2-3. An example is the writing of macros. Although they are quite similar in style and vocabulary, you will

not be able to get a 1-2-3 macro to run in Silk without some minor modifications. The appendices to the manual devote 2 pages to the transfer of files from 1-2-3 to Silk and Silk to 1-2-3 and a further 3 pages listing the differences between the 2 programs.

Circular References

 $1^{\text{-2-3}}$ doesn't help much when you inadvertently create a circular reference but Silk provides 'Advanced Circular Cell-Reference Detection.' This allows you to step through the cells referenced by the formula until you find the incorrect one.

Not being able to foresee the future, I don't know what sort of success Silk will have. It deserves to succeed because it is a good spreadsheet that is refreshing in style and in many ways offers more than Lotus; for starters it is not copy protected and sells for about one-third of 1-2-3's price. It is loaded with features; I have only touched on the highlights. I fear that 1-2-3 is too firmly entrenched and is likely to remain so until new programs designed for OS/2 start appearing. But if you want a real bargain, take a look at Silk.

Product Details

Product:Silk

From: Daybreak Technologies Inc. California USA

Distributor: PC Extras Pty Ltd, 1 Marian St, Redfern NSW 2016

(02) 319 2155 Price: \$345 taxed

Our software makes your software smarter.





SmartKey does one thing. It lets you take any long, boring, repetitive or difficult-to-remember set of keystrokes and assign them to a single key. Sophisticated programs like Symphony give you a "macro" facility. SmartKey gives you macros for all your software in a single easy-to-use package. Any word, any line, any paragraph — even a whole page of "boilerplate" can be allocated to a single key and permanently saved. The uses of SmartKey are limited only by the imagination.

Available for IBM and compatibles (SmartKey 5.1), MS-DOS and CP/M-86 (SmartKey II Plus), CP/M-80 (SmartKey II). **Price:** \$81*.






An easy to use program that lets you read, write, and format disks from different CP/M and MSDOS machines! Speak to more than 220 other computers.

office Computers.

If the disk format you need to access is not included in the current menus in PC-Alien, just send us your formatted CP/M or MSDOS diskette containing more than 50% readable ASCII text and we will try to add that format to PC-Alien's comprehensive list. With the appropriate hardware, PC-Alien will allow you to read 3.5 inch, 80 track and 8 inch formats in CP/M-80, 86 and MSDOS. Available for IBM and compatibles. Price: \$104.





Hassled by not having the postcode for your letter or database? PostCode, a great little utility, gives you an index to over 12 000 Australian postcodes-ready to pop-up its window anytime with a single keystroke. You can scroll through the list or jump directly to the locality name. Or you can send the code to your program with a single keystroke-just as if you had typed it. PostCode uses a tiny 13K of memory and a 70 K data file, that you can use comfortably, even without a hard disk. Small, efficient and compatible. Order it today and make your life that little bit easier. Available for IBM and compatibles. **Price: \$49.***





A terrific hard disk space-saver which eliminates the need for multiple copies of overlay and other program files on disk. Run any program that uses overlays, help, or other auxiliary files from any directory, sub-directory or disk drive. Group documents or data files into separate directories and subdirectories without keeping copies of your software on each one. SPATH is easy to use and once installed it may be autoloaded and forgotten.

Available for IBM and compatibles, other MS-DOS. **Price: \$33°.**



Don't throw away your old favourite CP/M-80 software! Now you can run it at full speed on your IBM-PC or compatible. By simply exchanging the 8088 CPU chip in your machine with the latest state-of-the-art NEC V20 chip you retain 100% compatibility with other hardware and software.

The V-20 also runs 8080 (not Z-80) code at full speed. With our PC-Eighty software, you can run your copy of CP/M version 2.2 as a task under DOS. With hard disk access, a half megabyte RAM disk and simultaneous use of DOS resident programs like SmartKey. Available for IBM and compatibles. **Price:** \$140°.



Dealer inquiries welcome
*Allow \$5.00 additional
postage charges



FOR FURTHER INFORMATION:

Please send this coupon to FBN Software P.O. Box 19, WODEN ACT 2606 or call (062) 85 2218

AUSTRALIAN SYSTEMS SOFTWARE

Computers go for a dive

Small businesses are going under all the time, but Tracy Simpson found two that were successfully taking a dive.

USTRALIA HAS A 3000 mile long coastline envied by divers throughout the world, endowed with plenty of sunlight and boasting an unrivalled assortment of marine wildlife and scenery. It's not surprising, then, that 'dive shops' have sprung up all over the country.

Safety regulations are of the utmost importance for those diving establishments which not only sell equipment but also running training schemes — it's essential that details of equipment sold and the status of trained individuals is well documented.

Like many small businesses revolving around an area far removed from the computer industry, PC technology had not been a primary concern of those involved. However, computer technology is has become difficult for even divers to ignore, and PCs are being installed in most diving shops in Australia.

Deep 6

Deep 6 Diving, with four locations in Sydney, recently decided to take the plunge and invest in an IBM XT, acting on the advise of one of its computer minded instructors, David Ogilvy. 'As much as we loathed the idea of the initial stages of set up, it did seem to make sense, and I'm very happy with the results,' said Paul Rossman, the owner.

Deep 6 uses the XT to keep extensive records of each diver passing through its courses: name, address, age, sex, diving courses obtained, diving courses inter-



ested in, medical certificates, and diving holidays taken. The company is very much geared around the individual diver, and safety is of prime importance — they still back up on hard copy for legal purposes.

Using this customer information base, the staff are able to find out which individuals are interested in which courses and plan training schemes around those interests. For example, should a number of individuals be interested in Deep Diving, the instructors will gear their schedules around that demand.

'We have found that this use of the IBM has been the most successful,' said Ogilvy, who is also the programmer of the system. 'Not only do we satisfy our customers, but we are also able to successfully fill the courses.'

Deep 6 has gained a reputation for its expertise in, and dedication to, continuing education for divers, so it's particularly

important that this system is effective and efficient. Deep 6 now also offers its divers a referencing service — should an individual be interested in diving in Fiji, for instance, Deep 6 accesses its database and sources every publication that has written about Fiji going back to the early 1960s.

Ogilvy uses dBase III to program the shop's major needs. Linking this to Word-Star, he is able to generate letters,

Figure 1. Deep 6 (above) uses its IBM XT to keep extensive records of each diver passing through its courses: name, address, age, sex, diving courses obtained, diving courses interested in, medical certificates, and diving holidays taken.

Figure 2. David Easson's Frog Drive (right) has gained a competitive edge by servicing clients and inventorying stock using an IBM compatible and dBase III.



Unusually for a business, Deep 6 does not consider stock taking to be a high priority. 'It's all on display and we can make a visual valuation', said Ogilvy.

Frog Dive

Unlike Deep 6, Frog Dive, also with four establishments, considers stock taking as one of the major uses of its IBM compatible PC.

Peter Easson, owner of Frog Dive, has been dabbling in computer technology for some years. He imported all the components for his PC from Taiwan and assembled them himself. Unlike many 'off the shelf' systems, Easson's PC has never let him down.

He is also using the system to control student information, and, by utilising dBase III he has been able to devise a program to cope with quoting, invoicing, inventory control, stock re-ordering, slow stock information, price lists and various reports.

Easson started with a Hewlett Packard 150, but found the software too restricting so he made the move into the IBM environment. He taught himself dBase III and set to work to build the ultimate Dive

Shop program. Frog Dive carries more dive stock than many other stores and he has found it necessary to keep a close watch on supplies.

Each item of equipment brought in is stamped with a computer generated label showing the product name and code, the invoice number — to help with guarantee queries — the price, the date of purchase, the quantity, and finally, a special code which the customer cannot decipher, that lets Easson know by how much that particular product can be reduced.

Unlike many retail outlets, dive shops are priced competitively, as customer allegiance is vital for future sales. Consequently, diving school magazines and personalised letters have become an important part of a 'we're your friend' process.

Both Deep 6 and Frog Dive produce monthly in-house publications offering discounts, trips away, editorial on activities, leisure dive timetables, course details and so on.

Niceties like Bar-B-Qs, port evenings, ski weekends, sky diving and other functions are also organised by the shops. If they are to be successful in retaining the allegiance developed through these activi-

ties, the friendly service must be exhaustingly maintained — this is where computer generated letters and notices maintain the competitive edge.

Chips on Your Wrist


 Γ^{urther} technological infiltration of the industry has appeared in a more directly life saving form with the development of computerised guages.

The guages come in various forms. In one example, there is a depth monitor which uses three microprocessors, cross referencing each other to indicate time and depth.

Another application of this micro technology is the utilisation of the microprocessor's computational powers to gauge the amount of gases in a diver's body tissue at certain depths, indicating whether there is a danger of getting the bends. This is a vital part of diving and so far the equipment has taken over the mechanical methods of guaging diving situations without any problems.

Under the ocean might seem an unusual place to find computer technology, but microcomputers have found a functional home in diving circles. \Box





The 1987 FRAMEWORK II "doing more for you" Contest

The Framework Story

FRAMEWORK II (or just Framework to its friends) is a software package — some would say the equivalent of five or more normal packages. It belongs to the group called Integrated software, alongside Symphony, Ability, Enable, Open Access, Microsoft Works and others. Where it differs is in the degree of uniformity and compatibility within all modules. In fact, the term 'module' is more correctly applied to other packages which do have modules with a degree of connectivity and transferability. All of Framework's skills are available at the same time and share a common system of menus and a common programming language FRED.

The parts of Framework include Word Processing, Spreadsheet, List Manager (Database), Graphing, Outlining, Telecommunications, Macros and a very powerful programming environment.

The name goes halfway to explaining the structure of the product — an interconnected structure of 'frames' (named containers of text, data, graphics and customized applications). The user is given an analogy of a desktop which has filing cabinets (the disk drives), folders (files) in trays and frames (where you do the work). The top of the page has a pull down menu system and the bottom line contains a host of status information.

Some users find one of Framework's abilities sufficient incentive to start using it and others purchase because of the promise of multiple strengths with a fraction of the learning time of equivalent, separate packages.

Regardless of the reason for using Framework, every user (and especially our contestants) says the same thing: I'm only scratching the surface of the power of this product — I wonder if I'll ever discover everything it can do!

PS: Don't forget that you can pick up a free demo pack of Framework II at your local PC dealer!



T'S ONE THING to see a coupon next to the 'StupendoChoc' dispenser at the corner store for a 'Win a trip to Dubbo' competition. All you usually have to do is say why you like getting crumbs of chocolate in your beard or why you only ever feed the stuff to the kids. It's another thing entirely to enter a competition like this, where skill and creativity are what matter.

Perhaps it's because Framework is such a wide ranging package that even Ashton Tate, the product's distributor and sponsor of this competition, allowed three extremely wide categories. They weren't disappointed either, because a wider range of entries couldn't have been imagined. Any

delusions that Framework was purely a corporate use package were soon dispelled. Entries ranged from hard core business use, through software and presentation development tools to educational, home and hobby use.

Category A asked for the Most Interesting Use of Framework and required a disk and printout of the application. This category attracted entries from all types of users, but was especially good for beginning users who had discovered the power of the package but had not yet had time to (or had no need to) learn the FRED programming language. It's often said of Framework that new users immediately think of applications they'd never

dreamed of using a PC for. Framework's that sort of package — the tight integration of the various parts and the logical 'desktop analogy' immediately lend themselves to hundreds of applications.

Category B, Most Innovative FRED Application was more for the advanced user who had taken the plunge and started programming in FRED. The famous 'wall' in dBase comes when users can no longer do everything they want from menus or the command line and must learn to program in the dBase language — if anything, FRED is even more daunting to look at. Despite that, once a user has taken the step and 'climbed the wall' the FRED language opens up a whole new world of PC applications. This is borne out in the range of applications submitted in this category.

Category C was designed for people who have never used Framework or have only had a basic exposure to it. The What I'd Do With Framework If I Had The Chance category might have just attracted entries suggesting spreadsheets or lists of names or accounting systems and the like, but the imagination and innovation

shown in the first two categories was just as evident here. Framework has an indefinable quality which allows — almost directs — people to look at problems in all sorts of new ways.

Just to show you the range of applications shown in the entries, here is a sample — a number of entries utilized Framework's ability to link multiple spreadsheets into a solution. Up to 32,000 spreadsheets can be open on the Framework desktop simultaneously. As if this weren't sufficient, macros can be used to put some away and open others as needed. In practice, many large spreadsheets built under Lotus 1-2-3 (say 300 kilobytes), can be loaded into Framework and then split into a number of smaller, more manageable units. Quite a few entries demonstrated this, using small spreadsheets for holding constants, making calculations, producing reports, exporting to other systems and so on. Spreadsheet applications included manufacturing systems, job costing systems, company reporting systems and so on.

Many other entries were based on Framework's power with text. Rather than

simply allow text processing within a spreadsheet cell, Framework has well featured word processing abilities which can be used in word frames, outlines and, of course, spreadsheets, databases and telecommunications. Using the standard menu functions, the 30 or so text related FRED functions and FRED programming, entries ranged from applications which searched for text and copied the occurrences in context, to applications of use to linguists and anthropologists.

Yet other applications took advantage of Framework's organizational capacity. Since any combination of frames can be contained and organised within other frames, different types of information can be logically grouped for easy maintenance, recall and storage. Text can be grouped with statistics, numbers with associated graphs, databases with reports, and so on. This is what one entrant, Mike Ray said about his application: 'The Summer Institute of Linguistics is involved in working with Aboriginal and Torres Strait Island languages and I was responsible for making some estimates of language viability. I used Framework II to summarize a quantity of available information, including the use of traditional languages and estimated comprehension of English.'

Mike's application uses word processing, database for data logging and report generation, spreadsheet for data manipulation and graphing for uncomplicated reporting of the spreadsheet results.

Some entries involved time saving applications which automate repetitive tasks involving text or data. These included invoice generation (answer the questions and Framework allocates an invoice number, records the information, verifies it and spits out a printed invoice from a dedicated printer), job quoting systems (like the invoices system but FW spits out a price estimate instead!) and many others.

Here is a sample of some of the other entries: a system for weavers, which calculates and displays a Drawdown which is a picture of the unique pattern resulting from a combination of threading draft, tieup and treadling (!); a database system used to prepare a complicated public affairs report — professionally printed and presented; a systems engineering model of a dam system, using simulated studies of the dam's performance for many years using randomly generated conditions of stream flow, flooding, water use and so on; a very professional programmers toolkit, producing customised skeleton code in Pascal; a number of education related

FRED?

FRED is the name of the programming language which forms the backbone of Framework. It supposedly stands for FRames EDitor but creator, Robert Carr, swears that it was the name he originally wanted for the whole program — it was what he called his scratch disk. Whatever the derivation, FRED has caused more consternation to Framework users than any other programming language has caused before.

To quote from the 'Introduction to Programming' book from Ashton-Tate — 'To create a FRED program you must decide exactly what you want to do ... Writing programs is a form of delayed gratification, but it's worth the wait many times over. It's as if you had a craving for chocolate cake one day but decided that, rather than bake the cake on the spot, you'd write the perfect chocolate cake recipe so that someone else could bake it. You'd experiment and fiddle around with the ingredients and baking methods until the recipe was exactly the way you liked it.

You could then hire a chef to bake the cake whenever you liked, exactly the way the recipe describes it (while you are off playing water polo or drinking mai tais).

All you would have to do is order the cake and then eat it — whenever and as often as you like. You write the recipes (programs). The ingredients are the various elements of the FRED language (the building blocks, syntax and recalculation), your recipe arranges the ingredients in the order that will accomplish a task and FRED is the chef who executes the recipe.

Enough talking about FRED, let's see what it does. Users of spreadsheet programs will already be familiar with a subset of FRED — the functions such as @SUM and @AVG. Other FRED commands are quite unique. @MEMAVAIL returns the amount of RAM still available and the most powerful of them all, @PERFORMKEYS, acts just as though the following commands had been entered from the keyboard. Here is a simple FRED routine which uses a number of fairly obvious functions -

;Weekday Calculator.
;If no parameters are passed, returns today as a string.
;Otherwise takes a date value and returns its day as a string.
alocal (checkdate, vif),
checkdate := aif (aitemcount<>0, aitem1, atoday),
dif := amod(adiffdate(checkdate, adate(1984,1,1)), 7),
aif (dif<0, dif := dif+7),
aselect (dif+1, "Sun", "Mon", "Tues", "Wednes", "Thurs", "Fri", "Satur")&"day"</pre>

applications including course management systems, student performance logging and reporting systems and so on. Some entries came from educational institutions where Framework is used as a teaching aid for courses such as accounting and economics.

Two entrants came up with very similar (and very good) systems for incorporating the IBM graphics character sets into Framework frames (for producing the likes of boxes, diagrams, enhanced computer based training screens). These showed the ease with which Framework users can produce self-supporting menu systems, either on the bottom lines of the screen or in the main screen area. Some entries controlled hardware, such as automatically loading fonts onto printers as needed by printing sessions or even using Framework's tone generating @BEEP function to make a PC Piano. One application used advanced menu techniques to allow customised mouse control of appli-

The Most Interesting Use of Framework

Winner: Jim Milson of Killara NSW for his entry A Weavers Drawdown. In Jim's own words: After accepting early retirement, I took up weaving as a hobby in 1986. In the middle of that year I acquired an Olivetti M24 PC and Framework II. I am now in the second year of the hand weaving course at a TAFE college.

A successful weaver needs to keep an extensive set of records on paper, as well as his weaving samples, detailing as much as possible of his selected yarns, prices and calculations, together with notes about how he went about each stage of the project, the difficulties encountered and the solutions found to the various problems.

I soon found that Framework II was extremely useful for keeping these records. A containing frame was used to hold several linked spreadsheets, accompanied by text frames. The finished document became the written submission accompanying each project required by the college. I also found that the more time I spent in committing phases of the design of a project to spreadsheets, the less mistakes I made in executing the project.

I am collecting the various uses to which spreadsheets, databases, word frames and FRED programs have been put and I intend to call this collection 'A Weavers Framework'.

My submission to this contest is a part of this collection. It is a program to produce a Drawdown. The Drawdown is a picture of the structure that would result from a particular combination of threading draft (how the warp is threaded through the loom), tie up (how the treadles are tied to the

shafts) and the treadling (the order in which the treadles are pressed). The 'X' shows where the warp (lengthways) threads show on the face of the cloth. The spaces show where the weft (crosswise) threads show on the face of the cloth. If the weave is to be 'Colour and Weave' the

Jim Milson of Killara NSW is shown receiving his cheque for The Most Interesting Use of Framework, from Keith van Klink, managing director of Ashton-Tate. Three screens from Jim's entry, Drawdown, are also shown.

If the weave is to be 'Colour and Weave' the weaver will require a further diagram which represents the two colours with 'X' and 'O'. The eye of the viewer is drawn to the resulting colour pattern and does not notice whether the colour comes particularly from the warp or the weft.

The judges were impressed by this entry for a number of reasons. It was by no means the most complex entry, but it was an elegant solution to a user's need. The application neatly combined FRED code with entry routines and spreadsheets for displaying the patterns. Thought was given to presentation, which was most professional. Error handling was also excellent. At all times the user was kept informed about what was happening and never left to wonder if the PC 'had hung.'

An important consideration was that the application is ongoing. Jim plans to produce a much more involved package progressively. The submission showed great promise for this endeayour.

Most Innovative FRED Application

Winner: Reggie Howard of Papua New Guinea for his entry Xamin. Reggie writes: This program is nothing elaborate but I think it shows some of the beauty of FRED. To write a similar program in Basic or Pascal would be a real pain, while in FRED it was a snap. I work with linguistics and linguistic research. Not want-

ing to read through megabytes of data just to find a few particular things, I wrote Xamin. It runs through a document and extracts every paragraph which contains a particular word, phrase and so on. It then bolds the occurrence. The second part is a word frequency list maker.

The judges felt, as with the category 'A' winner, this application was only the tip of a much larger, still developing set of tools. Reggie is discovering the text manipulation powers of Framework which can be combined with spreadsheets, databases, import/export routines and, of course, FRED. Xamin uses well documented, straightforward FRED code to perform a task very efficiently.

The Judges

THE THREE JUDGES represent all aspects of PCs, and in particular, Framework, in Australia.

Les Bell is recognised as Australia's leading PC authority. He has access to every PC software package imaginable but uses Framework as his everyday productivity tool.

Bob Futcher is an expert in Framework, particularly in textual applications. His skill with an appendix has to be seen to be believed, though he has a colleague with particular expertise in colons.

Neil Buckley is senior consultant with Ashton-Tate. He was recently brought over from Ashton-Tate in the UK where he was National Training Manager. He attributes his introduction to Framework to the time his boss said 'Do you know Framework? Well you've got two days to learn.' He uses it as his daily productivity tool, running other packages from within Framework via a menu.

Each judge expressed surprise at the response to the contest and to the very high standard of entries. They did, however, have some advice for anyone entering similar competitions —

Les Bell: Read the contest rules or the question very clearly. Spend as much time as necessary debugging and bullet-proofing the code.

Bob Futcher: Clearly indicate what the application is and does. State who should or could use it. Test your application with a novice user. Make sure there are no references to drives or subdirectories that the judges won't have. Don't expect the judges to correct bad code or make allowances for it.

Neil Buckley: Spend more time on the presentation of the application. Make the application self contained — a complete system demo is best.



Sally Higgins of Hobart plans to donate her winning entry in the What I'd Do With Framework If I had A Chance category to the Orienteering Federation of Australia.

What I'd Do With Framework II If I Had The Chance

Winner: Sally Higgins of Hobart for her entry A Sporting System in Framework. Sally said in her entry: I intend to develop a 'Sporting System' using Framework and then donate both to the Orienteering Federation of Australia.

Orienteering is a sport which involves finding your way on foot through unfamiliar country using a map and compass. It is becoming increasingly popular in Australia and in 1985 the world titles were held in Victoria. In January 1988 the Pacific Championships will be held in Tasmania.


I am Orienteering's Tasmanian State Statistician and National Ranker. My responsibility is to process results of State and National meetings. I intend to hold this combined-post only long enough to establish and consolidate procedures. My interest is in the development of systems sufficiently user-friendly for those in the know.

I am currently using a combination of Lotus to enter and calculate the results and the Word to prepare them for publishing in the press and newsletters. This achieves the end, but is somewhat clumsy and still requires a lot more work to be done with the macros to make it sufficiently userfriendly and safe for amateurs to use. Then of course it will be very difficult to modify if the calculation criteria change.

At the moment it takes me about 7 hours to input, calculate, check, and wordprocess the results from an event of about 100 competitors. A lot of this time is wasted in the interfacing between large spreadsheets and the wordprocessor.

This was a pleasant section for the judges because the entrants were full of enthusiasm for a product that they had tried out via the demonstration pack and now had hundreds of applications to try out. All entrants had interesting and practical uses so the decision process (as in the first two categories) was quite an exercise. The judges were impressed with the very broad range of applications within one theme, that Sally intended to put to use with Framework. They were hard pressed to think of a part of Framework that she didn't intend to use.

Congratulations to the winners from the judges, Ashton Tate and everyone else involved in this competition. Graeme Johnston of Ashton Tate intends to submit many of the entries in the US Framework contest, due to their high quality.



Her teacher says she has a mind like a computer! Yet this student's real secret is her ability to electronically search our ENTIRE EDUCATIONAL DATABASE on her home computer.

All available data, on any subject she keys in, will be assembled for her to review on-screen. Appropriate selections can then be stored on disk without infringing copyright!

Later, she can edit the information and print her project or essay error free.

It's simple with the CTC Database. Just call it up on any personal computer through an inexpensive telephone "modem".

Then, for as little as 25 cents per

minute, enjoy the full resources of the Macquarie Library. Plus The Australian and Grolier Universal Encyclopaedias. All with electronic search facility.

There's more. Work can be electronically transmitted downline to any or all of CTC subscribers across Australia. The receiver can store, print or mark the work and send it back, instantly.

Teachers and senior students can accelerate their knowledge through E.R.I.C., the Educational Resource Information Centre.

Hopefully every student class teacher or correspondence teacher will enjoy

this level of computerisation one day. Meanwhile, you definitely can. All you need is access to a PC, modem, and a low-cost subscription to the CTC Database.

Our free colour brochure explains. Call CTC now on (008) 251308 from outside Sydney for the cost of a local call. In Sydney, call 2514066.



Computer Telecommunications Corporation Limited 11th Floor, 189 Kent Street, Sydney NSW 2000 Tel: (02) 2514066

CTC Database Contains:

Macquarie Dictionary Macquarie Thesaurus Macquarie Junior Dictionary Macquarie Junior Thesaurus

- Macquarie Dictionary of Trees and Shrubs
- Macquarie Book of Events
- Macquarie History of Ideas Macquarie Dictionary of Motoring
- Macquarie Dictionary of Cooking
- People and Places

- * Economics & Finance * Australian Politics

The Australian Encyclopaedia. Grolier Universal Encyclopaedia Kirk-Othmer Encyclopaedia of

Chemical Technology E.R.I.C. (Educational Resource Information Centre)

Electronic Mail Service Electronic Bulletin Board

- **Educational Software**
- Computer Games

Schools Across Australia

This School-based Bicentennial Initiative aims to create a National Computer Link between Australian schools so that ideas, resources and experiences can be shared.

This link is hosted by CTC.

*Available 4th Term 1987.

DOUBLE SIDED **DOUBLE DENS**

Now, for the very first time, you can have DOUBLE SIDED DOUBLE DENSITY 51/4" flexible disks at a really amazing price. (Note: we said DSDD not



DataPerieci 2S/2D 00% CERTIFIED

10 pcs \$10.00

That's right! DOUBLE SIDED DOUBLE DENSITY disks supplied by a leading manufacturer of disks made to exacting industry standards for only \$10 per box of ten disks plus postal charges.

Why only \$10

We are entering our 70th year in business and our 21st year as a manufacturer and supplier to the Australian computer industry...so, to celebrate, we are giving you this amazing offer.



Wilbroprint & Computer Supplies

P.O. Box 56, Chippendale N.S.W. 2008. Telephone: (02) 699 9933 Fax: (02) 699 4152 Shop: 134 Abercrombie Street, Chippendale (Cnr. Cleveland Street)

QLD Distributor:



SWIFTFORMS

PRINT & COMPUTER SUPPLIES PTY LTD

Unit 2/49 Logan Road (Entrance Jurgens St) Woolloongabba QLD 4102

Phone: (07) 891 5515 Fax: 891 5506

The DataPerfect brand is backed by Wilbroprint's 70 years of service and commitment to Australian industry.

FAX **ORDERS** AND **CREDIT** CARDS ACCEPTED.

ORDER

Sydney City 699 9933 Brisbane City 891 5515 Brisbane Country (07) 891 5515 (reverse

TOLL FREE 008 225 542

"Epson challenges you to find a faster XT compatible than the new Epson PCe."

Quarterly Sales 8042S 100 100 100 **EPSON** EPSON PCE

The Epson PCe personal computer has been designed for your business.

In fact, the Epson PCe is the fastest XT compatible

machine there is.

The Epson PCe makes maximum use of popular industry standard architecture and is switch selectable between 4.77 and an incredible 10 Mhz.

But the Epson PCe is not only fast, it is also very flexible, with five expansion slots.

Which means you can increase the capacity

of your PCe to suit your business growth.

The power switch, speed selector and re-set buttons are all accessible from the front panel.

Standard features include: 640 KB RAM, Parallel and Serial Ports, Clock/Calendar, and a small footprint. All first class features in their own right.

As well as offering high performance as a standalone desk top unit the Epson PCe is also ideally suited for a L.A.N. or mainframe environment.

For more information, including details of our

twelve month national warranty, phone Epson for your nearest dealer.

In computers and printers your number one choice.

Sydney (02) 4360333; Melbourne (03) 5436455; Brisbane (07) 8325400; Adelaide (08) 3731377; or Perth (09) 3251744.

Your Own Personal SUPERCOMPUTER!

Based on the Novix NC4016 Chip

Here's your chance to become the owner of the computing equivalent of a Lamborghini Contache! Forth-right Roy Hill tells of the Novix NC4016 chip and a supercomputer (4 million instructions per second stock standard!)

ERE IS YOUR chance to become the owner of the computing equivalent of a Lam-Lborghini Contache, your own personal USS Enterprise (complete with a Concord landing vehicle) and your own nuclear powered submarine. However, you won't have to pay anywhere near the cost of any of these bits of hardware —

I'm telling this story about the Novix chip because of a combination of circumstances — firstly, I became very interested in the language Forth and its various features and quirks. This led me to write the two-part article 'Come Forth' (YC May and June '87). Secondly, I offered interested

readers a public domain version of Forth for either the IBM PC (or compatibles) and for the Apple II series. I expected to receive 20 or 30 requests at the most but the requests were almost overwhelming. Every state in Australia was represented (and we even received letters from New Zealand!). Using this as a guide, there must lots of people out there who are interested in Forth. Most of the letters we received also asked for more information and further articles.

Thirdly, I have long been interested in chips that are at the forefront of technology (see 'Enter The Transputer' in the October issue). Finally, I have been fairly heavily involved with Maestro Distribu-

RISC, CISC and WISC MOST OF THE processors with which we are familiar (68xxx series, 80yyy series and 32zzz series) are all Complex Instruc-tion Set (CISC) type processors. They have a rather complicated set of programming instructions, which must be decoded by the processor and converted to micro code instructions. The microcoded instructions are built into the microprocessor and it is the efficiency of these instructions (and the manner in which the program instructions are decoded) which determines the overall efficiency of the processor. This in turn determines how effective a processor is when it runs a high level language program such as one written in C, Pascal or Basic.

This type of processor is what I call a Programmer driven chip — it makes the programmer's task easy (relatively) but makes the micro work harder to compensate. On the other hand, we have the Reduced Instruction Set (RISC) computer, which has a very limited instruction set to be decoded into micro-code. This makes the programmer's task harder, but means that the processor becomes far more efficient. The programmer now has to ensure that his or her code is efficient enough not to cause any additional overheads for the assembler or compiler, as this will negate the advantage of the Reduced Instruction Set.

In a recent edition of Byte (April '87, pages 187-194), Phil Koopman proposed a Writeable Instruction Set Computer (WISC) type computer. His idea was to build a processor with a Writeable Instruction Set so that the micro-code section of the processor could be written for specific purposes, similar to having a programmable read-only memory as the micro-code store.

Let's take this one step further and remove the micro-code completely from the chip and write our external Assembly language type instructions so that they can be directly executed by the pro-cessor. Impossible in one of the CISC type computers, difficult in RISC type but easy in the Novix NC series. Forth becomes the micro-code for the NC4016

and this is written externally by the programmer. This means, in fact, that a programmer working on the NC4000 series in Forth, is writing 'external micro-code'.

Another popular technique used to improve the throughput of classical architecture chips is that of pipelining. With this technique (the 6502 is a typical example of a pipelined chip), instruction N+1 is being fetched from memory whilst instruction N is being executed. When instruction N is completed, N+1 is passed to the execution unit and instruction N+2 is fetched and so on. This is fine for linear code, but the moment that a branch takes place (for example: a jump, branch or subroutine call), then the advantage of the pipelining is negated. A pipelined chip architecture would be self-defeating in Forth because the whole language is simply a series of calls and exits from subroutines.

I shall attempt to cover the topic of RISC, CISC and WISC computers in a future article, so I'll leave it here for the time being.

tors, who designed the Maestro (GPA) SuperModem. I introduced the principles of Maestro, Chris and Dan, to Forth about five years ago. At that time they were service technicians for Lowrey Organs and they came to do some service on my organ, and saw my old SYM-I 6502 based evaluation board on which I was teaching myself Forth. Chris and Dan became very interested to the extent that Chris (who does all of the software development) went out and bought an Apple II and started learning Forth, used it to develop an inmodem for the Apple II (which has just been updated and released as a kit project through a companion magazine) and then used it to write the software for the GPA Super-Modem.

Where does all this lead to? Well, Charles Moore, the man who 'invented' Forth has built a dedicated Forth chip (in fact there are 3 different versions of the chip) and has released it to the general public. The chip is marketed in the USA by Novix and is supported in Australia as well by Energy Control in Sumner Park, Queensland. Chris and Dan have designed a *super*computer based on this chip; the computer will be available as a *very* easily built kit and will have a total upgrade path for optional add-ons such as floppy drives, hard disks and so on. The stock version of the kit will run

... the processor will outrun the current batch of IBM XT computers (using Forth) by a factor of about 100 to 1 in the stock version . . .

at 4 mips (guaranteed!) and it will be possible to upgrade to 8 mips and probably even 12.

For those to whom these figures are fairly meaningless — the processor will outrun the current batch of IBM XT computers (using Forth) by a factor of about 100 to 1 in the stock version, and by about 1000 to 1 in the enhanced versions. How this chip accomplishes these astonishing figures is the subject of this article.

Before any of you get the wrong impression — this computer is not going to be a neat little packaged IBM or

Apple type of computer. It is designed to bring the power of the latest chip technology within the reach of the average computer user. The board is built to plug in to an IBM slot but can also be used externally with any computer that has a serial link and will operate at any baud rate that the host can provide. The same board can also be used in a standalone form, with the addition of several extra components. The IBM model will communicate with its IBM host at the full speed of the host, regardless of comms port speed limitations.

This means that there is no other interpretation required, either in silicon or in software, to degrade the performance of the chip.

However, no matter how fast the IBM (even a 20 MHz 80386 version), it will still be the sluggard of the pair. When Dan and Chris were originally working on the design of the SuperModem, they chose to use a Motorola 6809 8/16-bit microprocessor. The reason for their choice was fairly simple — the 6809 is a chip that is particularly well suited to Forth programming. The NC4016 takes this philosophy several stages further.

The Novix NC4016

Those readers who read my article on the Transputer, will be aware of what an RISC computer is (there are more details in the accompanying boxed item 'RISC, CISC and WISC'). Charles Moore has now built a processor that runs Forth as its native language. This means that there is no other interpretation required, either in silicon or in software, to degrade the performance of the chip.

The processor was designed, built, tested and sold around the Forth language. This makes the chip a pseudo-RISC type of computer because Forth, or rather, its kernel of 'primitives' only take up about 40 instructions. The processor has been optimised to run Forth 'words' as quickly as possible. Below, I'll present some comparisons of just what a difference this makes to the speed at which the chip operates.

The Novix Architecture

The most difficult task confronting me is how to describe the sheer raw power of this chip. I can't think of any sufficiently illuminating superlatives to describe it. The only other chips that can come anywhere near it for performance are the Transputer (still too dear) and the new Acorn ARM chip, which is also a RISC chip and is contained in the new Archimedes PC from Acorn. The Archimedes is a blinder of a computer too, outrunning an 80386 system by about 3 to 1.

As I mentioned earlier, the chip is built around the Forth language. However, compilers are available which will compile both C (the Small C version — integers only) and Pascal source programs to Forth. Oh. the ignominy of it all — imagine compiling C to Forth. Les Bell had to be treated for severe distress when told about this. Source code (in Forth, of course) for a Modula-2 compiler is also available. In order to maximize the throughput of code, the Novix has been built around the typical Forth architecture. which involves the use of RPN (Hewlett-Packard calculator) type stacks. Figure 1 shows a block diagram of this architecture

As a basis of comparison, Table 1 shows some common benchmarks and their performance on the NC4016.

Comparison

s a further enticement to those read-**1**ers still not convinced of the possibilities of this chip, consider the fact that Charles Moore and his hardware designer spent several months finding ways to shave just one more nanosecond from the performance specifications of the chip (for this reason, it is necessary to use some very high speed decoding chips on any board built around the Novix in order not to introduce external hardware delays, which would negate all their efforts in obtaining maximum efficiency). It had to be optimised to perform subroutine calls as efficiently as possible. The 2 collaborators achieved the (almost) impossible — they found a way of getting the chip to enter and exit a subroutine in a total of one clock cycle. Compare this to the figures for some of the popular processors on the market —

6502	12 clock cycles
Z80	27 clock cycles
6800	14 clock cycles
68000	32 clock cycles
80186	31 clock cycles
	(inside the same segment)
	45 clock cycles
	(to a different segment)

Note also that these are optimum figures for each of the above processors.

They do not include the number of cycles required to save any registers that may be




Figure 1. In order to maximize the throughput of code, the Novix has been built around the typical Forth architecture, which involves the use of RPN type stacks. In the block diagram above, note the use of separate buses to handle data stack, return stack and main memory.

Eratosthenes Sieve (x10)	Language	Time Taken
NC4016 (6 MHz) VAX 11/780 NC4016 (6 MHz) 68000 80286 (10 MHz) IBM PC/XT	FORTH C NOVIX Small C Assembler C Small C	0.45 seconds 1.4 seconds 2.8 seconds 4.9 seconds 6.6 seconds 21.0 seconds
1,000,000 Empty Loops		
NC4016 (6 MHz) NC4016 (6 MHz) 80286 (10 MHz) 68000 68000	FORTH NOVIX Small C C Assembler PolyFORTH	0.17 seconds 4.0 seconds 5.0 seconds 7.0 seconds 18.0 seconds

Table 1. The only other chips that can come anywhere near the NC4016 in performance are the Transputer and the new Acorn ARM chip which is built around the Forth language. As a basis of comparison this table shows some common benchmarks and their performance on the NC4016.

required (for example, the Z80 takes an additional 21 cycles to save each register pair). With the NC4016 (and indeed with Forth itself), there is no need to save registers — the stack implicitly operates on data without the need to push and pop important registers.

The incorporation of the two different stack areas (data stack and return stack) on board the chip helps to contribute to its high throughput capabilities. In addition, the top two items of the data stack are also held on the chip, once again to improve the throughput. The NC4016 has been designed to maximise throughput by separating the chip's functions into four separate buses for data and address transfers.

Due to of the design of the Novix, there is really no such thing as an operational accumulator. T is perhaps as close as we can get to an actual accumulator, as any arithmetic calculation is usually left as the top item on the stack. For high speed data access, the T value is held in an 'on-chip' register and is moved around the system on the T bus (called the parameter stack). Likewise, N (the Next item on the stack) is also located on board the chip itself. The data items are moved from off-chip storage locations onto the NC4016 as additional requests or operations require.

The next bus under consideration is that of the return stack which is used to hold the address of the next word to be executed. Clever programmers also make use of this stack to store the intermediate results of calculations. Caution is required, however, when using this routine, as it becomes fairly easy to lose track of the position of various items and not clean them all off the return stack, with correspondingly disastrous results.

Although it would be very rash to claim that the NC4000 is a parallel processor, the presence of these buses and their associated on-board caches, allows for a fair degree of parallelism to occur, particularly when external memory fetches are being performed. This hardware type of parallelism is not the only way in which the NC4016 enables parallel processing.

Encoded within each Forth word (at the binary level), is the possibility of multiple instructions being performed in parallel. The way in which this operates is determined by the setting of various bits within each Forth word (see Figure 2). A typical example of such parallelism encoded in an instruction is the bit which is Set for a Return from a Subroutine — bit 5 (or 6, depending on how you like to count) in Figure 2 shows how this is done. Likewise,

a word could DUPlicate its result, without taking any more time than a single cycle (Setting bit 6, or 7). It is even possible (in theory, anyway) to read from and write to, an address location, in a single cycle. Still another example of parallel type operation would be in an arithmetic calculation that removes the top stack value. N would automatically be moved into T and at the same time, the third item on the stack (held off-chip) would be moved onto the NC4016 into the N position, thus maximising arithmetic performance on the top two data items.

How It Works . . .

typical Forth application consists of the programmer using a series of previously defined routines called 'words' to create a new 'word'. This is analogous to using normal English words to build a sentence and then defining a single English word to replace (or stand for) the original sentence. The original routines used are the 'core' of the language and consist of 'calls' to lower level operations which perform the elementary tasks required. These 'calls' also provide a return path at the completion of each low level operation. Thus, Forth itself and the applications written by programmers merely consist of calls to, and returns from, subroutines.

In fact, Forth is referred to as a 'subroutine threaded code' type of language. This means that the language spends most of its time calling subroutines and returning from them and a small amount of time processing instructions inside these subroutine calls. If we can optimise the design of the chip to provide high efficiency calls to, and returns from, subroutines, then we are well on our way to ensuring an efficient processor.

Let's now look at how long some conventional processor chip take to handle subroutine calls and returns. Remember, we will only be talking in terms of the number of clock cycles required, rather than the absolute time because absolute time is more a function of the speed of the crystal and other components.

One important detail should not be neglected here — the Novix does not required a compiler in the normal sense one uses to discuss compilers. One finds instead the Forth colon compiler, which has been designed to optimise Forth code for processing by the chip. This means that a Forth word may be written and compiled as a single entity, allowing an extremely modular and structured approach to programming. Anyone using this chip can write their program directly in Forth. Forth




Figure 2. This is a block diagram of the NC4016 internal structure. The first four bit positions define the type of instruction and the last twelve bits control the ALU and registers.

PROCESSOR:	6809	6800	Z80/8085	8088	4502
	NAD (D'X)	JMP NEXT LDX IP INX STX IP LDX 0,X STX W LDX 0,X JMP 0,X	JMP NEXT LDAX B INX B MOV L;A LDAX B INX B MOV H;A MOV E;M INX H MOV D;M XCHG PCHL	JMP NEXT LOOS AX MOV BX,AX MOV DX,BX INC DX JMP WORDPTR(BX)	JMP NEXT LDY #1 LDY (IP),Y STA W+1 DEY LDY (IP),Y STA W CLC LDA IP ADC #2 STA IP BCC L INC IP+1 L JMP W-1

Table 2. Assembly language statements required to implement the Forth NEXT instruction; note the relative effect of the 6809 processor's instructions compared to the other processors.

POOR PERSON SOFTWARE

WRITE-HAND-MAN — Desk Accessories for CP/M 2.2 or CP/M 3.0! Notepad, Phone list, Diary, Disk directory, Text file Scan, Calculators (Decimal and HeX), Key Macros (Eight), ASCII Table, Cut and Paste, more—from within Wordstar, dBasell, Turbo Pascal and other CP/M programs! Use with Ram disks, XTRAKEY and ZCPR. Source for accessory programs included! Open-ended—add your program for WHM to 'popdown'. Supplied versions run on ALL Microbees including 256 TC, Dreamdisk, Kaypro II/IV/X, Osborne, Apple II CP/M, Amstrad CPC6128 and PCW8256 and many more. Supply computer model and CP/M version when ordering ... \$47.

Also Memory-Resident SOFTWARE PRINTING SPOOLER . . . \$40, MAILING LABEL PROCESSOR . . . \$30, SPELLING CHECKER . . . \$27, SPREAD SHEET . . . \$40.

MITEK SOFTWARE

MITEK RELOCATABLE Z80 MACRO ASSEMBLER . . . \$65. Including Linker/Library Manager \$95. Full Package including Mitek On-Screen Symbolic Debugger for option-packed Z80 Assembly Language programming . . \$120. Bonus DAZZLESTAR Public Domain disk included. For all CP/M micros (Microbees, Kaypros and many others).

XPERT SOFTWARE

XTRAKEY — POWERFUL Keyboard Redefinition Program! Once 'in residence', XTRAKEY lets you redefine single keys or define two-key (Xshift) sequences to make text-string (word, sentence, paragraph) insertion a 'snack'. Never type 'printf("/n' (or worse) again! Define keys on the fly. Define keys to strings requiring user input. Send strings to your printer (set NLQ, CPI) or 'Punch' port (logon sequences). Toggle entire-screen (Kaypros only) dump and/or screen output (all) to printer. Edit/Save/Load definition sets to fine tune your keyboard. XTRAKEY available now for ALL Microbees including 256 TC, Kaypro II/IV/X, Morrow, Osborne, Amstrad CPC6128 (running CP/M 2.2), Apple II CP/M and many more ... \$49.

Also XTRAPRINT (CP/M 2.2) . . \$49, SIDE2 (CP/M 2.2, MS-DOS) . . . \$47, XTRATECH (CP/M 2.2) . . . \$38, XCREEN (Kaypro II/IV/X) . . . \$38.

In popular formats, e.g. Microbee 3-1/2", 5-1/4", Kaypro II, Osborne DD, Xerox 820, Televideo 802/803, 8" SSSD, Apple II CP/M and Amstrad 3" CP/M. Who said CP/M wasn't alive?

H.D. TUNEUP

H.D. TUNEUP is the ideal follow-up to a backup of your IBM PC/XT/AT (or compatible) floppy or hard disk. H.D. TUNEUP reallocates all your files to remove fragmentation and relocates subdirectories closer to the root. After H.D. TUNEUP, files read and write faster with less disk thrash! For disks up to 32 Mbytes. Available in 5-1/4" and most 3-1/2" MS-DOS formats. Not copy protected . . . \$75.

WRITE for Glyphic Software Catalogue. Prices include pack, post, sales tax and manuals. School/College? Enquire about our School Packs. REALLY good value.

GLYPHIC SOFTWARE P.O. BOX 391 PENNANT HILLS, 2120

Order by: ☐ Cheque ☐ Mo Please charge m	oney Order 🗆 B/card 🗆 M/card
Card No.	Expiry Date/
Signature	

is a high level language (even though one of my colleagues refers to it as a 'write-only' language) and the Forth program is executed directly by the processor.

This fact alone means that vast improvements in speed over normal CISC type processors is possible. One side benefit is that one doesn't have to learn Assembly language in order to obtain high speed I/O routines, for example. I have written Assembly language programs for various processors and I know which I'd rather use if I had the choice — a high level language, obviously (even if it is a 'write-only' language). Besides, I rather like the idea of being able to write a Forth 'word' and then test it immediately by placing dummy values on the stack and executing my new 'word' to see if it performs as it should. If only other compilers would let me pass a few variables to a newly written procedure, prior to 'including' it into the main program (without having to make it 'standalone', of course).

Figure 3 illustrates the kernel words that make up the NC4016 vocabulary. It lists those words that only require a single clock cycle for execution (except where noted) and also shows Forth words that require one or two cycles. None of these words takes more than two cycles.

A Supercomputer

The supercomputer that Maestro are L building for general public consumption is more a labour of love, than a profit making venture. However, there are some interesting commercial possibilities for such a board, including such things as high speed graphics, speech recognition and pattern recognition, high speed servomotor control and so on. Maestro are developing a speech recognition system that will assist hearing impaired people to recognise, pronounce and correct their pronunciation. The computer will be developed in three separate stages, with each development stage dependent upon the demand by users.

Stage I will be the board itself, in any of the configurations mentioned earlier and including a 27xxx serial Eprom programmer (two ZIFs are provided to accommodate the 16-bit architecture) on-board. Both the Eproms are programmed simultaneously, normally with different data, although single programming is just as easy. Such a device would normally cost at least \$1000, without including any computing power.

Maestro are selling the initial kit for just \$699 (the chip alone costs over \$300). Stage 1 boards will also run between 4

and 6 mips, using off-the-shelf 120 ns SRAMS. A Forth kernel (full documentation supplied) and an optimising compiler (written by Charles Moore himself) are also included in the cost. A block diagram of the Stage 1 board is shown in Figure 4. Stage 1 is available now from Maestro Distributors, (043) 68 2277.

For those owners of IBMs who are contemplating the purchase of a board, The Novix will take full advantage of all the offline storage provided on their machine. For those who don't own an IBM (or compatible) but do have some sort of computer, there is no need for concern — the serial link between the Novix and the host computer will be able to use any floppy disks attached to the host. For those without either of the above, the standalone version provides facility for the programs written by the user to be stored in the upper half (64 kilobytes available) of the Eprom.

Stage 2 will be an upgrade from 5-6 mips to 8-10 MIPS, using fairly fast (here read also expensive) RAMS and a processor upgrade. Anyone considering the need to upgrade from the lower speed processor to the higher, should probably invest in the higher speed processor at the outset. This stage will also include a standalone floppy disk storage capability.

Stage 3 will provide hard disk storage, together with the possibility of replacing the 4016 with a 5016 and then using the 4016 as a slave processor for some mundane task such as a hi-res graphics processor

If you have any ideas for applications, or would like to know more about the Novix chip and the Contache, er, supercomputer, please drop me a line care of Your Computer, PO Box 227, Waterloo 2017 NSW, or give the chaps at Maestro a call.


A Forth Symposium

AS A RESULT of the interest shown in Forth in recent months, Paul Walker of the NSW Institute of Technology and myself have decided to hold a combined Forth Symposium/Workshop on 18 and 19 May, 1988.

Charles Moore (himself!) will be coming to Australia to perform the role of keynote speaker and to give a paper on the developments of the Novix chip set. It is expected that registration will cost in the vicinity of \$100 (the whole operation is being planned as non-profit venture). The event will be a joint symposium/workshop, with papers being presented on a wide range of Forth topics. Exhibitions from industry specialists in Forth applications will also be provided.

All pices soles tor

"The Australia-wide mail-order software and board supplier for computer professionals . . ."



Ventura 1.1 **\$1195**

EGA Paint \$199

Specials

Turbo C **\$149**

Turbo Basic \$149

Fox Base 2.0 **\$549**

dBXL **\$249**

Microsoft C \$699

Gem Desktop Publisher \$595

DAC Accounting \$199

IBM Software

Ability	\$149
Chartmaster	\$585
Clipper	\$895
Copy II PC	\$99
Copywrite	\$99
CrossTalk Mk4	\$325
CrossTalk XVI	\$199
Dac Accounting	\$199
dBase III Plus	\$875
Duet	\$149
EGA Paint Rix	\$199
Fastback	\$199
Fastgraphs	\$395
First Choice	\$299
Fox Base + 2.0	\$549
Framework II	\$999
Gem Collection	\$299
Gem Desktop Publisher	\$395
Halo DPE	\$349
Harvard Graphics	\$595
Harvard Project Manager II	\$699
Icontrol UK	\$99
Javelin Lotus 1-2-3	\$359 \$599
Lotus 1-2-3 Lotus Hal	\$270
Lotus Manuscript	\$795
Mirror	\$120
MS Chart	\$495
MS Flight Simulator	\$99
MS Multiplan	\$369
MS Project	\$649
MS Windows/Mouse	\$369
MS Word 3.1/Mouse	\$799
MS Word/Windows/Mouse	\$899
Multimate Advantage II	\$699
Note-it	\$129
Paradox	\$749
PC Tutorial	\$99
Printworks DM	\$129
Prodesign II	\$525

Quick Silver/dBXL Rbase System V Rbase XRW/Graphics Reflex Sidekick NCP Sideways Silk SPF-PC Super Calc IV Superkey Symphony 1.2 Timeline VP Planner Ventura Publisher 1.1 Windows 1.04 Word 3.11 WordPerfect 4.2 Wordstar 2000 + Wordstar Pro 4.0 X-Tree	\$999 \$1195 \$449 \$229 \$139 \$129 \$365 \$749 \$139 \$659 \$1195 \$179 \$5475 \$345 \$475
X-Tree	\$99
Xywrite III+ and much more	\$599 Phone

IBM Hardware

DCA IRMA Hardcard 40mb	\$1795 \$1799
Hercules Incolor Card	\$699
Hyperace 286+	\$795
Hyperam 2mb EMS	\$695
Logitech Mouse Bus Plus	\$249
Logitech Mouse Serial Plus	\$199
MFAX96 PC/FAX Card	\$1599
Microsoft Mouse	\$279
NEC Multisync Monitor	\$1195
Paradise AutoSwitch EGA	\$595
Techway 3½ in ext Disc Drive	\$699
Xidex 31/2 in Diskettes (IO)	\$59
Xidex DSDD Diskettes (IO)	\$19
Xidex DSHD Diskettes (IO)	\$49
and much more	Phone

Programmer's Corner

riogi		ici
Blaise	C Tools + Turbo Window Turbo Magic Meta Window + C Async Manager T-Debug Turbo Power Tools + Turbo Extender Turbo Power Utilities Turbo Async +	\$329 \$189 \$219 \$499 \$329 \$149 \$239 \$179 \$199 \$239
Borland	Eureka Turbo Basic Turbo C Turbo C Turbo Editor Turbo Lightning Turbo Pascal Turbo Tutor Turbo Prolog Turbo Graphix Game Works Numerical Method Word Wizard Reflex	\$149 \$149 \$109 \$109 \$149 \$59 \$149 \$109 \$109 \$109 \$229
Microsoft	C Compiler Cobol Compiler Fortran Compiler Macro Assembler Pascal Compiler Quick Basic 3	\$699 \$1099 \$699 \$330 \$499 \$149
Norton	Utilies 4.0 Advance Utilities Commander Editor	\$139 \$199 \$139 \$189
Dan Brickl Mace Utilit Brief 2.0 Large librar		\$179 \$159 \$379 Phone

NOVEMBER TOP 10

- 1. Lotus 1-2-3
- 2. Turbo C
- 3. Fox Base + 2.0
- 4. Microsoft Word
- 5. Turbo Basic
- 6. Turbo Pascal
- 7. Ventura 1.1
- 8. Wordstar 4.0
- 9. RBase System V
- 10. Clipper

Programs Plus



Ph: (08) 326 1313 Fax: (08) 326 1644

8/230 South Road Morphett Vale, SA 5162.

PO Box 80 Morphett Vale, SA 5162.

- * All prices *include* sales tax and full factory warranty.
- * Australia-wide delivery extra.
- * Phone us first for any item.
- * All software is latest release.
- * Dealer enquiries welcome.





All prices subject to availability E & OE.

SPEED THRILLS!

We never suspected John Hepworth of being a speed junkie, but all it took was a little taste . . .

THE ATLANTIS 386

HO NEEDS more speed in their PC? I can think of three people right off the top of my head: I, me and myself. Yes, I'm a speed junkie. Having tasted the thrills of the Atlantis 386, I found going back to my pedestrian PC had all the pangs of going cold turkey. So, what is the Atlantis 386? Like the Compaq 386 it is essentially an AT clone with an enhanced processor, offering excellent AT compatibility with greatly increased speed. Physically it resembles the traditional AT in size and colour.

The system unit is much like the familiar IBM AT unit at 540 mm wide, 150 thick and 420 deep. The front panel has an AT style lock for case and keyboard, a reset button, speed indicator and hard disk activity LEDs. That reset switch is much more than a convenience, as the standard Ctrl-Alt-Del used by IBM does start the reboot sequence but it hangs partway through.

On the rear panel is the power inlet socket, a switched power outlet socket for monitors and the ventilation fan outlet. Also on the back panel are the apertures for the 8 expansion slots. With other machines, many users will have had the problem of adding more ports, such as a second serial port cable to a multi I/O or similar board, and having to drape the cable over the back panel. No problem with the Atlantis, as there are additional apertures in the back panel for permanently fitting three DB25 connectors and two DB9 connectors.

Inside is the familiar mother board, with 80386 CPU and 80287 co-processor. The Atlantis 386 motherboard has eight expansion slots — one is 32-bit and holds the memory card, two slots are 8-bit and the remaining five are 16-bit. Only four slots were occupied by the video board, memory board, serial/parallel input/output board and the disk controller. There are acres of spare space, though with two more drives and all eight slots filled, cable routing could become an interesting exercise if neatness is to be maintained. Construction quality was good.

The rear panel of the I/O board has a 9-pin male connector for the serial port and a 25-pin female connector for the parallel port. Header pins inside allow for connection of a cable for a second serial port. The video board has a 9-pin female connection, two RCA concentric connections, and an 8-way DIP switch, all accessible on the back panel.

Drives

Five half-height bays are provided for drives. One 1.2 megabyte 51/4 inch floppy drive is visible at the right hand side of the front panel, with blanking plates over the slots for two more half-height drives. To the left of these three bays, and hidden by the case are two more half-height slots for use by either two half-height or one full-height, hard disks. The normal AT rails and retainers are used to mount the drives. The 1.2 Mbyte drive was reliable when writing disks to be read by similar drives, though as is usual with the





"The most AFFORDABLE QUALITY software in Australia?

An apt description, being used more and more as people discover the outstanding products from Software Publishing — the emerging force in Australian software.

Software Publishing have two categories of software packages. The PFS Series is a complete range of affordable software that will cover the needs of business people whose time is too valuable to spend studying thick manuals, learning computer jargon or memorising complicated procedures.

The Harvard Series are sophisticated programmes with specialist application in graphics, desktop publishing and project management.


The Software Publishing range has been quietly penetrating the Australian market. That's inevitable. They happen to ship more software packages than anyone else in the world.

EDITOR'S CHOICE

cost price range C MAGAZINE

The top echelon of our low-

First Publis



HARVARD SERIES (Specialist Application Software)

- Harvard Graphics
- Harvard Total Project Manager 11
- Harvard Professional Publisher

Business Graphics Pioneer in Project Management Śoftware **Desktop Publishing**

PFS SERIES (Affordable Software)

- **First Choice**
- First Publisher

Integrated Package Desktop Publisher Word Processor File Manager






Figure 2. The rear panel of the AIC 386 carries the power inlet socket, a switched power outlet socket for monitors and the ventilation fan outlet, plus the apertures for the 8 expansion slots. Adding more ports is no problem with this machine — there are additional apertures in the back panel for permanently fitting three DB25 connectors and two DB9 connectors.

1.2 Mbyte floppy drives, normal PCs could not reliably read 360 kilobyte disks written to by this drive.

The hard disk was a 40 Mbyte 51/4 inch NEC, formatted in two logical partitions, of approximately 30 and 10 Mbytes. Hard disk performance was extremely good, with Coretest giving average seek of 11.7 milliseconds, track to track seek of 7.5 milliseconds and 169 kB per second data transfer rate. Other, more general benchmarks, indicated that the average seek figures might be a little optimistic, however in practical use the awesome speed was more than welcome.

A full length disk controller card with 16-bit connection to the system bus was used for both the floppy and hard disks. While it bore no visible identification, many of the chips appeared to be Western Digital. The floppy cable has a spare connector for a second floppy while a spare set of header pins and a second connector on one of the hard disk ribbon cables implied that another hard disks could be connected.

Video and Monitor

Avast range of video boards and monitors could be fitted and used with the Atlantis AIC 386, but the review unit came

with the Everex Micro Enhancer EV-657B video board and a TVM Model MD-7E dual mode EGA/CGA monitor.

The Everex board can be used with CGA, EGA, TTL mono (like the IBM mono monitor) and Multiscan monitors. It can accept output intended for Hercules, MDA, CGA and EGA, and some extended modes, and translate it for many of the supported monitors. Autoswitching can be enabled so that the board detects the monitor connected and adjusts itself accordingly, or the mode can be set via dipswitches or software. A full test of the board would require a flock of different monitor types and an article all its own and so it was only used with the TVM monitor for this review.

The monitor has three knobs at the lower right of the front panel: the top one is a rotary on/off switch; the bottom two control contrast and brightness. A concentric knob around the bottom control sets the display to colour, green or amber. Rear monitor controls were vertical and horizontal size and centering.

The combination of the Everex board and the TVM monitor was very successful, giving clear text, good colour and excellent graphics. It was easy to read, sharp, and has a range of brightness to suit any-

thing from a window position in the office to a dim room at home.

Power Supply

The 200 watt power supply is located in the traditional place towards the rear of the system unit and across to the right. It has six connectors for output: two are used for the the mother board, one each for the hard and floppy disks and two are spare, for future installation of extra drives.

Keyboard

The AIC 386 comes with a keyboard in ■ IBM's so-called 'enhanced' layout — it has 101 keys with 12 function keys in a row across the top. It bears no maker's name, but has the model number FK 555. While I prefer the old XT keyboard layout to the AT keyboards and all the 'enhanced' variations, this one's layout is as good as most. The feel is good, having a light action with 'over centre' operation and good tactile response. A quiet mechanical 'click' is heard on depressing a key, giving good auditory feedback. Three LEDs at the top right corner of the keyboard illuminate when Caps Lock, Num Lock or Scroll Lock are on and default to OFF when the system is booted. The keyboard comes with a

You've trusted us to keep you on time for years, now you can trust in our printers...

SEIKOSHA



Don't pay through the nose for premium print quality!

Let's face it, there are times when NEAR letter quality is not quite near enough. Until now if you needed real quality printing you were forced into using an expensive daisy wheel.

Well, the AWA-Seikosha SP-80AI has changed all that. Its 24 pin printhead delivers premium quality output that compares very favourably with a daisy wheel - At around half the price.

Not only do you save money, but you get a lot more besides. You get features that no daisy wheel can ever offer. Features such as 135cps draft mode, graphics, down loadable character sets, double width printing. cut-sheet feeder options and much more.

So if you want premium print quality without sacrificing all the advantages of a dot matrix printer, at the right price, ask your dealer to see the new SL80Al in action - You'll be suitably impressed.

The ideal match for your PC

Introducing the AWA-Seikosha SP-1200 family. The very latest in PC printer design. No longer do you have to pay heavily for top quality printing.

Packed with a host of advanced features such as auto

paper load, draft and NLQ modes, 8K buffer, enhanced printing, graphics, optional cut-sheet feeder and many others, the SP-1200 series gives you professional output at a price you can afford.

> NOW WITH optional Multi Strike Carbon Ribbons



Sydney (02) 888 9000 Melbourne (03) 427 0188 Brisbane (07) 870 7555 Adelaide (08) 272 3588 Perth (09) 275 6655

quite complete 27-page A5 manual, which even shows the use of the function keys under DOS and BASIC.

Small legs on the underside at the rear can be swung out to raise the keyboard to a more usable position. Cord length is generous, with a straight portion long enough to reach from the connector on the rear of the system unit to the front, and then a coiled section to automatically extend and retract as the keyboard is moved.

Compatibility

The AIC 386 uses a BIOS from Award, Version 2.07. It, and the machine, seemed very compatible with all the standard DOS applications at my disposal. In addition, it was used in the Your Computer office for some time before I got my hands on it, with no problems. A very extensive range of communications software was run on it, including a test of the Your Computer Opus Bulletin Board system. All the standard set of commercial software, including Microsoft Word, Lotus 1-2-3, LapLink, Xtree and many more, all ran without hesitation. Jet and Flight Simulator both ran, at rather increased speeds, though the 'enhanced' keyboard layout is somewhat less than ideal for both. All my usual public domain software ran perfectly, including one program that chokes the IBM PS/2 Model 30.

Compatibility confirmation when running with OS/2 will have to await availability of that product and of suitable testing software to run under it. Unix, Xenix and the like were not tested.

Documentation

The documentation was good, bad, indifferent and dreadful! The DOS manuals (including GWBASIC) were the usual two Microsoft ring binders, with the usual excellent contents. The video board manual, 54 pages, A5 in size and looseleaf for inserting into your PC-DOS manual, was well written and illustrated. The 16-page monitor manual was well illustrated, but rather brief, and the keyboard manual quite good. The serial/parallel card manual and the system unit manual were but a few scrappy, photocopied pages in Asian English.

Software

The system came with quite a range of utility software. First and foremost was MS-DOS 3.2 and GWBASIC. Three disks were for low level formatting of the hard disk and similar tasks, system setup software and diagnostics. One of the more im-

portant programs has an significant effect on increasing speed, by relocating the ROM BIOS and/or EGA ROM to high speed RAM. The Everex video board came with its own disk of utility software.

I really did not want to like this machine so much, the speed being completely addictive, especially for writers who want instant search-and-replace, instant spell checking and fast loads and saves.

Conclusion

Treally did not want to like this machine $oldsymbol{1}$ so much, the speed being completely addictive, especially for writers who want instant search-and-replace, instant spell checking and fast loads and saves. Database users will adore the way the AIC 386 gives any database software fast indexing, reporting and other functions. All other users will love that speed. I used the Atlantis AIC 386 for several weeks and only gave it back when it was prized from my grip with a crowbar. Reliability seemed excellent over this long test period, and compatibility with DOS and DOS applications is excellent. The only negative vibes came from the system unit documentation, where great improvements could be made.

Now, how am I going to persuade the bank manager that I really must have one for home? \Box

Product Details

Product: AIC 386
Distributor: Atlantis International
Computers, 49 Wadham Pde, Mt
Waverley 3149 Vic.
(03) 277 3139
Driver C8050 tourd plus progitates

Price: \$8050 taxed, plus monitor of your choice

\$575 10 Mbyte hard disk; \$765 20 Mbyte; \$1100 30 Mbyte; \$1800 40 Mbyte.

Help for C Programmers

You can now create sophisticated applications **FAST** with our C compilers, database and screen libraries and tools.

With **dBX**, the dBASE to C source code translator, you can run your dBASE programs on computers that do not support dBASE. Makes your programs run like lightning.

STOP wasting time debugging your programs the hard way . . . one at a time. Use PC-LINT to find bugs, glitches and inconsistencies in your C programs. Saves hours of development time.

Use the **BEST** Database and Report Generators available. **C-tree** provides multiuser locking routines for Unix, Zenix, MPM and DOS 3.1. **R-tree** is a powerful multi-file, multi-line report generator. Includes source code.

FULL RANGE of products available including Graphics, C interpreters, Make, Editors, Wendin, Under-C, Greenleaf, Faircom, Softfocus, Turbo C, Microport System V/AT Unix and more.

Try our **FREE** 24 hour Bulletin Board (02) 560 3607. Hundreds of C files and programs available for downloading.

For your **FREE** C Programmer's Catalogue, phone Rick Polito on (02) 233 3455 or write to:



Part 2.



N MY never-ending search for speed, a number of Zoom Boards have passed across my desk, spent a brief interlude inside Zebbie and been sent packing. And I am still looking for the ultimate accelerator! The boards covered here are of the less expensive variety and may be just what the doctor ordered for your tired, slug-mode PC.

The AMB 286-Speed Card

The 286-Speed Card, from American Business Machines, is a short card accelerator designed to fit the short slot in the IBM-XT. Like so many other short card accelerators, this one requires the 8088 processor to be moved from the main board to its new home on the card.

The board comes packaged in a small, well-padded box which also contains a short 40-way cable, and a user manual. No software is provided, as switching between turbo and normal speed modes is achieved with a hardware switch mounted

on the rear of the card. The clock rate for the 286-Speed Card is 7.2 MHz, if one is to believe the documentation.

Installation of the Speed Card is as painful as it is with most of the other short accelerator boards I have become acquainted with and consists of removing the 8088 processor and replacing it with the 3 inch cable provided: inserting the processor into one of the vacant 40-pin sockets on the speed card (the other one is for the optional 8087 co-processor) and placing the card into the vacant slot nearest the 8088 processor's original home. The only jumper on the board is for selecting the clock rate (5 or 8 MHz) for the optional 8087 maths co-processor.

The manual supplied with the 286-Speed Card is a small, 23 page booklet containing installation instructions, diagrams and several pages of glossary — neat, tidy and containing quite a smattering of creative English. However, the manual suffers from the slight problem that all the text and diagrams refer to another and entirely different board.

Digicom Digis 80286A

The Digis accelerator is a three-quarter length board and makes use of the 8088 in much the same way as the 286 board mentioned above. The board is supplied in an anonymous white box containing the accelerator card, a 5 inch 40-way cable and the user's manual. Switching between turbo and normal speed modes is achieved by a switch mounted on the rear panel. There is also a second switch provided for turning the cache facility on and off.

Installing the board requires the re-

moval of the 8088 processor from the main board and inserting it in one of the 40-way sockets provided, and then inserting the 40-way cable in the vacant 8088 position, and pressing the card home into the slot closest to the power supply.

Then, secure the card and — with heart in mouth and stiff drink in hand — turn on the power and go.

The user's manual is an 18 page book-let containing all the information needed to get the Digis card up and running. It gives a general overview, a clear and concise explanation of cache memory, installation and usage instructions, and a brief technical specification. All in all, this is a very good little manual (although no matter how much you bend it, it won't stand up straight on the table).

Unlike any accelerator I have thus far encountered, this board disables the cache memory on power up for approximately 2 minutes. This is to ensure compatibility with a very broad range of machines and BIOSs by not fouling up the power on self-test. (I have yet to find a board that does irritate this test, but the facilities which manufacturers build in are seldom redundant.)

Turbo Upgrade

The Turbo Upgrade is by far the smallest accelerator on the market today. Unlike the other accelerators, this card does not use an 80286 at all. Speed improvements are gained solely by increasing the clock rate of the resident processor. Switching between turbo and normal speed modes is achieved by either a hardware switch or one of the software drivers provided.

Installing the Turbo Upgrade is not an exercise for the faint-hearted, involving the use of screwdrivers, an electric drill or hole-punch, and possibly even a soldering iron. Burning fingers aside, installing the board goes like this —

- 1) Undress the computer by taking the case off (don't worry it's not shy.)
- 2) Locate the 8284a (it's is generally located somewhere near the 8088 processor).
- 3) If the 8284a is socketed, then remove it carefully, otherwise de-solder this component and replace it with a socket. (Scorched fingers here I come!)
- 4) Plug the 8284a into the Turbo Upgrade board.
- 5) Plug the Turbo Upgrade into the 8284a socket on the main board.
- 6) Clip the flying lead to pin 20 of the 8255. The 8255 is located near the right hand side of the main PC board.




Figure 1. Unlike the other accelerators, the Turbo Upgrade does not use an 80286 at all. Speed improvements are gained solely by increasing the clock rate of the resident processor.




Figure 2. The 286-Speed Card is designed to fit the short slot in the IBM XT. Like so many other short card accelerators, this one requires the 8088 processor to be moved from the main board to its new home on the card.




Figure 3. The Digicom Digis accelerator is a three-quarter length board. It's unusual in that it disables the cache memory on power up for approximately 2 minutes; this ensures compatibility with a very broad range of machines and BIOSs.

It's not just that COMPAQ wins the race...



It's why.

COMPAQ thinks faster than the competition. At COMPAQ we don't rest on our laurels. But that's something you've come to expect from us.

The COMPAQ Deskpro 386[™] was a revolution, which doesn't mean we couldn't improve it. In fact, we already have. The COMPAQ Deskpro 386/20[™] and COMPAQ Portable 386[™] have arrived – with 20-MHz.

The fastest PC in the world. The COMPAQ Deskpro 386/20™ is the fastest personal computer in the world. It has 20-MHz 80386 processing. 32-bit architecture. A disk caching utility that, like an efficient secretary, anticipates your needs and retrieves information from storage before you need it.

The advantages are obvious. It calculates large spreadsheets in milliseconds. Graphic applications in a flash.

It will link into most networks and mainframes. And it is the most powerful personal computer network controller available.

Fast as light. The COMPAQ Portable 386TM is the most powerful portable computer ever produced.

At 20 MHz it is 25% faster than most desktops, with an incredible 40 or 100 MB of disk storage. Yet it weighs just 9.1 kg. Hand baggage size.

So it seasy to see how, with a little faster thinking, COMPAQ elevates the standard. Again.

For the name of your nearest Authorised COMPAQ Dealer, call: (008) 22 1555 or in Sydney (02) 908 9088.



7) Select a position for the switch and indicator LED and drill or punch holes for these (this step is optional as you may not wish to use the switch).

8) Select and insert the crystal (which determines the speed) in the board.

9) Finally: install the software driver this consists of copying the utility programs onto a boot disk and placing the following line into the CONFIG.SYS file:

DEVICE=TURBOHF.COM

The selection of the crystal is by far the most important part of the operation, as this component will determine just how much faster your computer will run. There are two crystals provided with the Turbo Upgrade — one is a 20.000 MHz crystal which will give a clock rate of 6.67 MHz, and the other is a 22.000 MHz crystal, giving a clock rate of 7.33 MHz. A further upgrade can be achieved with a 24.000 MHz crystal providing a clock rate of 8 MHz. In most cases, no other changes to the computer will be necessary to achieve the 6.67 MHz and 7.33 MHz speed upgrades, although some machines may not run reliably any faster than 6.67 MHz. To achieve the 8 MHz clock rate you will need to purchase an 8088-2 processor and faster RAM — if the RAM in your computer is slower

There are several tests that need to be performed to ensure reliable operation of the Turbo Upgrade. These include attempting to format a disk and using the diskcopy facility at the higher clock rate. and several others. Four device drivers are provided with the Turbo Upgrade to help overcome any problems caused by the increase in clock rate.

page booklet, which describes in detail the installation of the board for the IBM-

up at the back there) will have noticed that the Norton SI ratings bear little relationship to the actual speed of the boards (so read the table again, already). This is due in part to the way SI performs speed calculation - SI appears to be based on 100 percent clock-bound operations, which is why the rating is so close to that of the board. However, the overall speed of any accelerator is governed by much more than mere clock rate — such factors The documentation provided is a 16 as wait states and bus width must also be taken into account. In view of these factors. I have included a corrected relative speed factor (CRS) in the benchmark table. This figure is calculated from all the R.C. Electronics. Digital Resources American Business results and provides a more realistic value. Next time you see an advertisement Digis 80286A Turbo Upgrade giving a Norton SI rating of X, be warned

> Not world shattering-stuff, any of it, but the Digicom board is probably the pick of the bunch if you want a bit of edge. The Turbo Upgrade board, it should be borne in mind, is not an accelerator board as such — it simply bumps up the clock rate. However, it is probably the cheapest way of putting a bit of oomph into the slug on your desk.

> this is not a very accurate measure.

PC. -XT and close PC/XT compatibles.

source code for two of the utility pro-

grams, technical details (how it works)

Now for the fun — look at the results in Table 1. The more alert reader (wake

and a trouble shooting guide.

What The Tests Revealed!

Zebbie PC 286 Speed Card 474.00 1150.00 Price HARDWARE 80286 Processor 80286 8088 8088 80286 n.a. 8.0 8 Mhz Clack Speed 7.2 Mhz Opt 7.33 Opt Opt Opt 8087 Opt Board Size Half Card 3/4 Card 7 Watts 2.0cm × 6.5cm Watts Power Cons. Hardware Device Diver & Speed Change Hardware * Hardware Processing NO NO Ability Cache Standard RAM Cache Maximum RAM Wait States n.a. Mem. Config n.a. SOFTWARE Mem. Resident NO NO YES YES YES Driver Install prog. Special Progs NO YES NO YES NO YES BENCHMARKS OFF Turbo mode ON ON OFF 6.67 7.33 8.00 Disk Write Disk Read 31 31 31 24 20 44 96 36 117 96 47 96 73 Calcs 61 61 195 306 141 306 133 234 213 306 100 Compile/Link 40 73 100 64 53 100 88 AΠ 73 1 570 290 570 570 266 373 Total Time 221 373 447 407 Norton SI 5.7 1.5 1 6.2 1 6.6 1 1.3 1.4 1.5 2.6 1 2.0 1 2.1 1 1.5 1.5 CRS

Note * : This card also has a cache disable switch

Table 1. The tests were run in PC-speed and Turbo-speed modes; all times in are in seconds. The disk write, disk read, calcs, and Sieve of Eratosthenes programs were all written in standard GWBASIC. The Compile/Link process was performed using Computer Innovations' C86 compiler and Microsoft's overlay linker with no special switches on a C source file of 4600 bytes. Refer to the text for a definition of CRS.

Product Details

Product: 286-Speed Card

From: American Business Machines. PO Box 1. Berkley Vale NSW 2259

(043) 885 133 Price: \$715 taxed

Product: Digicom Digis 80286A From: Digital Resources, 169 Phillip St, Waterloo 2017 NSW; (02) 690 1268

Price: \$870 taxed

Product: Turbo Upgrade From: RC Electronics Distributor: Capitol Software, GPO Box 5247, Sydney 2001 NSW:

(02) 665 6299 Price: \$199 taxed

Note: The price quoted above is for the new version of Turbo Upgrade which uses an 8MHz CPU replacement, the NEC V20

Desktop Publishing on the PC

•DESKTOP PUBLISHING: THE BOOK. Here's what Desktop Publishing Magazine said in October 86: "The Definitive Tome on Desktop Downunder has just been published, and it's a ripper. Tim Hartnell's book tells you just about everything you need to know about gaining power over print - and then some more. The 12 chapters cover almost all the how-to areas: use of type; how to set up a bureau; creating your own ads; business stationery; newsletters and in-house magazines; technical manuals; and book publishing..."

•CHIWRITER. A multi-font word processor supporting up to 10 fonts and 250 super/subscript levels per line. It is true 'what you see is what you get' and is extremely easy to use. It works with a variety of printers and can produce both fast draft and final, publishing standard high resolution printing. Comes with the operating manual MASTERING CHIWRITER

•BUSINESS FORMS. A significant amount of desktop publishing activities in business centre around designing forms for office use - invoices, stock sheets, order forms and so on. The manual CREATING BUSINESS FORMS tells you how to get underway immediately, generating master forms tailored to your individual needs. The program FORMS allows you to create or revise a master form or a filled-out form. Master and completed forms can be stored on disk as well as printed. Once a master form has been created and saved, it can be recalled an unlimited number of times to be filled out, and then stored - if needed - as a completed form.



only \$39.95!

Yes! Now you can enter the world of desktop publishing with *Tim Hartnell's Desktop Publishing Kit* - for just \$39.95!

There are **FOUR** modules, designed to get you up and running from the *first minute* you get the kit:

- •A copy of Tim Hartnell's acclaimed book **DESKTOP PUBLISHING: THE BOOK**
- •The program **CHIWRITER**, along with the operating manual **MASTERING CHIWRITER**
- •The program **FORMS**, together with its operating manual **CREATING BUSINESS FORMS**
- •The *two-disk* on-screen art drawing program *PC-KEY DRAW*

To run the Desktop Publishing Kit, all you need is a PC or close compatible, at least 256K, an IBM graphics card and an FX-80-compatible printer.

THE WINNING EDGE - Apple II/IBM PC

If you enjoy investing on the horses, but don't enjoy it so much when your investment doesn't pay off, you'll welcome this program which is designed to give you 'the winning edge' when it comes to betting. All you have to do is answer the questions the program puts to you. Once you've done this, the computer will give you advice on to how to place your winning bets! THE WINNING EDGE - \$34.95

24-hour live answering
Call us any time to place an order,
or to ask for a copy of our free,
brand new, value-packed catalogue.

03-648 1191

When our receptionist answers, be ready to give her your name, address, make of computer, the names of the programs you want, and your Bankcard, Visa or Mastercard number.

That's all there is to it!

MS-DOS TUTOR IBM PC/compatibles

Now you can master MS-DOS the proven way with Tim Hartnell's MS-DOS Tutor; large detailed manual, and tutorial disk. "I learned more in four hours with your MS-DOS Tutor than in months of trying to understand the DOS manual" - Keith McNeil, Nth Ryde. And best of all, the entire tutorial package is just \$41.62!

PC BASIC Tutor IBM PC/compatibles

Now you can learn to program your PC in BASIC in a matter of hours. Well-known computer author and columnist Tim Hartnell leads you step-by-step in this complete guide to first time use of the PC. 108-page manual plus disk. As well as the tutorial programs, the disk contains a complete starter library of software including database, spreadsheet and word processing program (and more)! \$32.29!

Both tutors together - just \$58.26 (instead of \$74.91)!!

EXPLORING ARTIFICIAL INTELLIGENCE Apple II/IBM PC With this software package, you'll be equipped to take a fascinating voyage. Can a machine think? Find out for yourself! Detailed text; programs include BLOCK-WORLD, X-SPURT, TIC-TAC and SYLLOGY. \$39.95

PARADIGM POWER UTILITIES!

For all MS-DOS computers, the *Paradigm Power Utilities* allow you to retrieve deleted files, give you *byte* by *byte* control over your disks, includes a *RAM-disk* to be your system's third drive, a multi-copy, user-controlled print *spooler*, SECTSAVE to locate and (if possible) retrieve bad sectors on a disk, display the contents of an ASCII file line by line, add or change the volume label of your disk, alter file attributes, and more. With a very detailed manual which takes you step by step through using the utilities. Just \$24.951

WAKE UP YOUR FINANCIAL GENIUS Apple II/IBM PC. This collection of four, 'real world' management financial simulation games, in which you 'earn' millions of dollars, will test your brains in international finance. \$25.95



NEW FREE CATALOGUE
IBM PC Apple II Mac

NEW program from Dr Geoffrey Lewis

Lewis CASH FLOW

Manage Your Money Effectively

For PERSONAL Use

CASH FLOW helps you manage your finances better. You can find out your cash position at any time in the future.

This helps you:

- plan for purchase of big-ticket items such as holidays or a new car.
- plan payments of credit cards and loans.
- determine how and where to cut down spending.

For BUSINESS Use

Manage your cash position efficiently. Determine when to invest excess funds. Plan your purchase of capital expenditure. Reminder of expenses. Produce a report of payments due to creditors in date order.

Interface with CROSS-CHEQUE.

COMPUTERS


All the programs run on IBM and other MS/DOS. We are pleased to announce versions for the MACINTOSH. CROSS-CHEQUE and CASH FLOW run on CP/M80 and Macintosh. PAY-PACK runs on the Mac.

DEMO PACKS

Demo packs, which contain the complete manual and program, are available at only a fraction of the price. Not just a fancy scrolling display with impressive graphics but the real program. Actually test it out on your own computer! If you like the program you pay the balance of the price.

CUSTOM-MADE SOFTWARE (SALES) PTY LTD

P.O. Box 507, Randwick NSW 2031 Tel. (02) 399-8566



Dr Geoffrey Lewis: "This is your opportunity to buy a quality Australian-produced accounting package priced below the \$100 mark. CASH FLOW will be invaluable for either personal or business use."

Lewis PAY-PACK payroll

Handles employees on annual salary, hourly wages or casual. Provides for allowances, deductions and penalty rates and lets you pay employees by cash, cheque or direct deposit. Produces pay slips and group certificates. Keeps track of holidays and sick leave. Currently used by over 300 firms in more than 35 different industries throughout Australia.

HOT-LINE SERVICE

Telephone assistance is available daytime, evenings and weekends on 399-8566.

Lewis CROSS-CHEOUE

Tracking Your Income & Expenditure

Enter details directly from your cheque butts or deposit slips. Produce detailed reports about your business at the press of a button. At the end of the year you can produce a total report for your accountant. Does bank reconciliation. Handles 120 categories of income and expenditure. Ideal for small to medium businesses, professionals, farms, shops, etc. Over 400 users.

"If ever there was a small software accounting system that could be described as ideal for the very small business, Lewis Cross-Cheque would fit the bill." Dan Lawrence, reviewer for Your Computer, August 1986.

Lewis LETTER MAGIC

Produces a complete letter with as few as four key-strokes. If you write a lot of letters, Lewis LETTER MAGIC is ideal as it is a word processor specifically designed for letter writing. It also includes a powerful integrated database of the details of the businesses and individuals you deal with. This means you can also produce address labels, simple invoices, phone lists, reports of sales prospects, etc. Also ideal for clubs and companies that keep track of clients, prospects and members.

Address:				
Phone:		Computer:		
Send more info.	Pay-Pack 🗆	Cross-Cheque \square	Cash Flow 🗌	Letter Magic [
Send demo. pack	\$60 □	\$36 □	\$36 □	\$36 □
Send demo. pack Send full system	\$60 □ \$786 □	\$36 □ \$318 □	\$36 □ \$99 □	\$36 □ \$454 □
	\$786 □			: 기계, 1, 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -

DISCWARE New Software Products

GET A NEW HANDLE ON YOUR BUSINESS WITH SBT.



SBT

Now you can handle up to 254 users, all working in the same data files, with the SBT MultiNet Database Accounting Library.

The accounting software written in dBASE III PLUS. So whether your business is large or small, you can grow to the limits of the most advanced PC networks available.

When you want that special report, or your business needs something we didn't think of, you can quickly and easily modify our programs to meet your needs exactly (because our dBASE source code is included absolutely free).

And if you don't have time to make the changes yourself, there's a nearby consultant who can make them for you. So if your company has two users or two hundred and fifty, you can add customers, update records, and have as many people enter orders as it takes to keep your business growing. Isn't it nice to know there's software you can't outgrow? The SBT MultiNet Database Accounting Library.

Now you can get a new handle on your business.

Call today for our demo disk and brochure.

THE SBT DATABASE

dProfessional	Time & Billing	\$695
dOrders	Sales Orders	\$535
dInvoice/dStatements	Accounts Receivable/Inventory	\$695
dPurchase	Purchase Order	\$535
dPayables	Accounts Payable	\$695
dPayroll	Payroll/Labor	\$695
dLedger	General Ledger	\$695
dAssets	Asset/Depreciation	\$535
dProject	Project/Job Accounting	\$695
dMaterials	Material Requirements	\$695
dMenu/Backup	Menu/Backup	\$129

Multi user versions \$400 additional per module. Clipper and FoxBase compatible.

DRAFIX 3-D MODELER

CAD SOFTWARE YOU'LL BE USING IN MINUTES - CAD SOFTWARE YOU'LL BE USING FOREVER



Drafix 3-D Introducing Drafix 3-D Modeler, the first low-cost, high performance 3-D CAD software package for your PC.

Drafix 3-D Modeler is a new product from MEGACADD, the creators of Design Board Professional, the #1 rated 3-D/PC CADD software and Foresight Resources, creators of Drafix 1 and Drafix 1 Plus.

Powerful, Easy-to-Use. Drafix 3-D Modeler is a powerful but easy to use software package for true three dimensional computer-aided design on your PC, XT or AT.

Unlimited Perspective Views. Its true 3-D database allows you to create a three-dimensional computer model and generate unlimited perspective views. By setting your eye location and viewing target, you can view the model from any angle. You can even walk inside the model and look out!

Simple Screen Menuing. Drafix 3-D Modeler features a straightforward on-screen menuing system and "helps prompts" so you'll be creating dimensionally accurate 3-D drawings soon after installing the program.

Automatic Hidden Line Removal. Drafix 3-D Modeler actually removes obstructed lines from the view, not just masking them with solid fill. This allows you to generate clear, accurate perspective plots or prints from the model.

Fully Drafix Compatible. Drafix 3-D Modeler was specially designed to work smoothly and efficiently with the Drafix 2-D programs. It is compatible with all Drafix 1 and Drafix 1 Plus-supported hardware configurations. Any view of your 3-D model can be easily transferred to Drafix 1 or Drafix 1 Plus for further drafting enhancement. Once the drawing is complete it can be printed out or plotted through Drafix 1 or Drafix 1 Plus. DRAFIX 3-D MODELER HAS THE SAME FEATURES FOUND IN THE PRODUCT RATES AS THE #13-D CADD IN THE JANUARY 1986 AIA CADD REVIEW.

ONLY \$695.

SPECIAL NOTE: Drafix 3-D Modeler must be used with Drafix 1 or Drafix 1 Plus for plotter or printer output. A Math Coprocessor, which can increase product speed by up to 6 times, is highly recommended but not required. Supports all Drafix 1 & 1 Plus supported hardware.



DISCWARE

(02) 212-6933

150 Broadway, Broadway, NSW 2007. FAX: 211-4065 TLX: AA 23509

ALL PRICES INCLUIDE SALES TAX, AVAILABILITY MAY BE LIMITED AT PRICES ADVERTISED. PRICES APPLY TO STOCK HELD AS AT 23/9/87.

Why Your Hard Disk May Be Only **Seconds Away From Total Failure!**

WELCOME TO THE INNER WORLD OF HARD DISKS: WHERE MICROSCOPIC PROBLEMS CAUSE MAJOR CATASTROPHIES.

A typical 20-megabyte hard disk contains over 200,000,000 bits. If only one bit changes or fails, you can lose everything on your disk. Hard disks are subject to so many inherent, uncontrollable conditions that random failures occur with alarming frequency. You already may have been tortured by one of these hard disk error messages: DATA ERROR, GENERAL FAILURE, ERROR READING, WRITE FAULT, BAD SECTOR, SECTOR NOT FOUND, FILE ALLOCATION TABLE BAD, DISK ERROR READING FAT, DISK NOT READY, INVALID DRIVE SPECIFICATION, NON-SYSTEM DISK OR DISK ERROR, READ FAULT, BAD DATA, ABORT-RETRY-IGNORE — plus hundreds more that we simply don't have space to mention. Here is why: to mention. Here is why

PROBLEM ONE: OUT OF ALIGNMENT. There are hundreds of circular tracks packed into every inch of your hard disk's magnetic recording media. They are *extremely* thin, about as thick as a single strand of hair. Perfectly aligned tracks on a new, out-of-the-carton hard disk look like those in **figure 1**. Your programs read, but *never* write, to any of the special Track and Sector ID areas shown in black.

When your system has been off and is cold — in the morning, for instance — head positioning mechanics shrink, causing heads to read and write towards the inside. As the unit warms they expand and tend to read and write towards the outside. Add friction, wear-and-tear, play, torquing, repeatability, vibration, irregular platter and surface expansion, etc. — and within a very short time your data, program and system sectors can go out of alignment like those shown in **figure 2**. This is a continual, serious problem: valuable data may be written so far off current head tracking that it is no longer readable, resulting in devastating errors and lost data.

Disk Technician Automatic Al Software System's early warning detection must be used daily to keep data, program and system sectors in perfect alignment. When even the slightest change is detected, Disk Technician safely removes any data and stores it in your computer's RAM, then restores perfect alignment by rewriting the entire track, including the "read only" Track and Sector ID areas, using Disk Technician's own factory low-level, Real format. This new track is then thoroughly retested, and only if has been perfectly repaired, will Disk Technician allow your valuable programs and data to use it again. If retesting reveals that any bit is not perfect, data is relocated to a good area and the bad area is safely blocked from future DOS use. When Disk Technician repairs an area, it specially monitors that spot on all subsequent tests to make certain it stays repaired. This is a totally automatic, unattended process.

PROBLEM TWO: MEDIA AND DISTANCE. The typical distance between the head and the media is about 25 millionths of an inch. By comparison, a smoke particle is about 10 times greater and a human hair is over 100 times greater! Expansion and contraction caused by normal heating and cooling, wear-and-tear, media degradation, vibration, humidity, platter wobble and aging all cause this distance to vary (see **figure 3**). Read and write quality varies directly with these distance changes.

No matter how carefully the hard disk media was manufactured, there still will be variations in coating thickness, smoothness and magnetic density (see **figure 3**). Add aging and magnetic retentivity changes, and some spots may change from "good" to "unreliable" *overnight*. Magnetic hard disks act just like old photos: they fade away — along with *your* data! *Disk Technician is the only total solution to these problems.*

Disk Technician reads, writes and tests every single bit on the hard disk, occupied or not, using special proprietary testing and repair algorithms to check for soft error rate, magnetic retentivity, and the ability to read and write perfectly. If even the smallest marginality or error is found, Disk Technician will automatically proceed with its complete repair and restoration process. DOS and other programs can only tell you after 10 to 30 errors have been made. Our testing reveals that once a spot makes more than 3 to 5 soft errors, total failure is imminent. Disk Technician's daily preventive testing, repair and recovery is


PROBLEM THREE: POWER. Static electricity, turning power on-and-off, brownouts, surges, spikes and static electricity all can cause the heads to write meaningless "garbage" into whatever tracks they happen to be located over. Although hard disks and computers are designed to minimize accidental head writes, they still occur and cause devastating damage — often wiping out an entire disk. Disk Technician takes a new approach to cure these problems.

When Disk Technician is run, it automatically installs SafeParktm memory resident software program and creates a "safe zone" on your hard disk, safely relocating any data in this area. Then, whenever you boot from your hard disk, SafePark becomes memory resident and operates with all of your programs all of the time. When there is no disk activity for approximately 7 seconds (user adjustable), SafePark automatically moves the heads to the safe zone. Once the heads have been moved — which will almost always be the case — and there is static electricity or a power glitch, any damage will be confined to the safe zone: protecting your valuable data and programs.

WHY SUFFER AND TORTURE YOURSELF WITH HARD DISK GRIEF? Disk Technician virtually eliminates all your problems! It is so easy to use — absolutely no technical skill is needed — and takes less than 60 seconds of operator time daily. BUY NOW! HEAD-OFF HARD DISK DISASTERS BEFORE THEY COST YOU TIME AND MONEY!



Figure 1* Perfectly aligned tracks. The black areas are "read only." These store critical track and sector ID information. The white areas are data sectors and store your system, programs and data.



Good

Marginal Clash! Figure 2* Sectors out of alignment with the track. The most frequent cause of lost or unreadable data. See Problem One.




Figure 3* Heads, media and platter. A: The distance from the heads to the media continually changes. B: The magnetic coating varies in thickness and smoothness. C: Magnetic retentivity varies and decays. See Problem Two.

*Magnified and simplified for clarity.



TECHNICAL SPECIFICATIONS

- Works on a *single system* of any IBM PC, XT, AT, derivative. COMPAQ or true IBM clone.
- COMPAQ or true IBM clone.


 Works on both physical C and D hard disk drives up to 32 megabytes and A and B floppy drives that conform to the IBM standard. On drives larger than 32 megabytes, it will work on the first DOS partition only. Disk Technician 2.0 will work on drives greater than 32 megabytes and on multiple DOS partitions provided the drive is partitioned using the IBM-DOS 3.3 standard.

 Can selectively test and repair any and all cylinders, heads and sectors in the DOS partition.

 Requires PC or MD-DOS version 2.1 to 3.3 with 256K of RAM. Requires a single 5½" floppy drive.

DISCWARE (02) 212-6933

Four of a kind, or two pair



HAVE JUST been testing four hard disks for IBM PCs and compatibles. Based on 3½ inch mechanisms, they could be considered as four of a kind, except for the fact that two are mounted on cards, and the other two are half-height drives which mount conventionally in a drive bay. Two are 21 Megabyte and two are 49 Mbyte.

The drives tested were: the Tandon BusinessCard 21 hard card, the Tandon 262 21 MByte half-height 3½ inch hard disk, the Interface 49 Mbyte 12CARD hard card, and the PTI 49 Mbyte 3½ inch half-height disk drive. Very quickly they divide themselves into two pairs, not the hard cards versus the rest, but the 21 Mbyte units and the 49 Mbyte units. Why? Because both the 21 Mbyte units use similar drive mechanisms from Tandon and both the 49 Mbyte units use PTI drive mechanisms.

The controllers do vary, as both the 49 Mbyte units use OMTI controllers from SMS, while the Tandon 21 Mbyte unit uses a National Computer controller and the BusinessCard 21 controller card bears no manufacturer identification.

So, if all the drives have similar size mechanisms and all the controllers are half length, what are the differences?

Both the hard cards take a conventional half-height drive and separate controller card, and mount them on a sheet metal bracket which slips into a slot of a PC. The conventional drives are mounted in one of the floppy drive bays and cabled to a short controller card mounted in one of the expansion slots.

However, both the hard cards do take up more than one card slot. If you consider a metal bracket running from the rear panel of your machine to the front panel, it will be just over 340 mm long.

Both the BusinessCard 21 and the 12-CARD mount a drive on the half of this bracket near the front of the machine and a controller card towards the rear of the bracket above the expansion slots. At the controller location both are just one slot wide. At the drive position both are double the width, and take up two slots. This doesn't stop a user installing another card in the slot that the drives overlap, but only half length cards will fit.

Installation

Installing the cards is the simplest task imaginable. Open the cover of your machine, having first turned off the power. Determine a slot location for the card, and relocate existing cards if necessary. Remove the screw holding the expansion slot cover and remove the cover.

At this point, the procedure for fitting the two cards diverges. With the Tandon, a number of brackets are supplied and may be fitted to the nose of the main card bracket depending on the type of computer to which it is to be fitted. The front end of the Interface card is supported on a sponge rubber pad which bears on whatever chips lie beneath it — the only negative in an otherwise excellent design.

Now plug the card into the expansion slot connector on the mother board. Power for the Tandon card comes from the expansion connector; power for the Interface card comes direct from the power supply via a 4-pin plug of the same type used to power a floppy drive. Some older PCs may not have enough power output connectors, but Y adapters are available.

Power consumption is a different story. Earlier PCs had a power supply rated at 63 watts. This is generally considered marginal for use with hard disks in fully expanded machines, even with power misers like the four hard disks tested. Most clones, XTs, and suchlike have a power supply rated at 150 watts or more and should have no problem.

So, if all the drives have similar size mechanisms and all the controllers are half length, what are the differences?

Mounting the conventionally packaged drives is a little more confusing. Both slide directly into a floppy bay and are secured by screws. In each case, two ribbon cables are run to a separate controller card mounted in one of the expansion slots. In both cases, the instructions were barely adequate for a user with experience in fitting cards and accessories to PCs, and would be downright confusing for a novice. The main area of difficulty? Knowing exactly how to connect those ribbon cables. I got it right the first time in both

Drive	Si	ze	Data Transfer Rate	Average Seek Time	Track To Track Seek	Performance Index
			(Kilobytes/ second	(Milli Seconds)	(Milli Seconds)	
Tandon BusinessCard						
21	21	Megabyte	139.9	97.3	16.2	1.398
Tandon						
1/2 Height	21	Mbyte	77. 5	80.4	16.1	1.145
Interface						
Inc						
I2 Card	49	Mbyte	159.5	34.8	9.1	2.581
PTI 1/2 height						
49 Mbyte	49	Mbyte	243.2	31.7	9.8	3.184

Table 1. All four drives were tested with the Coretest program. Both the Tandons have acceptable (but not startling) speed, basically similar to the speed of the standard drives in an XT; the PTI and Interface drives were significantly faster than the Tandons — as you'd expect after taking price and intended market into consideration.

cases (I was lucky), but it would be easy to mess it up.

All four of the drives came to me fully formatted and with DOS installed, so I can't comment on any difficulties in this line. Micro General, the importers of the Interface card and the PTI drive, fully format all drives before shipment as a matter of policy, both as a service to their customers and as a final quality control check.

Performance

DOS can only address a drive of 32 Mbyte or less, so the PTI and Interface drives are formatted as two separate logical drives in one physical unit. As delivered, they were a 32 Mbyte C drive, and the rest was a D drive.

I tested all four with the well known Coretest program from the American drive manufacturer, Core International Inc, and the results are summarised in Table I. Both the Tandons have acceptable (but not startling speed), basically similar to the speed of the standard drives in an XT. The PTI and Interface drives were significantly faster, with average access times of 31.7 and 34.8 milliseconds, and track to track seeks far faster than the Tandons — as you'd expect after taking price and intended market into consideration.

Summary

I used the drives over a period of several weeks and came to like them all. My favourite is the PTI half-height, both for its speed and its overall design. I would be more than content with any of them, but for the moment I must dream, save my shekels, and wait to replace my venerable 10 Mbyte hard disk with something like those tested. □

Product Details:

Product: 49 Mbyte I2CARD from Interface Inc
PTI 49 Mbyte Drive from Peripherals Technology Inc
Distributor: Micro General
58 Atchinson St
St Leonards NSW 2065
(02) 439 8400
Price: 49 Mbyte I2CARD \$1790 taxed
PTI 49 Mbyte Drive \$1590 taxed

Product: BusinessCard 21 and 262 From: Tandon, California USA Distributor: Adaptive Electronics 418 St Kilda Rd, Melbourne Vic. 3004 Price: BusinessCard 21 \$1250 taxed Tandon 262 21 Mbyte hard disk \$1100 taxed


Micro General 49er

WHILE John Hepworth was reviewing the Interface 49 Mbyte I2CARD, Micro General announced they would be producing a local version, the Micro General 49er. We understand the price and specifications will be the same for the two cards. □

10MHz TURBO PLUS MOTHERBOARD

This 10MHz, no-wait-state board is a drop-in replacement for the sluggish 4.7MHz PC motherboard.

- 8088-3 running at 10MHz/no wait states
- Turbo/normal selectable
- 4 channel DMA
- 8 expansion slots
- Keyboard port
- 640K RAM fitted




8MHz Turbo Motherboard still available at new low price. Was \$450.00.

NOW ONLY \$425

1.2MB/360KB FLOPPY CONTROLLER

The perfect answer for backing up hard disks, archiving etc.

- Supports both 1.2MB and 360KB drives
- Fully PC/XT, PC/AT compatible
- For suitable drive see below



\$145

150W SWITCHING POWER SUPPLY

Drop-in replacement for IBM PC's puny 63W supply.

- Boosts PC to PC/XT specs. Essential to run hard discs and other ad-ons on PC.
- Outputs +5V/15A, -5V/1A, +12V/5A, -12V/1A.

■ All cables to disk drives, motherboard etc.

\$148




AUSTRALIA'S BEST SPEEDUP CARD

Speed up your PC over 7 times with our superb new speed-up card.

- 80286 CPU plus 8088 for complete software compatibility
- Clock rate 6/8MHz (selectable)
- ■RAM on-board for disk cache
- DMA support
- Socket for 80287 co-processor





FLOPPY DISK CONTROLLER

Controls up to 4 DS/DD 360K drives.



PEGA EGA card unmatched resolution

Get all the standards with this superb short slot EGA card.

- Supports Monochrome, Hercules, CGA, EGA and Plantronics modes. Fully Auto switchable.
- Supports 132 columns in Symphony, Lotus and WordPerfect
- Automatic monitor detection
- 256K of video memory standard
- Flicker free scrolling

\$495

DISK DRIVES

40 Track Mitsubishi.

Very fast track-to-track. 360KB DSDD. Lowest price in Australia. \$245

1.2MB Mitsubishi.

Super high density. Superb construction and reliability. Works with \$285 1.2MB floppy controller.

20MB NEC Hard Disk.

Very fast and super reliable. Best price in town. Complete with controller.

\$695 \$895

XT Style Case with Hinged Lid

Шь

Perfect for building vour own PC.

\$95

MEMORY 512K Ram Card **Short Slot**

■ 512K RAM installed (41256 chips)

■ DIP switches to start address

640K Ram Card -Short Slot

- 640K memory installed
- User selectable from 64K to 640K
- DIP switches to start address \$225

Colour Graphics/Mono - Short Slot

This amazing new card drives RGB colour, composite colour or a TTL monochrome monitor. And it fits in a short slot. Full CGA support. Can be used as a colour graphics card with a monochrome display and still run all the colour programs.

The card even cures the dread colour graphics "flicker and snow".

\$195









Colour Graphics Video Card

- Suits RGB and composite colour monitors
- Light pen interface
- Fully CGA compatible
- 40 x 25 & 80 x 25 (text), 640 x 200 (mono) and 320 x 200 (colour) \$115

Colour Graphics/ Printer Adaptor

Attaches to IBM-compatible RGB monitor: provides complete compatibility with IBM Colour Graphics Adaptor. Equivalent to the IBM colour/graphics adaptor with additional printer port to replace the video port originally supplied by IBM.

\$145




Parallel Printer Card

■ Standard TTL level ■ Centronics printer port, full IBM, EPSON compatible \$44

Turbo Mono Graphics/ Printer – Short Slot

If you want fast, flicker free scrolling and full Hercules compatability, this is it! Perfect enhancement for slow scrolling programs like

Microsoft Word etc. The ultimate monochrome graphics card. \$175



Serial RS-232 Card

- Independent receive clock input
- 2nd serial port option
- Full buffering eliminates need for precise synchronisation

\$55

NEW PC/XT PRODUCTS the power you're searching for!

2.5MB Multifunction card for PC/AT



Give your AT a big boost with this superb quality, low cost expansion card.

- One RS232C serial port
- One parallel printer port
- Memory expansion to 2.5MB (OK fitted)
- Fully PC/AT compatible

\$495.00

180W AT Power Supply



Suits all IBM PC/AT compatibles.

- User selectable 115/230V AC input
- Outputs: +5V/17A, -5V/0.5A, +12V/7A,
- -12V/0.5A
- Overload protection
- Short circuit \$170.00 protection
- Cooling fan stops when voltage output falls to zero
- Top quality components used throughout

Enhanced Keyboard suit both PC/AT and XT



The finest keyboard on the market.

- Suits both IBM PC/XT and AT (switchable)
- Full 101 keys with separate cursor and numeric pad
- Superb key action
- Lights for caps, num and scroll lock

\$195.00

10MHz **Baby AT Motherboard**

Ultra high performance PC/AT motherboard outperforms all the others. Drop it into your existing PC/XT! Up to 1MByte of

RAM on-board (640K fitted)



- Speed test 11.7 on Norton Utilities
- 7 channel DMA for disk and special I/O
- 8 expansions slots (6 full AT standard)
- On-board battery backup, real time clock
- Phoenix ROM BIOS

\$995

Baby AT Case

\$135.00



Suits "Baby AT" motherboard or 10MHz PC/XT motherboard.

- Hinged cover for easy access
- Keyswitch, reset/turbo buttons, indicators

2MB EMS Memory Card for PC/XT or AT

An affordable "Above Board" memory card. Fit up to 2MB of high speed RAM (OK fitted). At a low introductory price: \$495



Multi I/O Card

- Floppy disk adaptor, 2 drives DS/DD
- 1 serial port, 1 parallel port,
- 1 joystick port Clock/calendar with battery backup




I/O Plus Card

- Clock calendar with battery backup
- 1 serial port, 1 parallel port,

1 joystick port

\$136



SUPER SPECIALS

그리는 그렇게 가장하는 하다 하고 그리고 그리고 있다. 그리고 있다고 있다고 있다고 있다고 있다.
V20 chips \$29.00
V30 chips \$49.00
NEC Multisync monitor \$1350.00
TTL Amber Monitor \$299.00
TTL Green Monitor \$289.00
256K RAM chips \$7.00


ELECTRONIC

Electronic Solutions

PO Box 426 Gladesville 2111 Phone (02) 427 4422.

We accept Bankcard, Mastercard and VISA. Mail order our specialty. All prices include sales tax.

- All products carry a 14 day money back guarantee
- All products carry a full 3 months warranty
- All cards come with full documentation
- Ring for quantity discounts and tax free prices.
- Freight \$7.50 for first item, then \$2.50 for each extra item.



Introducing the first electronic display system under two thousand dollars*.

New Kodak Datashow.

Any image you can generate on your IBM or IBM-compatible personal computer, you can plaster across a wall.

Place Datashow on your overhead projector, connect to your PC, and away you go.

You can program. You can forward and reverse. You can random access, split screen, reduce and highlight. And all by fully remote control.

For full Datashow data. in Melbourne call 3532185. Elsewhere, 008 (toll free) 339801.

Project yourself like a professional. AM. Systems

Kodak is a registered trademark.*Plus sales tax if applicable.342P7007

BEWARE OF GREY MARKET SOFTWARE IT LIVES IN THE TWILIGHT ZONE You've heard of the BLACK Market, right? Now, there's a GREY Market If in doubt, call the Grey Market in the software industry which creeps around the Twilight Zone between legitimacy and <u>fraud.</u> **Watchdog Service MELBOURNE:** This software is not imported by authorised distributors, so there are NO Australian upgrades and NO local support (thereby diminishing its value and eliminating future benefits). K. Wortley (03) 416 1022 SYDNEY: M. Margetts (02) 552 1755 **ALWAYS VERIFY BEFORE YOU BUY!** These are your Authorised Australian Distributors: Computer Lotus **Imagineering** Framework **Tech Pacific** dBase III Plus **Imagineering Borland Tech Pacific** Multimate II **Imagineering** Supercalc 4 Micro Australia Digital Research Wordperfect Sourceware Micro Australia Javelin Sourceware Timeline **PC Extras** Wordstar Wordstar Australia **Norton Utilities PC Extras**

P.C. HARDWARE AND SOFTWARE AT

from **Authorised** Australian **Distributor**

IBM SOFTWARE

	O ex tax	
1	OTUS 485	
	400	1
	- Metro · · · · · · · · · · · 789 - Symphony · · · · · · · · · · · · · · · · · · ·	
	- Symphony	
1	ASHTON TATE 745	
	- dBase III Plus	
	Javelin	
	- Multimate II	
	_	١
	BORLAND 129 - Turbo Pascal	١
	- Turbo Pascal 129	
	- Turbo Prolog	
	- Hirbo C - Diane	
	- Turbo C - Brand Now call	
	MICROSOFT	
	- MS Multiplan	
	- MS Windows · · · · · · 210	
1	MS Mouse	
ı	MS QUICKDASIC	,
	MC C COMpilei	
	BUDI ICHIMG	
	PFS Professional Write 220	J
	PFS Professional File 25 - PFS Professional File 14	9
	- PFS Professional File	9
	- First Choice	0
	- First Choice	5
000	- Harvard Graphics 54 - Harvard Project Manager II 54	
The same		_

DATA CARTRIDGES ex tax
Verbatim DL 450 ECT
Verbatim DL 600 ECT 63
Verbatim DL 600 EXL
MINI DATA CARTRIDGES
Verbatim DL 1000
Verbatim DL 2000 49
DISKETTE STORAGE UNITS
3½" 40 capacity (lockable & hinged) 16
51/4" 50 capacity (lockable & hinged) 16
51/4" 100 capacity (lockable & hinged) 19
COMPUTER BINDERS
Available in seven colours
11 x 9.5
11 x 15
Suspension Trolleys to suit 81

OTHER NAME BRAND	ex tax
- Wordperfect	425
- Paradox 1.1	675
Supercalc 4	465
- Wordstar V 4.0	call
- Timeline	505
TOP SELLING UTILITIES	
- Norton Utilities	125
- Fastback	
- Copywrite	79
- Mace + Utilities	115
- Xtree	
	the state of the state of the
DISKETTES	ex tax
51/4" double sided double double densit	

	DISKETTES ex tax 51/4" double sided double double density	
	Nashua (plastic cases) 15 Fuji (plastic cases)	
	5¼" double sided high density Fuji	
	3.5 double sided double density Fuji	
	3.5 double sided high density (2mg) — NEW RELEASE Verbatim	
ل	CLEANING DISKETTES (150 CLEANS) Memorex 3½"	,

CALL FOR QUANTITY DISCOUNTS AND ITEMS NOT LISTED

- Delivery and Insurance \$10.00 for most items
- ALL PRICES EXCLUDE SALES TAX
- Bankcard and Visacard accepted.
- All stock subject to availability and prices
- \$100.00 MINIMUM **FOR** PURCHASE ORDERS

SAVE ON THESE ... WHOLESALE H/WARE & SOFTWARE

MOFFOR	ex tax
Lotus 123	485
dBase III	745
Multimate II	670
Framework	799
Wordperfect	425
	149
Ability	149
MS Word	445
WHOLESALE	HARDWARE
Hardcard 20	
Hardcard 40	
Intel Above Board Po	C 499
Intel Above Board A	Τ 729
Hyperace 286+	665

PRINTER

Epson LX800			385
FX800			589
FX1000			750
LQ800			725
LQ1000			960
LQ2500			1399
EX1000			89
NEC P6			715
P7			910
P5			1399

MODEMS **NETCOMM**

Automodem 12	23/	١		699
Automodem 12	234	Α		845
In-modem 123				675

DISCOUNTED





70 PARK ST. STH. MELB PHONE: (03) 690 9677

Your Computer's Bulletin Board

How Do I Download?

Bulletin Boarding in one easy lesson . . .

ROBABLY THE most frequently asked question we hear regarding the Board is: How do I Download files? That's a complicated guestion to answer, since there are a number of steps involved. Guided by our Sysop, Andy Farkas, we'll run through the menus and some of the choices you'll be offered . . .

After you've connected to the Board, the first screen you'll see asks you to log on (see Figure 1). After you've logged on the first time, the Board will recognise your name and it can be entered on one line, as in Figure 2. That single line, with its three 'words,' answers all three questions — it's an example of the 'chaining of commands' that the Board supports. For example, if you can remember the series of questions you'll be asked to get to an area of the Board, all you've got to do is type in the answers (on one line, separated by spaces) and you'll be there — try it.

You'll then go through the secret password rigamarole and be presented with the Bulletins Menu (Figure 3). The first three options on all give extra info on the Board and M gets you to the heart of the system, the Main Menu. If you need to change any of the settings for your particular terminal, then select T for Terminal Setup — especially if your screen has a lot of gibberish like this on

> [40;36mUser name [0;40;36mCity

You get rid of that by toggling ANSI graphics with G in the Setup Menu, shown in Figure 4.

You can get back to the Main Menu with Q, and then D for the Download Areas (you could have chained that with QD). Just to make sure we're talking about the same thing: the terms Up- and Down-load are relative, so Upload to the YC Board, say, means your computer is sending a file and Download means it's receiving; as far as the Bulletin Board is concerned, it's doing the opposite.

After entering D, new users (and visi-

tors) are presented with the 'abbreviated' Files menu (Figure 5). New users are only allowed to look around. For security reasons only registered users are allowed to send files to the board (and even then the programs are all checked out before they're put up for general consumption); and, of course, only regis-

Figure 1.

What is your FIRST name: Fred Whatis your LAST name: Fredson Fred Fredson [Y,n]?

Please type your CITY and STATE: Alex, Vic

Figure 2.

What is your FIRST name: Fred Fredson y

Figure 3.

```
BULLETINS MENU: Type ? by itself for help.
     B = Bulletins
                                 [29-Sep-87]
     N = New Users
P = Policies
                                 [25-Sep-87]
[17-Aug-87]
MAIN MENU: Type `?' by itself for help
                          D = Download Areas
                                                       = Say Goodbye S = Your Statistics
= Terminal Setup U = YC's Users
M = Message Areas
A = Ans Questions
                                                     G = Say Goodbye
                          B = Bulletins
V = Opus Version
E = Extra Info
Select: T
```

Figure 4.

```
The CHANGE SETUP Section.
User name.......Fred Fredson
City.....Alex, Vic
Help.....NOVICE scrn.Width..80
Mare?....YES
                                                                       Tabs.....YES
Scrn. clear YES
                                       scrn.Length 25
CHANGE MENU: Type `?' by itself for help
H = Set Help Level N = Newline Pause
T = Send (Tab>'s M = More? On/Off
C = Clear Screen Q = Quit to main
                                                                                 L = Screen Length
                                                     G = ANSI Graphics
Select:
```

Figure 5.

```
The FILES Section.
File area # 1 ... New uploads and programs for September Type `?' by itself for help
                        L = List files
                                                                         S = Your Stats.
                                                G = Say Goodbye
M = Main Menu
Select:
```

Figure 6.

The FILES Section.

```
File area # 1 \ldots New uploads and programs for September Type '?' by itself for help
                              F = Find File
U = Upload a File
R = Raw directory
A = Change Area
                                                                                             T = Type Text file
S = Your Stats.
                                                              L = List files
G = Say Goodbye
                                                              D = Download File
C = Unarc Contents
M = Main Menu
```

tered users are allowed to take files.

One point we should mention: new users (and unregistered users) are limited to 15 minutes per call, up to a total of 30 minutes per day. Registered users are given 45 minutes per call, up to a total of 60 minutes per day.

We only have two restrictions on Downloading — the first, as just mentioned, is that the Downloader must be a registered member of the Board. At the moment, registration is quite informal, but, coming up very shortly, we will be using subscription numbers for user identification as the final step of bringing the Board into line with the magazine. This will allow us easy verification of details and keeps the admin work to a min.

The second restriction is that users will only be allowed to take from the board 20 kilobytes worth of files for every IK they give. That keeps our supply of fresh material for sharing around flowing, and ensures that there will always be new files there that might interest you.

If you're a registered user, the (unabbreviated) Files menu looks like Figure 6. If you have any questions about the items on the menu, just type? at the Select: prompt for help. Typing A gives the File Areas (see Figure 7).

If you choose File Area I, say, and then select L, you'll see a list of files available for download. The list (Figure 8) shows the file name, its size in bytes, and a brief description (we've only shown the first few lines).

File Area 1 is the area where any files you send will first appear; at the end of each month, they are sorted into their specific areas. This is where you should check first for any goodies. If you see something that you want, hit D for Download and the menu in Figure 9 will be presented — it shows some of the most common communications protocols used for transferring files from one computer to another. (If you haven't got a communications program, see our October issue — they were covered extensively.) After you've selected one, you'll be asked for the name of the file you want; the Board responds with the message in Figure 10 which shows the file size and the estimated time for sending with the protocol (method) you nominated — note the variation. In this case, it's also figured out that Fred doesn't have enough time left to complete the transfer, so it automatically returns to the File area menu.

Figure 7.

Figure 8.

```
- uploaded 27/9/87:

DSZKIT.ARC
DSZBB02.ARC
47504 A Zmodem with Telix
47504 A Zmodem protocol comms program
47684 A great EGA demo program
47488 Good appointments keeping program
MSF77_CV.ARC
231739 Microsoft Fortran demo with Codeview
ORCAD.ARC
215356 Excellent CAD program demo
```

If there were enough time, the Board would say it was ready to send, and wait till your computer was ready to receive. With Xmodem, for example, you then type in Xmodem r Egawow.arc, hit Return, and watch

Once the transfer is complete, you're ready to say Goodbye with G Figure 11.

Figure 9.

```
Select a method.

Z)modem
X)modem
Y)modem
M)odem7
S)ealink

Q)QUIT (cancel the transfer)
```

Figure 10.

```
Select: x
What do you want to receive? egawow.arc

File: Egawow.arc
Size: 70784 bytes (554 xmodem blocks)
Time: zmodem=9:49 xmodem/telink=13:05 sealink=11:46

You don't have enough time.
```

Bye Fred Fredson, thanks for calling. Please hang up now.

Figure 11.

```
Select: G
Disconnect [Y,n,?=help]? Y

Leave a note to Andy Farkas [y,N,?=help]? Y
This will be a message to Andy Farkas

Private [y,N,?=help]?

To: Andy Farkas
Subject: Board
1: Gee - You've done a great job, Andy. Keep it up!
2: - fred
3:

Editor Options: Type '?' by itself for help
S = Save message C = Cancel message L = List all lines E = Edit a line
I = Insert line D = Delete a line R = Resume entry J = Change Subject

Select: s
Saving your message (#109)...

You have been connected to Your Computer's Bulletin Board for 2 minutes.

This has been the 1747th call to the system.

The time is now ...... 10:29:41 22 Oct Sep 87

This has been your ... 2nd call.
```

Mega The world's fastest MS-



Scan. DOS Desktop Publisher.

Tt's no contest.

Nobody, not Apple, not HP, not even IBM[®] offers a desktop publishing system that blazes through internal house Publishing faster than MegaScan.

For one, MegaScan allows you to scan anything on paper into your computer. Words. Pictures. Drawings. Charts. Graphs. Business cards. Brochures. Anything.

In an incredible 9 seconds. Then you edit. Compose.

And send the final image to your laser printer for neartypeset quality results. Giving you a full page of 300 dots-perinch text and graphics in just 10 seconds. That's fast.

You can share results fast. too. MegaFAX," our unique PCto-PC, PC-to-FAX link, uses standard telephone lines to generate a FAX with unmatched clarity and grey-scale. Mega-FAX looks better on any FAX machine that receives it, too.

Here's the real heart of the system. MegaBuffer.™Our highspeed image manager interface that links our hardware and software into one completely integrated system.

publishing system. Shown here, Mega-Scan, which includes our PC/AT*compatible computer with mouse, high-speed flatbed scanner, and laser printer. In addi-tion, MegaScan includes image and text composition software and our Mega-Buffer image management interface for high-speed image scanning, edit-ing and laser printing. Available options include OCR software

Your image is scanned directly into MegaBuffer, eliminating the most time-consuming task of all reading and writing to the hard disk. MegaBuffer then operates as a RAM buffer so you can edit and up-date images and text, instantly.

And because MegaBuffer also acts as a high-speed laser printer interface, every page prints in just 10 seconds.

Now you'd think speed is the only thing we offer.

There's more. Like peace of mind. Yours.

MegaScan includes intuitive training guides, pulldown menus and help screens.

So it's easy to learn, easy

And with Ventura Publisher it's a complete desktop publishing system. There's nothing left to add. Service and support are available from any authorized distributor, too.

that can learn new fonts

MegaFAX plug-in card with software and any of 400 download-

able fonts.

And surprisingly all this is very affordable.

President Computers conduct full demonstrations every Monday, Wednesday & Friday in all State Branches.

For more information contact:

SYDNEY 476 2700
MELBOURNE 347 0555
BRISBANE 846 2228
ADELAIDE 231 3063
CANBERRA 80.4804
GOLD COAST 37 4788

MAKERS OF THE B.R.W. "1987 PC OF THE YEAR"

CONTACT	
COMPANY	
ADDRESS	
SUBURB	STATE
PHONE	

MegaScan creates near typeset quality internal house publishing stationery, flyers, letterheads, or other business publications, faster than any other desktop publishing system.

Part 2

COMING TO GRIPS WITH STUDIES OF THE STATE O

In Part 1, Stewart Fist explained how networking encompasses almost all of 'computer communications.' Here, he continues with Local Area Networks . . .

OCAL AREA Networks (LANs) are not new; they've been around, albeit in primitive form, since the mid 1970s when their main purpose was to link central processing units to expensive hard disk drives and printers. In the '70s, the costs of computer processing were plummetting, but the price of peripherals remained high. You could buy a complete computer for less than the price of a printer, so LANs were introduced as a method of cost saving.

Corvus Systems was the first in the microcomputer LANs market with its Omninet, designed primarily to allow microcomputers to share one of Corvus's hard

Gaps in Parts?

MISSED PARTS of any of our YC Tutorials? Well, you've got a second chance — We'll forward photocopies of 1 to 5 parts for \$4 including postage and handling and 6 and over parts for \$8 (overseas postage additional). Please identify the Tutorial by its complete name, the issue it appeared in and the Part number (if applicable). All but the latest of our Tutorials are listed in YC's Annual Index, published with our July 1987 issue: refer to the Services page on how to obtain Back Issues.

disk drives. At the time, it was *the* major manufacturer of hard disks and therefore had a vested interest in getting these multi-thousand dollar items linked to microcomputers.

Corvus is still around with Omninet — mainly in the educational and small-business area — and has a very large installed base of LANs systems, together with a rather unenviable reputation for unreliability. But Corvus are still improving their system by widening the range of computers that can link in, and the operating systems they can handle, and designing new bridges to mainframes and to other networks.

There are dozens of other small LAN systems that over the years have built up a loyal band of followers — and an equal number of highly vocal critics. There's Arc-Net, JANET, Fox 10-Net, Sytek, DR-Net and PC-Net II, to name but a few.

Ethernet

But today, the term LANs very largely equates with Ethernet. If there is such a thing as an industry-wide standard in networking, Ethernet is it (although the IBM Token Ring system is starting to give Ethernet a run for its money).

Ethernet was developed by Robert Met-

calfe at Xerox. Metcalfe went on to found 3Com, a company which now specialises in highly standardised Ethernet network systems. Xerox joined together with Digital (DEC) and Intel, the chip-maker, to force Ethernet on the industry as a standard — and much to the surprise of everyone, they have largely succeeded.

The reasons seem to be that Ethernet proved to be moderately fast, quite reliable, very flexible and capable of taking on new roles. To top this praise off, Ethernet seems to now be implementable on a wide range of different media — although it was designed specifically for coaxial cable connection.

If there is such a thing as an industry-wide standard in networking, Ethernet is it . . .

It was originally specified as a 10 megabits/second baseband bus system and this remains the basic world-wide standard, although there is a star-topology version of Ethernet around. Ethernet systems have been implemented on everything from twisted-wire pairs to optical fibre and over both microwave and infrared aerial links. Some systems even incorporate Ethernet as a channel in broadband networks where it happily co-exists with the normal broadband LANs.

Recently, a French firm has managed to double the capacity of Ethernet while still retaining the 10 megabits/second standard, and it also claims to have introduced a voice along with the data-stream — something that was only thought possible using broadband techniques.

So it came to pass that in August 1983, the IEEE announced the 802.3 standard with specifications close enough to those of Ethernet to constitute a tacit endorsement of its physical and control protocols.

CSMA/CD

Ethernet uses a Carrier Sense, Multiple Access/Collision Detection (CSMA/CD) control protocol which is derived from a system called Aloha, developed — you might have guessed — at the University of Hawaii. I quickly described the Ethernet CSMA/CD collision avoidance system in Part I when discussing AppleTalk, but it is well worth looking at in more depth.

This is a first-come, first-served protocol which works fine up to about 80 per cent of the maximum theoretical capacity of a system; above this, the system gets bogged down. When too many computers attempt to access the common cable at the same time, the whole system starts spending too much time contesting who owns the communications path.

From the time that it was released in 1979/80, Ethernet was involved in a public brawl with the International Standards Organisation (ISO). Ethernet didn't conform to the organisation's Open Systems Interface (OSI) seven-layer connection standard and for a while it appeared that Ethernet was doomed.

It is a measure of the quality of the original design that the American Institute of Electrical and Electronic Engineers (IEEE) came to its rescue by setting a committee which had the job of devising specific standards for LANs interconnec-

tion which allowed for Ethernet's CSMA/CD implementation.

At about the same time the European Computer Manufacturer's Association adopted Ethernet as its LAN standard and a number of major mainframe computer manufacturers in the USA followed suit. So it came to pass that in August 1983, the IEEE announced the 802.3 standard with specifications close enough to those of Ethernet to constitute a tacit endorsement of its physical and control protocols.

Since that time Xerox and its partners have further defined Ethernet for most of the other ISO levels — although the US Department of Defence has managed to independently define its own conflicting standards for levels three and four.

Basically it works as follows — when a node wishes to send a message over the network, it first listens on the LAN for activity and if the network is silent it begins transmitting. However, if it finds that the network is busy, it will wait — constantly listening for the conversation to end. When it does, the waiting node will immediately try to seize control and transmit its message.

Most data collisions occur at this point because 2 or more nodes might be waiting and will all try to transmit at the same time. This results in a jumble of data, none of which makes sense to anybody listening and since each Ethernet controller also has a receiver that simultaneously monitors all communications on the line, the controller will immediately detect the overlapping pulses caused by the collision and stop transmitting.

All competing nodes will react the same and all will immediately transmit an abort pattern over the LANs informing everyone on the network that a collision has occurred and therefore that the last stream of data was garbled. The receiving station/s immediately dump their registers of data received and the whole network goes into a holding pattern.

Each node waiting to transmit then loads itself with a random number that it uses to represent a time period — and it waits this amount of random time before it begins to retransmit. The first node to time-out therefore has a high chance of finding the network free, and once it begins to transmit the whole wait-cycle for the other nodes begins again.

This process of network contention works very well in Ethernet for up to a 1000 or so nodes in normal circumstances but obviously the greater the number of nodes sharing the network, the greater the chance of collisions.

The information in an Ethernet network is transmitted and received in packets, each of which is called a 'frame'. These frames consist of: a Preamble, two address fields, a Type field, the Data field and a frame check sequence, in that order — refer to Figure 1.

ETHERNET PACKET




Figure 1. The information in an Ethernet network is transmitted and received in Packets, each of which is called a 'frame'. These frames consist of: a 64-bit opening statement, the Preamble; a 6-byte Destination address; a 6-byte Origination address; a 2-byte Type field that defines the user protocol associated with the frame; a Data field, which must be longer than 45 bytes and shorter than 1500; and a frame Check sequence, which ensures the data received is the same as that sent.

The Preamble is a 64-bit opening statement that synchronises the receiver and the transmitter and generally advises everyone on the network that data is on its way. It consists of 62 alternating ones and zeros, followed by an end-mark pair of ones.

The Destination address follows immediately after and it consists of a 6-byte


Problem?


wishing you had a connection that would bridge the generation gap...

wanting simple, pocket-sized mastery over 24 active positions...

The ARISTA Solutions

now you have! The new **CL33** from Arista...suitable for IBM-PC, XT and lookalikes...with 25 pin "D" plug on computer end to centronics 36 pin plug on printer end ...easy!





again...now you have! The new RS232
Break Out Box from Arista...interface powered, pocket-sized for circuit testing, monitoring and patching...easy

For further information on the ARISTA solutions and the name of your nearest retailer, please contact:

ARISTA

ELECTRONICS PTY LTD Telephone (02) 648 3488 number representing 1 of 3 types of address designations. This can be a specific address for a particular node; a general address for a group of nodes; or a broadcast address for all nodes on the network.

The second 6-byte address field contains the address of the Origination station. This is followed by a 2-byte Type field directive which identifies the user protocol associated with the frame.

The actual message is contained in the Data field, which has no fixed length. However, it does have limitations — it must be longer than 45 bytes and shorter than 1500 bytes and is automatically adjusted to accommodate the information being transmitted.

Ethernet also specifies an error-checking algorithm that calculates a sum of all the fields (except the Preamble). This result is stored in the frame check sequence field at the end of the frame. The receiving node makes the same calculations and compares its result with the frame check sequence number. If the 2 match, the system accepts that the data is valid.

The use of frames having a limited length prevents I node from hogging the whole system; the other nodes have an equal chance to transmit in the gap between. On the other hand, Ethernet's ability to use quite long frame-lengths, means that the system doesn't lose too much time in systemoverheads (addressing, checking and so on). There is also less chance of data collision as the system comes under load.

At the 'plumbing' level, Ethernet generally uses only 2 types of coaxial cable (thin and thick, or cheap and expensive — whichever way you want to look at it!).

The length of the cable is precisely stated as being a maximum of 2.8 kilometers in the Xerox standard and having no more than 1024 devices connected. But nowadays it is quite easy to link LANs to LANs and to extend the Ethernet system in distance, and in user numbers, through the use of bridges to other LANs through optical fibre, microwave transmission systems and infrared beams.

Coaxial cable isn't the only medium but it is the one defined by the Xerox and IEEE standards, and the one most commonly used. Ethernet's cable is marked every few feet at regular points; only at these points can nodes be added and removed from the system without breaking the major connecting cables.

In establishing a new node on-line, the output from the 'tap' at the mark on the cable, is fed to an Ethernet transceiver and on to an Ethernet controller — both

of which are, again, tightly defined by the standard. Each node has its own controller which contains all the instructions necessary for correct framing and network control. They've now got all this equipment down to a three-chip VLSI set, which has bought the cost of the interface down to around the \$100 mark.

Xerox has always seen Ethernet as an office automation network, primarily used to link powerful workstations based on Mac-like Smalltalk and Interlisp-D environments to DEC minicomputers. DEC has recently taken the lead in pushing Ethernet as a viable alternative to the new Manufacturing Automation Protocol (MAP) systems that General Motors has been attempting to introduce and standardise in the USA for large-scale manufacturing enterprises.

They've now got all this equipment down to a three-chip VLSI set, which has bought the cost of the interface down to around the \$100 mark.

The problem with Ethernet in a manufacturing environment is that it can be subject to electronic interference when it passes large electrical and electronic machines. It is often too slow for some assembly line processes and the contention-type control mechanism means that timing delays in the system are uncontrollable and unpredictable. They say that Ethernet might not be able to react to a problem on the assembly line in the fraction of a second available before damage occurs — that's the opinion of the promoters of MAP, anyway.

On the other side of the coin, Ethernet is already well-established as a good, reliable LAN standard that is widely accepted around the world. It is predictable in terms of its reliability, offers no surprises and is cheap and easy to implement. Xerox and DEC point out that it will do 99 per cent of anything required of it at the present time and it gets better every day.

In the final analysis, this really is a computerised version of the story about the Old Bull and the Young Bull. My betting is Ethernet, the Old Bull — it takes its time but does the job thoroughly.




ATLANTIS INTERNATIONAL COMPUTERS

IMPORTERS SUPPLIERS DISTRIBUTORS & SALES

ATLANTIS INTERNATIONAL PTY. LTD.

80386 POWER

MSDOS UNIX CPM, CONCURRENT DOS and MORE



The ATLANTIS 80386 gives you the POWER of up to 50 IBM PCs on your desktop! POWER to run a real multi-user business system.

POWER to use accounting, project management and word processing simultaneously.

POWER to handle complicated engineering design and drafting.

POWER to do what YOU want.

And the ATLANTIS 80386 is completely manufactured, distributed and supported by an Australian company, with a full twelve month warranty backed by DataCraft Australia.

80386 32-bit MOTHERBOARD SPECIFICATIONS

- ★ The same size as a standard AT motherboard
- ★ User 51258-10 RAM for up to 4Mb on expansion card
- ★ User Intel 80386 CPU running at 16 Mhz
- ★ Optional socket for 80287 or 80387 math coprocessor
- ★ Legal Award 32-bit BIOS
- Supports Interrupt and DMA
- ★ On board battery and real time clock

NEW RELEASE 24Mhz 386

Atlantis Computers are proud to announce the fastest PC available today. Call for detail

YES! I want the POWER of the ATLANTIS 80386 to improve my business! Please send me more in formation.

Address:

Send coupon to ATLANTIS INTERNATIONAL PTY LTD., 49 Wadham Pde., Mt. Waverley, VIC 3149, Australia. Phone (03) 277 3139.

Fax: (03) 277 6824, N.S.W. 069 42 3184

Unit 8, 235 Darby St, Cooks Hill NSW 2300 Phone (049) 264122

DISKS from 82C

We sell two million disks a year. Why? Look at our prices.



Not just the lowest price in Australia, our disks are also the highest quality.

US made by Wabash, our disks are fully machine-made to the **highest possible quality** standard: nearly double the American National Standards Institute's standard for double-density disks.

And we sell them cheaply because we sell in VOLÚME.

NOBODY sells more disks than Micro-Ed and NOBOBY beats us on price or quality. We are Australia's largest retail supplier of diskettes with over 32,000 customers Australia-wide.

\mathbb{B}	UL	IK IL	DISI	KS	
DISKS	10+	100+	200+	500+	1000+
Plain label	1.00	0.95	0.90	0.87	0.82
5.25SSDD (Micro-Ed)	1.40	1.20	1.00	0.97	0.92
5.25DSDD (Micro-Ed)	1.60	1.40	1.20	1.10	1.00
5.25DSDD (Wabash)	1.90 .	1.70	1.50	1.40	1.30
5.25DSHD (Wabash)	3.50	3.20	3.00	2.90	2.80
3.5 DSHD (Wabash)	4.95	4.50	3.99	3.90	3.75





FREE LIBRARY DISK ORDER FORM

Dear George,		
Please	rush me your latest library	e best available public
domain software	e (utilities, graphics, games	s, program tips, etc)
NAME:		7
ADDRESS:_		
Please send disk	s to the following: (attach ADDRESS	list if necessary) COMPUTER

Enclosed \$..... (\$2 per order)

FREE

Public Domain Library Disk for your Apple, IBM, Mac or Amiga (Specify which computer you own.)


Normally \$6 to \$9 each we will send you one FREE for your computer. Just fill in the attached order form and send it to the above address with \$2 to cover postage. One disk per order. You may also have us send a disk to each of your computer owning friends by adding their name and address and adding \$2 per disk postage!

Hurry! Do it now, offer ends 30/11/87

MICRO-EDUCATIONAL PIXALTO

MODEM
PRICE
BREAK
THROUGH


MODEMS



NEW REDUCED PRICES Base Model (v21,v23) \$349 inc! 1200 Model (v21,v22,v23) \$449 inc!

Our top-selling fully-featured modem. Australian made standalone V21, V23 with optional V22 board.

- * Auto-answer, auto-dial, auto-disconnect
- * Onboard intelligence for Baud rate detect
- * Hayes compatible
- * 300 Bd full duplex, 1200/75 (VIATEL mode)
- * 1200 Bd full duplex option (\$170 inc, \$150 ex)
- * Connects to any computer with RS232
- * Viatel software (Apple/IBM) available \$35
- * Cable to suit your computer \$30
- * Over 3100 sold! (New model has LED's)



AUTO ICE Apple modem \$299 inc,\$279 ex

Card modem for Apple II+, IIe and IIGS (Yes. In colour on GS!) Direct connect, auto-answer, auto-dial, auto-disconnect with a full suite of onboard EPROM software including comms, VIATEL and a simple word processor. V21 and V23. Suitable for users wishing to quickly, simply and easily connect to bulletin boards and VIATEL applications. This is a complete package requiring no further software or cabling to be operational. And at \$299 it is great value!



From the designers of the all-conquering GPA SuperModem comes a standalone V22 modem for the embarrassingly low price of \$199.

The brief we gave Maestro: Design a "No Frills" V22 modem for existing modem users who need the speed increase but who don't want to junk their existing modem. And do it under \$200! Do you need 1200/1200? If so the Maestro Flyer may be the modem for you. Nothing fancy. No auto anything. Just V22 120 cps transmission. \$199/179ex.

SPECIAL

20 Mb Tandon drive and OMTI card was \$1495. NOW \$795!


CONTRACTOR OF THE PERSON AND PERS	the course present special disease expens states below a	Name of
	ORDER FORM	
ear George.		

Post to PO 160 The Junction 2291

ocoige,

Please rush me the following by courier/ post:

Enclosed plea	se find cheque/ Bankcard/ VISA/ MasterCard
#	EXP:
for \$	(include \$8 for courier/\$4 post)
NAME	
ADDRESS	
SIGNED	PHONE



"Share and share alike."

Flexible interconnections at an affordable price

The Alfatron A2000 Communications Interface lets you maximise three very important resources – your people, your computers and your printers. And, it costs far less than you might think. In fact, the A2000 is significantly lower priced than equivalent imported products. Much more than a switching device, the A2000 also functions as a data buffer so there is no waiting for devices to become free – your people can keep working without frustrating delays.

Easy to set up and use

Working with the A2000 could hardly be simpler. On power-up or reset, the A2000 connects all devices to one port such as a printer. To connect to another device, the user has only to key in another port. That's all there is to it. Several personal computers or work stations can conveniently share printers or work stations can conveniently share printers as well as transfer data or files amongst themselves. Menu set up is available as an option.

All systems go

Up to eight independent channels can be operated simultaneously, using the basic memory size of 256K which is expandable to 1M. What's more, a dynamic memory allocation algorithm ensures that each channel only uses as much memory as it needs, leaving the remaining memory free for other channels.

You're in charge

The A2000 is very flexible. User controlled configurations range from simple serial/serial, serial/parallel or parallel/parallel conversion to an intelligent networking interface. The two parallel ports can be either input, output, Centronics or Data Products and the six serial ports are RS-232. If desired, units can be cascaded to increase the number of input channels to suit the application.

One of a series

The A2000 is one of the Australian designed and built Alfatron A-series of interfaces which between them cover virtually all data interface requirements.

The A500 is a low cost serial/serial converter whilst the A1000 is a serial/parallel buffered converter featuring speeds up to 19.2K Baud and a choice of buffer size up to 32K. The A3000 Flexible Buffered Converter is available in 2 or 4-channel versions and is microprocessor based. It provides intelligent multiple line interfacing and storage up to 256K Bytes.

For information on any of the Alfatron A-series converters, please ask for the comprehensive literature. Dealer enquiries welcome



Alfatron Pty Ltd Solid Solutions 1761 Ferntree Gully Road Ferntree Gully Victoria, 3156

Telephone (03) 758 9000 Fax (03) 758 9421

Price & Payne 1827 ALF

The Attainment of Assembly Or How You Can Program Yourself - Part 2

In Part 1, John Summerfield explained why you should (or shouldn't!) program in Assembly language. Now, we're ready to look at the structure of the 8086 (as viewed by the programmer).

HARDWARE person's view of the 8086 chips is, of course, very different from the programmer's. The hardware-er is concerned with the use of all the wires sticking out the sides and such like. If you have a look at the 8086 and the 8088, they look the same, except for the labels. They aren't, though, and if you put one into a circuit designed for the other, you could expect a disaster. To us programmers they are exactly the same.

There is quite an amount of detail which we need to cover before we can write any programs at all, without hiding a great amount of what goes on. We'll have a look at the architecture of the 8086 first, to see what we can use in writing our programs. Then we'll have a look at a short program and discuss how it works.

The 8086 was designed by Intel and we will use Intel's names for the registers. NEC uses some different names in its documentation for the V20 and V30 microprocessors — they're shown in the tables that follow but I won't use them otherwise

The 8086 has fourteen 16-bit registers. There are 4 'general purpose' 16-bit registers. I put general-purpose in quotes be-

cause, although they are generally interchangeable, there are some cases when the use of 1 or 2 of them is implied by the particular instruction; we will cover those cases when they arise. These 4 registers can also be used as eight 8-bit registers. Table 1 shows the relationship.

The register AX (called AW by NEC) can be regarded as two 8-bit registers, AH (AO __High) and AL (AO__Low). It is quite possible to mix instructions using 16-bit registers and 8-bit registers any way you like

These registers are commonly used for arithmetic: addition, subtraction, multiplication and division.

There is another group of four 16-bit registers you will manipulate quite regularly. They are called POINTER and INDEX registers, and are used for addressing, or pointing to data. These are in Table 2.

There are also 4 SEGMENT registers. We will cover them in more detail later, but Table 3 shows them. Also, there are 2 miscellaneous registers, shown in Table 4.

We will now have a quick look at how

INTEL			NEC		
16-bit	8-t	oit	16-bit	8	bit
AX	AH	AL.	Aω	AH	AL
BX	BH	BL	B₩	BH	BL
CX	CH	CL	C₩	CH	CL
DX	DH	DL	D₩	DH	DL

Table 1. The 8086's 8- and 16-bit registers, showing both the Intel and NEC designation.

INTEL	NEC_	Name	_Special Use
SP	SP	Stack Pointer	Maintains stack position
BP	BP	Base Pointer	Pointer to required data on the stack.
SI	IX	Source Index	Points to source when moving strings of data
DI	IY	Destination Index	Points to destination when moving strings of data.

Table 2. The 8086's POINTER and INDEX registers.

INTEL	_NEC_	Name	Special_Use
CS	PS	Code (Program) Segment	Points to your program
55	55	Stack segment	Points to the stack
DS	DSO	Data Segment	Points to some of your data
DS	DS 1	Extra Data Segment	Points to some more of your data

Table 3. The 8086's SEGMENT registers.

IP	Instruction Pointer	Points to the NEXT instruction to be
FLAGS	Flags register	executed. Reflects the status of the CPU.

Table 4. The 8086's miscellaneous registers.

the 8086 addresses its main storage. I use the term 'main storage' to describe both RAM (read-write memory) and ROM (read only memory). Main storage is addressed as an array of bytes, numbered in the range 0 through 2²⁰–1, or 1,048,575. This is a consequence of the fact that the 8086 uses 20 address lines to address the memory. However, 8086 addresses are not quite that simple.

Please note that when I talk about storage addresses, I will use hexadecimal numbers. Thus 1234 will mean X'1234', 1234h, \$1234 or '1234'b4, however you like to write it.

All main storage is addressed initially in units of 16 bytes called *paragraphs*. All addresses are calculated by adding a number to one of the segment registers. These segment registers contain paragraph addresses, and are subject to program control. All segments are 64 kilobytes (or 65,536 bytes) long and a segment points to the lowest paragraph of the segment. Thus, if DS contains 4A00, it defines a segment of storage from 4A000 to 59FFF.

The address held in a segment address is called a BASE ADDRESS. Another number, called an OFFSET address, or just OFFSET, is added to the base address to form a 20-bit storage address.

We'll have a look at the architecture of the 8086 first, to see what we can use in writing our programs. Then we'll have a look at a short program, and discuss how it works.

The segment registers can be set to any of 65356 values (they are 16 bits, remember) under program control, to allow any of the 1,048,576 storage locations to be addressed as program code, data or stack. Any area of main memory may be used for any purpose, and if desired, 2 or more segment registers can be set to the same value so the same segment of memory can code any combination of code, data and stack

Note that all PCs have this main storage divided up into separate areas for special purposes: the IBM PC has addresses 00000-9FFFF dedicated to use for RAM (al-

though not all of it need be installed), CC000-FFFFF for various ROMs including the ROM BIOS and ROM BASIC while other space in-between is used for screen displays, hard disk interface, or reserved for future use.

During program execution, the 8086 addresses program code by adding the value of the Instruction Pointer (IP register) to the code segment register. During execution of the instruction, IP is updated to point to the next instruction. Remember that CS and IP address different units of storage. If we were going to add 457 cents to 35 dollars, we could write it down like this:

35 457

We align the units column in the dollars amount over the hundreds of cents. We might then add zeros so both amounts are in cents and it would the appear like this:

3500 457

We would then go ahead and do the addition and recognise that the answer is in cents

The 8086 works in much the same way in calculating addresses. Assume that our program code is located in the segment starting at paragraph address 7E7A. Our program is about to execute an instruction at offset 1234 within the code segment. The storage address is calculated by adding 7E7A0 to 01234. The instruction bytes starting at location 7F9D4 are fetched, IP is updated to point to the next instruction, and the one just fetched is executed.

We refer to the 2 parts of the address as the base (7E7A) and offset (1234). Another way of writing the same address is 7FD4:0004 — the base is 7FD4 and the offset is 0004. This form of the address is called 'normalised' and we will use it if we need to address elements of a table which may exceed 64 Kbyte.

Data and stack addresses are calculated in the same way but there may be more numbers to add. For the moment we will assume that all data is in the data segment.

Data addresses are calculate by adding one or more of the following:

- a) The number contained in a segment register, normally DS.
- b) A number contained in the instruction.c) The number contained in one of the registers BX or BP.

d) The number contained in one of the registers SI or DI.

A word of warning: If register BP is used in the calculation of an address, the address is assumed to be in the stack segment. Otherwise, the address is assumed to be in the data segment.

There are some special cases. Some instructions imply the use of one or more particular registers for addressing storage locations. We will cover such exceptions when we deal with the particular instructions.

Our first program will be one to read characters from the keyboard and display them on the console.

It's about time we wrote our first program. Rather than introduce you to a catalog of instructions, we'll use a few and discuss exactly what they do in our program. Our first program will be one to read characters from the keyboard and display them on the console. We won't do anything special with the characters this month: we will leave that for next time.

Before we look at the listing, some rules about coding Assembly language programs for MASM:

- 1) You can use any alphabetic character, digits 0-9 and the special characters ?, @, __ (underscore) and \$ to label data items, instructions and so on. Don't use the digits to start data names. Uppercase and lowercase are considered equal: the label ProcessNewRecord is the same as processnewrecord.
- 2) Datanames can be any length you like: only the first 31 are significant.
- 3) By convention, we code labels in column 1. MASM does not require it.
- 4) Instruction mnemonics, MASM's directives, register names and the like are reserved words. They can only be used for their predefined purpose, not in any other way you might wish.
- 5) Comments can be introduced on any line by coding a semicolon.
- 6) Blank lines are permitted.
- 7) Instruction labels are followed by a colon: labels on directives which explicitly define storage, segments, procedures and so on are not. There are examples shown in Listing 1.

```
1
                                                 60,132
                                         page
2
     0000
                                fred
                                         seament
3
                                                 cs:fred,ds:fred,ss:fred,es:fred
                                         assume
4
     nnnn
           RA DA
                                                                   itell DOS "Read a character from the console"
                                again:
                                         may
                                                 ah.8
     0002
           CD 21
                                         int
                                                 21h
                                                                   icall DOS
6
7
     0004
            3C 1A
                                         CMP
                                                 al,1ah
                                                                   ; Is it an end-of-file character
            74 08
     9000
                                                 done
                                                                   ; it is
                                         je
.
8
9
     0008
           B4 02
                                                                   itell DOS "write character on the console"
                                         mav
                                                 ah,2
           8A DD
     ΠΠΠΔ
                                         mov
                                                 disal
                                                                   ;"this is the character to type"
10
     0000
            CD 21
                                         int
                                                 21h
                                                                   call DOS
     000E
           EB FO
                                         jmp
                                                 again
                                                                   ;go and do it again
12
     0010
           B8 4C00
                                                 ax,4c00h
                                                                   "I have finished, and the return code is 0"
                                done:
                                         mov
13
     0013
           CD 21
                                                                   ;call DOS
                                         int
                                                 21h
                                ;DOS doesn't return
14
     0015
15
                                fred
                                         ends
     0000
16
                                ice
                                         segment stack
17
     0000
               80 C
                                         dЬ
                                                 128 dup(0)
18
                      nn
19
                          ]
20
     0080
                                         ends
21
                                ioe
22
                                         end
```

Listing 1. Your first assembly language program — it reads characters from the keyboard and displays them on the monitor.

8) Numbers are normally entered in decimal. To enter hexadecimal numbers, use a leading 0 (if first digit is not 1-9) and an 'h' suffix: for example, 0ffffh or 0FFFFh or 37H

In our source program we have two type of instruction: some which direct the assembler in its operation, called *directives* and others which relate to what we want done.

The following discussion relates to Listing 1, line by line —

- 1) MASM seems to think my paper is only 80 characters wide. In fact, it is somewhat wider, so I like to tell it the dimensions of my page. It is 60 lines deep, and 132 characters wide. (MASM doesn't support pages wider than that.)
- 2) Assembler programs are written in sections called *segments*. One segment will be addressed at run time by one or more segment registers. The segment registers will generally point to the start (lowest paragraph address) it is possible to combine several segments into one. We are going to write a segment called *fred*. We don't say anything else about fred, so it is understood that it cannot be combined with other segments.
- 3) The assembler is told to assume that each of the segment registers CS, ES and DS will contain the base address of the segment fred when the program is running. The assembler needs to know this when it is generating addresses.
- 4) We are now getting into things. Remember we were going to read characters from the keyboard and write them on the console? We are going to call DOS to

read the characters and to type them. Our code will tell DOS what to do and determine when to stop.

We tell DOS what to do by putting a function number in register AH (top half of AX, remember?), supplying other information pertinent to the call and issuing the appropriate call. Function number 8 tells DOS to read a character from the keyboard and return it in register AL, the low half of AX.

The instruction MOV AH,8 tells the 8086 to put the number 8 into register AH. The section of the statement, again: is a label. We can issue the assembler equivalent of a goto to branch to this instruction. Other registers and the flags are unaffected by this instruction.

On the assembled listing, you will see the number 0000. This is the offset of the assembled instruction within the segment. Next to it is B4 08. This is the translation of the instruction we coded.

5) This is how we call DOS. Although I say call, INT is actually short for interrupt. Strictly speaking, INT is not an interrupt (DOS can't possibly be doing anything while our program is running), the 8086 processing is very similar to that which occurs for a hardware interrupt.

The exactly equivalent instruction on IBM's System/370 family of mainframes is called SVC, for Supervisor Call. This accurately describes the instruction's function.

Low storage (00000-00400) contains interrupt vectors. There is one 4-byte interrupt for each of the 256 interrupt numbers. Both hardware interrupts and software interrupts use the same interrupt vector table.

The interrupt number is multiplied by 4 to obtain a storage location. This storage location contains a 4 byte pointer to the interrupt service routine. For interrupt 21, the interrupt vector is at location 00084. The first 2 bytes contain the value to be loaded into the instruction pointer: the next 2 bytes contain the new CS value.

When INT 21 is executed, the following processing takes place:

- a) The flags are pushed on the stack.
- b) Interrupts are disabled.
- c) CS is pushed on the stack.
- d) CS is loaded from location 00086.
- e) IP is pushed on the stack.
- f) IP is loaded from 00084
- g) The next instruction is fetched from the new location.

DOS then acts on the request and returns the character entered from the console in register AL. DOS returns by issuing an IRET (interrupt return) instruction which performs these actions:

- a) POPs IP from the stack.
- b) POPs CS from the stack.
- c) POPs the flags from the stack. This enables interrupts (although DOS would already have done that) and restores all the flags to the conditions that applied when the INT instruction was issued, except for one or two that DOS modifies on occasion to signal error conditions.
- d) Fetches the next instruction, in this case the one on line 6.
- 6) We now want to test the character read from the keyboard. If it is ²Z (hex 1A), we assume it is the end of the file. This character is used in CP/M to signal EOF and MS-DOS often uses it in the same

way. So, we compare the contents of register AL with the value hex IA. Internally, the 8086 performs this by subtracting IA from the contents of AL and setting the flags. It discards the result.

7) Have a look at the object code. You will see the value 74 08. You will also see the address of the next instruction is 0008.

This instruction tests the result of the comparison, and if the two arguments were equal, IP has the value 08 added to it before the next instruction is fetched. We add the value 08 to the address of the next instruction, 0008 and calculate that, if the branch is taken, the new instruction will be at 0010.

Of course, if register AL does not contain hex 1A, no branch will be taken. Thus a conditional branch, or goto instruction is effected. You will have noted that code addressing is relative to the Instruction Pointer. This applies in other branch instructions and in call instructions.

- 8) You should recognise this.
- 9) This copies the contents register AL to DL.
- 10) You should recognise this.
- 11) The object code for this is EB F0. It would not be very useful if the 2 byte branch instructions could only jump in one direction. To allow jumps both forwards and backwards, the offset to be added is stored as a 1 byte, 2's complement number. By a little bit of calculation, we can interpret the value hex F0 as being –10 hex. Add –10 to the address of the next instruction (0010) and we have 0000. We find this is the address of the instruction labelled again: and pat ourselves on the back.

There is a longer form of this instruction to allow branching anywhere in the code segment. We'll cover it another time.

12) This puts the number hex 4C00 in register AX. It has exactly the same result as putting 4C in AH with one instruction, and 00 in AL with another. This is shorter, quicker and a useful comparison with some other instructions.

We are preparing for another DOS call, this time to tell DOS we have finished our work. All went well, so by convention we put 0 in AL by way of a return code. This return code can be tested in BATCH procedures with the ERRORLEVEL keyword.

- 13) Another DOS call. DOS doesn't return from this one.
- 14) This line is a comment. Comments can be on any statement, and begin with the first semicolon. Everything from the semicolon to the end of the line is ignored by the assembler.

- 15) This is the end of the segment called *fred*
- 16) We are starting a new segment. It's called *joe* and we want DOS to use it for our stack.

When DOS starts our program, SS will be pointing to the low paragraph address of joe and SP will be pointing to the high word address.

17) We are defining bytes (hence 'db') and we want 128 duplications of the expression following in parentheses, in this example, 128 bytes of 0. We could put a list in parentheses and the entire list would be duplicated 128 times.

18, 19, 20) The assembler telling us what it did.

- 21) This is the end of joe.
- 22) The end of our program. We could have coded ' end again', and told the assembler that the program is to start running at the instruction labelled 'again:'. In this case it was not necessary.

When you type the program in, I suggest you call it EX001.ASM. In that case, you can use these commands to assemble and link it:

MASM EXOD1; LINK EXOD1;

The semicolon on each line tells MASM and LINK not to prompt for any more file names. If you leave the semicolon off, MASM will prompt you for OBJ, LST and CRF file names. LINK will ask for EXE, MAP and library file names.

Now, we'll have another look at how RAM is addressed. The architecture of the 8086 is a tad confusing at first (and second) sight. To illustrate it, we will use a clean sheet of paper. It represents all the 1,048,576 bytes of main storage the 8086 can address. Draw on the page 4 boxes. You may overlap them if you want. Label each box with one of the values CS, DS, ES and SS.

These boxes each represent 65,536 bytes of storage. They are the only locations able to be addressed by the 8086. You should view them as windows through which the 8086 views its program and data storage. In 8086 jargon, these windows are called segments.

To address storage locations outside the windows, the segment registers must have different values stored in them. This has the effect of moving the windows around the page. We will investigate the instructions necessary for this another time

To address locations within the win-

dows, offsets coded into the instructions and register contents are used. No combination of numbers and register contents can address any storage location outside these windows.

By the way, file redirection works with this program (you Turbo Pascal lot thought Borland was giving you a lot with file redirection, didn't you?), but it might be a bit hard to stop sometimes.

DOS has 2 types of files for storing executable programs: COM files and EXE files. Programs executed from COM files have all the segment registers pointing at the same 64 Kbyte window, while those in EXE files normally have them pointing at different areas.

Well, we've covered quite a lot — We've found out about the 4 general-purpose 16-bit registers that can also be regarded as eight 8-bit registers. We know there are 2 index registers and 2 pointer registers. We know about the 4 segment registers and the instruction pointer. We have had a look at a few of the most commonly used instructions, and put them into a program that works.

Next, we'll have another look at the program and make a few changes to it. We'll have a bit of a fiddle with DEBUG, to watch our program run (well, crawl actually). Maybe we will make it print files out in hexadecimal so we can see what is in them?

In the mean time, you can get the program going: it shouldn't be too hard, even without DEBUG: after all, it works on my system.

By the way, file redirection works with this program (you Turbo Pascal lot thought Borland was giving you a lot with file redirection, didn't you?), but it might be a bit hard to stop sometimes.

You could try a few minor changes to it yourself: pull out your DOS manual and look up the DOS calls. Now, try using DOS call 1 to read a character: I did it and didn't like it. Try using DOS call 5 to write the characters.

HE AVTEK ANSWERS

QUALITY AUSTRALIAN MODEMS AT LOWER PRICES

Megallioden



NEW MODELS

DUE IN STOCK - NOVEMBER New Model - New Price Don't buy imported/unsupported

modems when Australian designed and manufactured models cost less. Compare the features - look at the value

(12 month extended warranty on both Megamodems)

Specifications:

300 Baud Full Duplex - both models 1200/75 for VIATEL - model 123 Speeds

1200 Baud Full Duplex - both models

V21, V22 - both models V23 - 123 model only Data Standards

Command Set Hayes with extensions CCIT V24 (RS232) Interface Data Format Asychronous Power Consumption < 2 watts

27(H) x 120(W) x 157(D)mm

Indicators 8 I FDs Internal Diagnostic Loop Back



PC MEGAMODEM

Same features as the Megamodem but plugs into the expansion Bus of your IBM or compatible.

1/2 card will fit any slot as it is the correct

height. Make full use of all your expansion slots. Use Com1 or Com2. Will run with almost all communication

packages.

MODEL 123 \$ 449 MODEL 12 \$375

Multimodem II - Australia's No.1 modem

Australia's top selling modem now offers even more. You get:

Reliability. State of the art digital filters for reliable data transfer, even on noisy lines. The Expansion Bus. An Avtek exclusive. Developments can be plugged straight in. Total Flexibility. Both 300/300 and 1200/75 (Viatel) at the flick of a switch.

Autoanswer as standard. A reliable and instant "rina detect" circuit is completely independent of the strength of the ring.



NOW \$299

MINIMODEM II -

leader in the value stakes!

Superb performance for those on a limited budget. The Minimodem II offers the same digital filtering and error correction as the Multimodem but at a much lower price. Full 300/300 baud and 1200/75 baud (Viatel standard) are provided at lower cost than some 300 baud only modems - check for value and you'll find Mininmodem wins every time.

All prices include Sales Tax



We also stock a large range of RS232 cables and software.



elephone: (02) 712 3733

Facsimile: (02) 713 9598





ORDER WELCOME |



Reseller enquiries Jeremy Swallow (02) 712 3122

S||E||L||E||C|

OW-LOW-COST PROGRAMS

Out of the thousands of programs we have collected, for a small service charge of \$15 we bring you a SELECTION OF THE BEST that have been carefully tested and documented. Suit IBM and compatibles. 5%" and 3%", DOS2 or greater. Please note that in those instances where Basic sequired, users should have Basica/GW Basic, or our shareware compatible version on disk M9001. Basic2 is not suitable.

Our games disks have a CGA emulator so those with Hercules boards can play.

MS-DOS **GAMES**

M1014: CREATE FOR YOUR OWN ADVEN-TURES. Express your own ideas and fantasis Generates games of your design.

M1044: MARTIAL ARTS: Match your skills against all sorts of villains and dangers.

M1050: SUPER COMPILED GAMES (7). With olymaze, Landmine, Drain, Elevator, Eliza, Star-

M1051: 50 BASIC GAMES. Includes a Startrek, Swarn, Baseball, Hobbit, Blackfri, Antonyms,

M1052: GAMES OF STRATEGY (3). Be challenged with Air Traffic Controller,Interbridge Construction, and Global War.

M1053: GAMES FOR 8's AND UNDER. Special selection for the young'uns. 13games, including a design your own secret adventure. Some games require Basic.

M1055: PINBALL GAMES (2). Good graphics and absorbing arcade game. Has Centre Fielder, Cyclops, Flume, Magic, Pin.

M1056: CHINESE CHECKERS. A well designed board game with good graphics.

M1058: MUSIC COMPOSER. Use your computer to write songs, melodies. Shows real notes M1059: EGA LIFE. Generates patterns of bacteria based on your input. Brilliant in hi-res colour.

M1060: CHAMPIONSHIP GOLF COURSE. You play on a course based on a real one used on professional circuit.

M1061: ADULT GAMES. Including strip poker,

M1063: SPACE RESCUE ADVENTURE. A comprehensive and sophisticated game to challenge

M1064: ADULT JOKES. A collection of witty.

M1065: TEST YOUR ESP. Could be used seriously or in fun. Computer shuffles and displays one of 25 cards with special symbols.

M1066: CROSSWORD SOLVER. Helps you find

M1067: BRIDGE. A comprehensive and well-designed game to sharpen your play.

UTILITIES

M2041: BAYLEY UTILITIES. Has mail facility for those who share the computer with others, wish to log computer time, more.

M2042; EGA UTILITIES. Help you to make better use of screen — change colours, borders, lines,

M2043: SPECIAL COLLECTION UTILITIES. With Nsweep (genuine), PC-Sweep, add line ends to ascii file, hard disk directory, adjust margins on epson printer, etc.

M2045+: LIKE-SIDEKICK RESIDENT UTILITIES. Calculator, note pad, data base, appointments calendar, cut & paste, term, communications. 2 disks. Easy, powerful. \$30.

M2046: HOT UTILITIES. Superior directory, system stats, diskcheck, file find etc. For colour

M2047: MACINTOSH EMULATOR, Doesn't run programs, but provides a Dos shell like the Mac's. Great to watch, use.

WORD PROCESSING/ PRINTING

M3007: SPELLING CHECKER. Works with most word processors. We've added thousands of new words incl. business/computer terms.

TOP QUALITY PUBLIC DOMAIN & **USER SUPPORTED SOFTWARE**

M3020: EXCELLENT WORD PRO-CESSOR. Compatible with Wordstar, has clear. easily followed commands on screen

M3021: QUALITY MULTI-FRONT PRINTING on dot matrix, incl. Courier, Greek, Helvetica, Pala-tino, Roman, Italics, etc.

M3024: WORD PROCESSING FOR KIDS. Special features, large lettering, easy to use. A gem. M3025: TOUCH TYPING — PRACTICE AND EVALUATION. Lets you read script from se reports speed/accuracy.

M3026: EGA/CGA WORDPROCESSING. A many featured program that makes extensive use of colour screens. Delight to use.

M3028: FANCY PRINTING FOR WORDSTAR.
Access many special characters, change line spacing, do sub/superscript, etc.

M3029: PC-WRITE ENHANCEMENTS. Uses macros to enhance the key command structure for easier and faster use.

M4017: ONE-PAGE DESKTOP PUBLISHING. Suits preparation of flyers, notices

GRAPHICS

M4014+: COMPUTER-AIDED DESIGN. Dancad-3d will do complex drawing, 2 or 3 dimensions, print sharp lines for mechanical drawing, illustra-tion, animate parts. We've squeezed 4 disks on to 2. Needs CGA. \$30.

M4025: SCREEN CAPTURE UTILITIES. Grabs colour, b/w, graphics, etc. A professional print-

M4022: EGA GRAPHICS. 3 dimensional, wireframe modelling. Move, tip, scale, rotate

M4023: BUSINESS GRAPHICS. For pie/bar charts, graphs, comparisons, Easy to use

M4024: PAINT GRAPHICS FOR MONO/HER-CULES. Good facilities— and you don't nee colour. Patterned shading, backgrounds, etc.

LANGUAGES

M9001: BASICA/GWBASIC COMPAT-IBLE INTERPRETER with tutorial. Runs pro-grams written in industry standard Basic. Suits PC compatibles.

M5023: Z80 CROSS ASSEMBLER, New version that lets you write & compile CP/M programs on PC.

M65034: MINI-ADA. Substantial subset of major new language. Pascal & Basic source code disassembler. Requires Turbo Pascal.

M5035: ZBASIC COMPILER, Fast, easy to use version, with editor & examples on dis

M5036: TURBO PASCAL CROSS-REFEREN-CER. Lists, beautifies, cross references source

M5038: EXPERT SYSTEM SHELL, Contains utilities to develop, test and run new expert systems.

Menu driven. Turbo Prolog source provided. Book available

COMMUNICATION

M6011: COMMUNICATION UTILITIES. New ver-

M6014: SUPER NEW COMMUNICATIONS. Telix. Powerful, yet easy to use, menu-driven. Contact bulletin boards.

M6016: PRESTEL/VIATEL COMPATIBLE, Communications program for contacting these bulletin boards. Handles split baud rate (1200/75).

CALCULATION/BUSINESS

M7001: GENERAL LEDGER ACCOUNTING. Has GLedger, Cash Book, Profit/ Loss, Balance Sheet, Prints cheques. Data can be read by Lotus 123. Easy to use.

M7004: STOCK MARKET ANALYSIS. Special aids to help you "think and grow rich". For managing and evaluating portfolios and prospects.

M7024+: PAYROLL SYSTEM. Flexible, easy to use, adjustable rates, 2 disks, Good doc. \$30. M7040: 123 COMPATIBLE SPREADSHEET. Also does graphs, pie charts. 52x200 cells

M7041: MEMORY-RESIDENT SPREADSHEET. Full - featured. At hand when you want it. Insert calcs into text, etc.

M7042+: BILLINGS FOR SERVICES. (Professions/trades, etc). Costs, mailing list, invoices, controls drs, file merge. Quality program, easy to use. Powerful reporting. 2 disks. \$30. M7043: INTEGRATED SPREADSHEET/EDITOR.

M7044+: CONTRACT BID ESTIMATING. 5 disk set of powerful program for calculating costs, margins, progress and final estimates. Flexible to use. Needs hard disk. \$50.

M7045: ACCOUNTS RECEIVABLE AND INVEN-TORY. Integrated system for small business that has up to 200 debtors. Prints invoices, cost of

M7046: GOAL SEEKING FOR SPREADSHEETS. Works backwards with your spreadsheet from a specified target and lets you examine options.

M7047: POINT OF SALE INVOICING. Suits retailer with different products/depts, reads bar codes, controls inventories, etc.

M7048: PURCHASE ORDER SYSTEM. Keeps track of orders, goods received, quantities, pri-

M7049: PERSONAL FINANCIAL ANALYST. Examines your monetary/assets situation and makes projections for planning.

DATABASE

M8009: SUPER DATABASE MANAGER. New version. 120 fields, 16 million records, fast sorting, fields anywhere on screen. Calculations. Two disks on one!

M8018+: DBASEIII COMPATIBLE DATABASE MANAGER, Same functions and runs same files as DB3. Major or small tasks, good reporting, labels. Extensive docs. Highly rec. 2 disks. \$30.

M8019: DBASEIII UTILITIES (2). Weighted Retrieval. New view of data based on your selection criteria. Attach relative importance to factors.

M8020: DBASEIII UTILITIES (3). Add ons and utilities. Compiled, with C source, Display header info, port addresses, date entry, count comments, encryption, view files, strip characters,

M8022: HOME INVENTORY. Keep a record of your possessions re theft, fire, insurance, etc.

EDUCATION

M9019: CHEMISTRY GAME that teaches chemical valences, atomic bonding and structure.

M9020: IQ WORKOUT. Gives practice on synonyms, antonyms, analogies, numbers. Evalu-ates. Needs Basic.

M9021: COMPUTER-AIDED TESTING. Shows questions, checks answers, re-presents ques-tions until correctly answered, evaluates.

M9022+: MODULAR2 TUTORIAL, 2 disks that teach you how to program in this important new language. \$30.

M9023+: TURBO C TUTORIAL. If already familiar with another language, this will give you a good grounding in Turbo C. Sample source included. 2 disks. \$30.

M9024: SPANISH LANGUAGE TUTORIAL. Includes vocabulary and conjugation of verbs.

M9025: JAPANESE TUTORIAL FOR BUSINESS AND TRAVEL. The words, pronunciation, grammar most useful to the casual speaker.

M9026: FRENCH TUTORIAL. Emphasis is on

M9027: SECONDARY MATHS (2). Compiled with Pascal source. Equations, lines, triangles, Ohms Law, Parallel Circuits.

GENERAL

M9504+: RECIPE MANAGEMENT. Contains hund reds of recipes and excellent searching. Add your own. 2 disks. \$30.

M9512: GOURMET PIE RECIPES: Some of the most delicious you've ever tasted. Menu-driven. M9512: PERPETUAL DIARY. Plan ahead for appointments, events, birthdays, Print reports, Needs Basic.

M9513: LIFESTYLE & HEALTH ANALYSIS. Has personality assess, biorhythms, heart disease risk, alcohol screen, life expectancy. Needs Basic.

M9514: CHURCH MANAGEMENT (1). PROS-PECTS. Keeps track of those interested in joinng, personal data, etc.

M9515: CHURCH MANAGEMENT (2). MEM-BERSHIP. Details of new members, anniversar-ies, birthdays, Sunday school membership, etc.

PHONE NOW WITH YOUR ORDER

02) 29 2866

SHAREWARE REQUIRED FOR INTERNATIONAL DISTRIBUTION

We have extensive marketing and distribution facilities locally and overseas and require quality software for international distribution. Adequate documentation should be on the disk. Please forward submissions to our Chief Executive at

CP/M, MACINTOSH, APPLE II, COMMODORE Call or write for free catalogue

PUBLIC DOMAIN NEWSLETTER

For news, reviews, views and how to use public domain and user-supported software subscribe to our bi-monthly newsletter and keep informed on the free programs that help your computer to serve you. INCLUDES UPDATES TO CATA-LOGUE. Only \$15.

For individual disks, the cost is \$15.31/2" \$18. Sets are as specified

Add 20% Sales tax and \$3 post/pack

ORDERS MUST BE PREPAID.

PAYMENT BY MAIL TO:

SELECT SOFTWARE Box C343 Clarence St PO Sydney, NSW 2000 (Office: 3 Barrack St, Sydney)

TELEPHONE ORDERS: (02) 29 2866, (02) 29 3810 Fax: (02) 262 1290.

NEW ZEALAND:

We cannot guarantee the suitability of public domain/user-supported software for users needs or equipment. AK1002

Morie

PC GAMES FOR ONLY \$3!

Out of the hundreds of games we have collected from the public domain and user-supported software, we bring you a special selection of some of the best games available — and you may choose them in any combination that you wish. Choose any number for only \$3 each (service charge), with a minimum of five programs, and we transfer them on to one, or more, of our disks for you.

We include source coding where possible. The programs are documented or the instructions are built in to the program. Disks are formatted for MS-DOS ver 2 or greater. 360k 5½" and 3½" disks. Programs are intended for IBM-PC or close compatibles (such as Amstrad 512). If Basic is specified then Basica or GWbasic (or our shareware compatible version on M9001) is required, not Basic2. Basic is required if an asterisk is

shown alongside the name.
We have added a CGA emulator to our
disks so that those with Hercules boards
can also play.

GAMES

G1: ACQB. Arm Chair Quarterback is a football strategy game. Rules are explained. You provide wits, the computer action.

G2: AFGHANISTAN. War Game with choice of weapons and roles.

G3: ANTONYMS*. Word game that challenges you to find the opposite of nominated words. Source provided.

G4: ASTRO. Dodging enemy ships and meteors. Well animated. Suit all ages.

G5: BABY. Gruesome but popular Kongtype game. Climb levels whilst avoiding the falling babies.

G6: BACKGAMMON. A good version of this popular board game.

G7. BASEBALL*. Match play with strategic choices of play for pitching, hitting.
G8: BEAST. Marauding beasts chase you through a hi-res maze.

G9: BIORHYTHM*. Prints chart of emotional, mental, physical biorhythms.

G10: BLACKFRI13*. Investment simulation. Try to increase value of portfolio without going broke.

G11: BLACKJACK. Good version of this popular card game.

G12: BLUESBOX*. Easy to use song composer.

G13: BRICKS. Quick moving game where you hit a ball against a wall to demolish it. Like playing squash against the computer.

G14: BUGS! Centipede creature hunts you through the forest. When you fire and hit it, the creature multiplies! Fast game.

G15: CATCH88*. Sky is raining letters and numbers. Catch them by correctly

G16: CHASE. You're in a high voltage maze, chased by robots. Compiled with Pascal source code.

G17: CHESS*. Well designed, good board on screen.

G18: CIA*. Adventure with spies and other sinister doings.

G19: CIVILWAR*. Tactical simulation based on actual battles in Civil War.

G20: CRISIS. You're our last hope to save the world from alien invaders.

G21: DIGGER. Fun to play. Good graphics as digger digs tunnels for gold/emeralds while hungry creatures hunt

G22: DILEMMA. You have to outguess your opponent. Cooperate or oppose?

G23: DOTS*. Board strategy game against the computer, joining dot with lines

G24: DSK. Disk Crash. As a floppy disk you have to avoid the falling magnets.

G25: DRAIN. Joke program which causes computer to pretend it's awash and needs to drain.

G27: ELECTION*. Simulates candidate campaigning, raising funds, giving speeches. Good choices win points.

G28: ELEVATOR. You're at the bottom of series of elevator shafts. Try to reach top without getting clobbered by elevator.

G29: ELI*. Animated Cartoon depicting the adventures of Eli.

G30: ELIZA. Classic Psychiatrist game where the computer counsels you. Compiled version.

G31: ENCOUNTE*. Space encounter of the unfriendly kind. Good battle.

G32: ENTRAP. Othello board-type game, cleverly designed, good graphics. G33: FIRE. Forest fire is raging and you have limited resources to combat. Will you lose the forest? What is your strategy?

G34: FLIGHTMARE. You are pilot for Omegans against marauding vandals.

G35: FOOTBALL*. Tactical play in a footy simulation.

G36: FORTUNE. Wheel of Fortune. Spin the wheel and win prizes or be penalised. More than one can play.

G37: FROG. Frog tries to cross road to safety and avoid being splattered by traffic.

G38: FUN*. Fun with numbers. It helps to understand a little algebra to solve the problems.

G39: GEOGRAPHY. Educational game that tests you on cities, capitals, countries, etc.

G40: PC-GOLF. Very well presented. Takes into account handicaps, clubs, swing, choice of 3 courses.

G41: GRIME. Hi-res fight against those nasty grimes that threaten to attack and overwhelm

G42: HANGMAN*. Correctly spell the mystery word before the computer hangs your image.

G43: HANOI*. Transfer disks from one pile to another. Requires thought.

G44: HOBBIT*. Adventure. Hobbit thief tries to steal from the Wizard's castle. **G45: HORNADETTE.** Adventure. Invad-

ing the Castle and find the secret formula.

G46: IBMADV. Adventure. Government agent infiltrates IBM headquarters.

G47: IQUEEN*. Board game based on chess and using only queens.

G48: JUMPJOE. Mad robots chase Joe through rooms and past obstacles on space station.

G49: KONG. Climb the structure against falling objects and other dangers.

G50: LANDER*. Try to land a spacecraft against gravity, adjusting rocket thrust. Good sound and graphics.

G51: LANDMINE. The enemy has buried mines and you have to reach headquarters — preferably intact.

G52: LIFE2. Enter details of bacteria colonies and they breed, generating patterns of the screen.

G53: LOCUST. Spreadsheet setting. Kill the numbers, zero a column to win. They keep growing!

G54: MARS ESCAPE*. Adventure. Your mission is to escape from Mars.

G55: MAZE1. Mazes with different degrees of difficulty. Good graphics.

G56: METEOR*. Erase solid blocks before the constantly falling meteors hit you.

G57: MEMBRANE*. Chemistry game. You are a cell membrane. Learn about cell behaviour

G58: MUSICIAN. Compose songs, music. Helps you to compose on the screen and play back.

G59: OIL. Offshore Drilling Simulation. Organise resources to strike oil or go broke.

G59A: PACMAN. Classic where you are in a maze hunting treasure while the monsters hunt you. Different levels of play.

G60: PANGO. Attempts to clear bees in a field by stunning or squashing with blocks.

G61: PARATROOPER. Fight off the paratroopers who keep landing until they can overwhelm.

G62: PINBALL. Good screen effects let you play this arcade type game with the cursor keys.

G63: PIRATE*. Adventure set on a pirate ship.

G64: PITFALL. Fast moving flight through valley or pit. Good screen effects. Needs fast reflexes to avoid walls and other dangers.

G65: POKER. Card game, several can play or just you against the computer.

G66: POKER MACHINE. (ONE ARMED BANDIT). Try to line up the reels for your win

G67: POLYMAZE. Computer generates hexagonal mazes and will demonstrate how to solve them.

G68: PRESCH*. Spelling and number game for small children.

PROVOCATION PINUPS: These are intended for printing. Hang alongside last month's sales figures (or whatever).

G69: CALENDAR GIRL.

G70: JEZABEL. G71: DAWN. G72: DELILAH.

PROVOCATIVE SCREEN PICS: These

are animated screen pictures.
G73: RECLINING NUDE.

G74: STRIP.

G75: PYRAMID. Fast moving game where you step onto cubes to avoid bouncing rocks and creatures.

G76: QBERT. Bert & the Snake. Jump from one title to another pursued by the snake and falling fruit.

G77: RACECAR*. You race the computer on racetrack controlling speed, braking, etc.

G78: RAIN. Challenging pinball game that has very good graphics and cursor control.

G79: ROCKETS. Fascinating, fast, hi-res game of space battle.

G80: ROULETTE. Gambling simulation using screen version of a roulette wheel. Cheaper than going to a real casino.

G81: SCATTER. Logic puzzle. Fire a laser to determine whereabouts of 10 atoms in a box.

G82: SEAWOLF*. Valiant submarine commander attempts to sink the invasion fleet with his torpedoes.

G83: SECRET ADVENTURE*. Create your own adventure. For small children. Answer questions about rooms and monsters and it generates a game for

G84: SKYTREK. Comprehensive strategy game of the Startrek type.

G85: SLOTMACHINE*. Poker Machine game that can be played by all ages. Animated.

G86: SOLITARE: Card game that shows you the draw and you work out where to place each card.

G87: SPACEWARS. Nicely presented Starwars type of game with many factors to consider.

G88: SPACEVADERS. Race across the screen shooting them down. Good graphics.

G89: STARLANE*. Interstellar Trading. Space Monopoly where you try to build an empire.

G90: STOCKMARKET. Simulation game where you try to amass your fortune in stocks and shares.

G91: SQUARE*. Like Tic Tac Toe but more combinations with dots on larger board.

G92: SUBCHASE. You're in a destroyer on patrol trying to destroy subs swarming below.

G93: SWARMS*. Attack of the killer

bees! BeeWars?

G94: TANK*. Two tank commanders

G95: TRADE*. Star trading by intergalactic merchant. The ultimate travelling salesman

G96: WIZARD*. Adventure in the Wizard's castle against monsters, elfs, hobbits dwarf etc

G97: WOMBAT*. Generates questions for mental arithmetic. Suits primary children.

G98: WEATHER*. Answer questions about conditions of last two days and it will attempt to forecast tomorrow's

G99: XWING. Very good version of starwars-type game where you are pitted against Darth Vader and the Death Star space station.

ORDERS

The service charge for each program is \$3. There is a minimum charge of \$15 (five programs) plus 20% sales tax and \$3 for postage and packaging.

ORDERS MUST BE PREPAID

PAYMENT BY MAIL TO: SELECT SOFTWARE Box C343, Clarence St PO Sydney, NSW 2000.

TELEPHONE ORDERS:Pay by Bankcard, Mastercard or Visa.
Telephone: (02) 29 2866, 29 3810.

Fax: (02) 262 1290

NEW ZEALAND ORDERS: (054) 84 622.

We cannot guarantee the suitability of programs for users needs or equipment.

CIRCLE NUMBERS BELOW AND SEND TO US WITH PAYMENT AND YOUR NAME AND ADDRESS. OR TELEPHONE US WITH THE PARTICUL ARS. SEE ABOVE

G1 G2 G3 G4 G5 G6 G7 G8 G9

 10
 11
 12
 13
 14
 15
 16
 17
 18

 19
 20
 21
 22
 23
 24
 25
 26
 27

 28
 29
 30
 31
 32
 33
 34
 35
 36

 37
 38
 39
 40
 41
 42
 43
 44
 45

 46
 47
 48
 49
 50
 51
 52
 53
 54

 55
 56
 57
 58
 59
 60
 61
 62
 63

 64
 65
 66
 67
 68
 69
 70
 71
 72

 73
 74
 75
 76
 77
 78
 79
 80
 81

82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99

100 59 A

THE PROPHET SPEAKS

WELL ALMOST Christmas time again. This is the time of year when people start thinking of what presents to buy. It is also the time when System Operators start dreading the influx of the new modem users.

Don't get me wrong, I'm always happy to see new users, but the ones just after Christmas tend to be of the young variety and start using the modem almost before they have even worked out what it is. A word of warning: before you buy a modem for the younger type, please make sure that you can afford the phone bill. Each year I hear the moans starting mid-January along the lines of 'My parents got the phone bill yesterday and now I'm only allowed one call a day.'

If you giving a black squawking box to one those younger ones, then at the very least be involved enough to introduce the new comms expert to a few *local* boards that are available. Just as importantly, teach them to use the boards responsibly — Bulletin Boards offer a great deal to users and widen the horizons, but only if everyone uses them properly.

Registry Access

The spectre I had hoped would never occur happened a couple of days ago (remember I am writing this in September), an organisation requested access to the registry to do a mailing. What made it even more worrying was that the person making the request addressed it to the State co-ordinators rather than me as the National co-ordinator.

The reason for this 'backdoor' approach was that on a previous occasion when asked about access I stated quite firmly that in my opinion the registry information was for the registry use only and not a way to 'get to' Sysops with anything other than Registry business.

I will now state for all those who have not yet gotten the message, the policy of the registry to requests for access — NO ONE use the information for purposes other than day to day maintenance of the Registry without prior approval of the National co-ordinator. Further, just let me add that it would need to be something pretty extraordinary for any request to even receive any consideration.

The only reason we even ask for the information is to allow us to check the status of a board — for example, if we get a report that a board is down and we can't logon then we will attempt voice/mail contact to resolve the question.

PAMS Registry News

Another month and more changes, if you have trouble locating up-to-date listings from your favourite board logon to your local system that supports FidoNet and leave me a message in the National AUST-PAMS conference and we will see what we can do. All systems that are connected to FidoNet should have the listings available for you to take.

Any changes, new systems and so on, put them into the AUST-PAMS conference — that's it is the best way to get the information to me and let everyone else know as well.

Anyone who wants to send me a private message my FidoNet address is now 713/606, this is as a result of Western Sydney getting its own Net:

ACT

*** AMENDED *** ACT Amiga BBS (Line 1) Sysop: Mike Hurst-Meyers FIDOnet: |626/218| Phone: (062) 59-1137 Baud:

V21.V22.V22bis.V23.B103.B212

Access: Reg.LVA

Computer: Commodore PC40 DOS: MS-DOS BBSoftware: Opus

*** AMENDED ***
ACT Amiga BBS (Line 2)
Sysop: Mike Hurst-Meyers
FIDOnet: [626/219]
Phone: (062) 59-1440
Baud: V22.V22bis.B103.B212

Access: Reg.LVA
Computer: Commodore PC40

DOS: MS-DOS BBSoftware: Opus

NEW SOUTH WALES

*** AMENDED ***
ABCOM

Sysop: Ben Sharif FIDOnet: |713/304| Phone: (047) 36-4165 Baud: V21.V22.V22bis.V23

Access: Mem.VA Computer: IBM XT DOS: PC-DOS BBSoftware: Fido

*** NEW System ***
Alcoholics Opus
Sysop: Michael Aldiholic
Phone: (02) 588-8804
Baud: V21.V22

Hours: Weekdays: 2100 - 0600;

Weekends: 24 Hours

*** AMENDED ***
Arco-Tel BBS
Sysop: Alex Sardo
FIDOnet: [713/601]
Phone: (02) 683-3956
Baud: V21.V22.V22bis.V23
Access: Mem.VA
Computer: XT Clone
DOS: DOS
BBSoftware: Opus

*** AMENDED ***
AUGUR TBBS
Sysop: Mark James
Phone: (02) 661-4739
Baud: V21.V22.V22bis.V23
Access: Reg.VA
Computer: PC Clone
DOS: PC
BBSoftware: TBBS 2.0m

Info: Additional line: (02) 311-3052 for V21

*** AMENDED ***

Club Mac BBS
Sysop: Jason Haines
Phone: (02) 73-1992
Baud: V21.V22.V22bis.V23
Access: Mem.LVA
Computer: Macintosh

DOS: HFS

BBSoftware: Red Wyder

*** ONLINE ***
Contact BBS
Sysop: Peter Hall
Phone: (02) 798-6368
Baud: V21.V22.V23.B103.B212
Access: Mem.LVA

*** NEW System ***
GCS

Sysop: Mark Ivanhoe **Phone:** (02) 570-9861 **Baud:** V21.V22

*** AMENDED ***
Idiom

Sysop: Stephen Beeby **Phone**: (02) 438-4060 **Baud**: V21.V22.V22bis.V23

Access: Reg.VA

*** NEW System ***

Lodestone BBS Sysop: lan McWhirter FIDOnet: [711/407] Phone: (02) 456-3264 Baud: V21.V22.V22bis.B103

BBSoftware: Opus

*** NEW System *** Matrix BBS

Sysop: Andrew Pike Phone: (049) 38-5057 Baud: V21

Access: Mem.Reg.LVA BBSoftware: KBBS *** AMENDED ***

Microlink BBS Sysop: Tony Callahan Phone: (02) 477-7509 Baud: V21.V2

Access: Public Computer: C64 BBSoftware: BBS64 *** AMENDED ***

Prophet TBBS Sysop: Larry Lewis FIDOnet: [713/600] Phone: (02) 628-5222

Baud: V21.V22.V22bis.V23 Access: Public Computer: XT Clone DOS: PC-DOS 3.2 BBSoftware: TBBS 2.0m

*** AMENDED *** Shore BBS Sysop: David Kok Phone: (02) 959-3936 Baud: V21

Access: Reg.VA

Hours: Weekdays: 1800 — 0730;

Weekends: 24 Hours

Computer: Macintosh DOS: HFS BBSoftware: Red Ryder *** AMENDED *** Software Tools Sysop: Bill Bolton FIDOnet: [711/403] Phone: (02) 449-2618 Baud: V22bis.TrailBlazer Access: Reg.VA
Computer: Sharp 7501 AT DOS: PC-DOS BBSoftware: Opus *** AMENDED *** Sorcerer Users Group Sysop: John Cepak FIDOnet: 1713/6071 Phone: (02) 626-8020 Baud: V21.V22 Access: Mem.VA BBSoftware: Opus *** NEW System *** Sorcim microS Sysop: John Caine FIDOnet: [711/405] Phone: (043) 69-3658 Baud: V21.V22.V22bis.V23 Access: Reg BBSoftware: Opus *** UNKNOWN *** Sydney PC Users RIBM *** NEW System *** The Gild FRP BBS Sysop: Stafford Hewitt Phone: (047) 21-8625 Baud: V21 Access: Mem.VA Hours: 2100 - 0800 Daily *** ONLINE *** Your Computer Sysop: Andy Farkas FIDOnet: [712/622] Phone: (02) 669-1385 Baud: V21.V22.V22bis.V23 Access: Mem.VA BBSoftware: Opus *** AMENDED *** Zeta RTRS Sysop: Nick Andrew FIDOnet: [713/602] Phone: (02) 627-4177 Baud: V21.V22.V22bis.V23.B103.B212

NORTHERN TERRITORY *** AMENDED ***

Access: Mem.VA

Outback RCPM Sysop: Phil Sampson Phone: (089) 27-7111 Baud: V21.V23 Access: Public Computer: Bigboard II DOS: CP/M80 BBSoftware: Minirbbs

QUEENSLAND

*** AMENDED *** AMPAK PBBS/RCPM

Suson: Brian Wendt & John Bews

Phone: (07) 263-7070

Baud:

V21 V22 V22bis V23 B103 B212

Access: Mem.Re Computer: AMPRO DOS: CP/M80 BBSoftware: PBBS

Info: 147.600 Mhz VK4KJB-1 (Radio); 1200 bps Amateur Packet Radio

*** AMENDED ***

Brisbane Experimental RCPM

Phone: (07) 395-1809

Info: Now Called Rock Cave BBS

*** AMENDED ***

Brisbane MicroBee User Group

Suson: Graham Scott Phone: (07) 366-4833 Access: Mem.VA Info: User Works Node 2 *** OFFLINE ***

Cynthia

* ONLINE *** **Educational RBBS** Susop: Andrew Waddell Phone: (07) 266-3369 Baud: V21.V22.V22bis.V23

Access: Mem.VA Computer: IBM XT clone BBSoftware: Mailbox Info: USERWORKS Node 1

*** OFFLINE *** Focus BBS *** AMENDED ***

Hi-Tech CBBS Suson: Clyde Smith-Stubbs

Phone: (07)366-6872 Baud: V21.V22.V23 *** NEW System *** Rock Cave BBS

Sysop: Rick Dalley Phone: (07) 395-1809 Access: Mem.VA Info: User Works Node 4 *** NEW System *** Sidecar Express BBS

Sysop: Brendan Pratt Phone: (075) 46-3252

Raud.

V21.V22.V22bis.V23.B103.B212

Access: Mem.Reg Computer: Spectravideo DOS: CP/M80 BBSoftware: TurboBBS Info: User works node 7

*** AMENDED *** SVI-RBBS

Info: Now Called Sidecar Express

*** OFFLINE *** The Focus BBS *** AMENDED ***

Tommorrowland RMSD Susop: Dave Drummond Phone: (07) 394-2300 Baud: V21.V22.V23

SOUTH AUSTRALIA

*** AMENDED ***

Adelaide Micro User Group BBS Sysop: Richard Newcombe

Phone: (08) 271-2043 Baud: V21

Access: Reg.LVA

Computer: TRS-80 Model III

DOS: TRSDOS *** AMENDED ***

Adelaide MicroBee BBS Sysop: Ron Carson & Mark

Hammond Phone: (08) 212-6569

Baud: V21 Access: Reg.LVA

Computer: Microbee 128K

*** AMENDED *** Cadzow Fido Suson: Scott Cadzow

Phone: (08) 79-3091 Baud: V21.V23 Access: Public Computer: Epson DOS: MS-DOS BBSOFTWARE: Fido

*** AMENDED *** Multiple System BBS Sysop: Danny Vozzo

Phone: (08) 255-5116 Baud: V21 Access: Reg.LVA

Computer: Apple //+ BBSoftware: GBBS *** AMENDED ***

Nexus Education Dept BBS

Phone: (08) 243-2477 Baud: V21 Access: Mem

*** AMENDED ***

Omen V

Sysop: Richard Siggs Phone: (08) 356-7939 Baud: V21

Access: Public Computer: System80 DOS: Newdos *** OFFLINE ***

SA Commodore BBS *** AMENDED *** The IDN Board

Sysop: Dave Winfield Phone: (08) 352-2252 Baud: V21.V22 Access: Reg.LVA

Hours: Weekdays: 1730 - 0900;

Weekends: 24 Hours

*** NEW System *** The Olympic Board Sysop: Greg Sanderson FIDOnet: [680/801]

Phone: (08) 265-4232 Access: Public Computer: XT Clone DOS: PC-DOS 3.1

BBSoftware: Opus

TASMANIA

*** OFFLINE *** Hobart Users BBS *** AMENDED ***

Tassie Bread Board System Susop: Ian Campbell

FIDOnet: [630/310] Phone: (003) 26-4248 Baud: V21.V22.V22bis.V23 Access: Mem.LVA

Computer: Kaypro PC DOS: MS-DOS 3.2 BBSoftware: TBBS

VICTORIA

*** AMENDED ***

AmigaLink

Sysop: Bohdan Ferens FIDOnet: [631/324] Phone: (03) 792-3918 Baud: V21.V22.V23 * AMENDED ***

Angler's Den Sysop: Greg Naylor Phone: (03) 876-4118 Baud: V21.V22.V23

Hours: Weekdays: 0900 - 2300:

Weekends: 24 Hours BBSoftware: Opus ** OFFLINE *** Basic Users Group RCPM

* NEW System ** Big Tedd's Fido BBS Susop: Big Tedd Phone: (03) 527-4945

Baud: V21 Hours: 2100 — 0800

BBSoftware: Fido *** NEW System *** Brainstorm BBS Sysop: Rowan Stevens FIDOnet: [631/322] Phone: (03) 758-7086 Baud: V22

* OFFLINE *** Castle Mania *** OFFLINE ***

Color C-64 BBS *** NEW System *** Compusoft BBS

Sysop: George Tsoukas Phone: (03) 386-6019

Baud: V22 BBSoftware: Opus *** AMENDED *** Custom Programming OPUS

Susop: Allan Williamson FIDOnet: [630/303] Phone: (03) 848-3331 Baud: V21.V22.V23.B103.B212

Access: Mem.VA Computer: PC-Clone

DOS: PC-DOS BBSoftware: Opus * OFFLINE ** Devil's Playground ** AMENDED ***

Down Under Software Amiga/IBM Sysop: Greg Hudson

FIDOnet: [630/306] Phone: (03) 429-8079 Baud: V21.V22.V22bis.V23 Access: Public

Computer: Compaq 386 DOS: PC-Dos BBSoftware: Opus

Info: Additional line: (03) 429-5819

*** AMENDED *** Eastwood R/ZSYS & PBBS Sysop: Mick Stock

FIDOnet: [630/314] Phone: (03) 870-4623 Baud: V21.V22.V23 Access: Mem.VA Hours: 0000 - 1000 DOS: ZR-DOS
BBSoftware: ZCPR3

*** NEW System *** **ENGBASE CBCS** Susop: Greg Furlong Phone: (03) 29-6336 Baud: V21.V22 BBSoftware: Opus *** OFFLINE *** **Further Regions BBS** *** UNKNOWN *** Harbourd-64 *** AMENDED *** Maxitel BBS Susop: Mark Micallef Phone: (03) 882-6188 Baud: V21

Access: Public

*** AMENDED ***

Melbourne Data Exchange

Sysop: Robert Broomhead FIDOnet: [631/321] Phone: (03) 561-6556 Baud: V21.V22 Access: Reg.VA *** OFFLINE *** Omen IV RTRS *** UNKNOWN *** Osborne Australian BB *** AMENDED *** PC Connection IBBS Sysop: Lloyd Barrett Phone: (03) 528-3750 Baud: V21.V22.V22bis.V23 *** AMENDED *** PC-Oasis System

Sysop: Craig Wilson

Phone: (03) 465-5257

*** AMENDED *** Sorcerer & CPM Users RBBS Sysop: David Woodberry Phone: (03) 754-5081 Baud: V21.V22.V23 Access: Mem.Reg.VA Computer: Executive 816

*** NEW System ***

Sysop: Michael White

Phone: (03) 562-0489

BBSoftware: Opus

*** OFFLINE ***

Public Resource 2

Baud: V21.V22.V22bis.V23

Weekends: 1200 - 1800

Prodergy

DOS: CP/M

BBSoftware: Ros *** OFFLINE *** Supermicros RBBS *** OFFLINE *** Ten to One Amiga BBS Hours: Weekdays: 1500 — 2030; *** AMENDED * The MACBOARD Phone: (03) 435-9152 Baud: V21.V22.V22bis.V23 Access: Public *** AMENDED *** The NATIONAL CBCS

Susop: John Blackett-Smith FIDOnet: [630/301] Phone: (03) 25-6904 Access: Public Info: FIDOnet Region 50 Co-ordinator *** AMENDED ***

The Real Connection Suson: Carla Miller & Andrew Moore

Phone: (03) 288-0331 Access: Public

WESTERN AUSTRALIA

*** OFFLINE *** Atari Forever

*** AMENDED *** Mouse Exchange BBS Sysop: Leonard Hollings FIDOnet: [690/902] Phone: (09) 339-6890

Baud: V21.V23 Access: Public *** AMENDED ***

Nemo 3 Sysop: Graeme Platt Phone: (09) 370-333 Baud: V21.V22.V22bis.V23

Access: Mem

*** AMENDED *** Nemo Games Machine Sysop: Graeme Platt Phone: (09) 370-2666 Baud: V21 V22 V22bis V23

Access: Mem.LVA *** AMENDED *** Nemo Multiple BBS RAPL

Sysop: Graeme Platt Phone: (09) 370-1855 Baud: V21.V22.V22bis.V23 *** ONLINE ***

Sysop: Greg Watkins Phone: (09) 279-8555 *** NEW System *** Pegasus BBS

Susop: Michael Russell Phone: (09) 242-1515 Baud: V21.V22.V22bis.V23

Access: Public

Omen Mini BBS

Hours: Weekdays: 1700 - 0900;

Weekends: 24 Hours Computer: Epson AX DOS: MS-DOS BBSoftware: Opus *** AMENDED *** WA Atari BBS

Sysop: Graham Basden Phone: (09) 306-2134

Baud: V22 Access: Reg.LVA

JUST & TEW	notes to help with you use the PAMSLIST information -
	Access information Mem - Membersip required for full access, cost and other details shown if available. Reg - Registration required, details show if known. VA - Visitor access Available to most functions. LVA - Limited Visitor Access available. Pulic - Public board, open to all.
Baud information	ation: V21 - 300 Tx / 300 Rx CCITT V22 - 1200 Tx / 1200 Rx CCITT V22bis 2400 Tx / 2400 Rx CCITT V23 - 1200 Tx / 75 Rx CCITT V23ORG - 75 Tx / 1200 Rx CCITT V23 set to originate B103 - 300 Tx / 300 Rx Bell (US) B212 - 1200 Tx / 1200 Rx Bell (US) wise shown all systems are 8 bit bytes, 1 stop bit, no parity V21
	Bulletin Board Information
Type: New Sy	stem / Change
	11 character Max): Operating System:
	one number: ()
	Name:
	Operating System:
	*
	ration: 24hours /
	[V21/23 etc]
	Member / Registered User / Public / Visitor / Limited Visitor [Delete as required]
Online	
Fido Address	: [/]
	Confidential Information
Sysop Name:	
	mber BH: () AH: ()
Address:	
	Postcode:
	rd changes or new listings to: Australian PAMS Co-ordinator

Don't settle for half a PC CAD package.

Only HP gives you the total solution.

We know what you need.

Now that everybody's turning to PC CAD you need to know just what you're getting. And even more importantly, what you could be missing out on. It'll pay to talk to someone with a proven track record, who understands exactly what you need. Talk to Hewlett-Packard. The only name that delivers all the goods in PC CAD.

A Total Package.

Your HP dealer has it all. A comprehensive PC CAD solution from software including AutoCad, VersaCad and Drawbase, to hardware including Vectra, our compatible PC, high resolution Screen, new drafting Plotter, LaserJet (the world's best selling laser printer), Digitiser and full support on-site. That adds up to a real difference.

Other Packages Don't Add Up.

Other 'total' packages add up to only part of the PC CAD story. You could end up with a sorry combination of 3 or more brands, leaving you in real difficulties when it comes to support.

HP's Financial Advantage.

And consider the financial benefits. HP PC CAD will boost your productivity up to 4 times, and that means greater profit. HP's 3 year on-site hardware support plan solves any problem on the spot, saving you destructive downtime. It delivers the lowest cost of ownership over 3 years in the market today. You've the overall excellence of HP technology and more than comparative specifications. Plus the flexibility to provide finance that being the biggest name in PC CAD can bring.

The Final Proof.

It's a total PC CAD solution. And only HP can give it to you. We'll prove it. Mail us the coupon below and we will send you the complete HP PC CAD information package. Or phone the dealer nearest you to arrange a hands-on demonstration.

VIC - ASSCO (03) 873 2266

-ECS (03) 209 9135

NSW – Metropolitan Business Machines (02) 267 1611

-ECS (02) 958 9414

QLD - Applied Microsystems (07) 846 1001

WA - Pro-link (09) 367 7822

-PHM (09) 444 0233

SA - ASSCO (08) 232 1333

YES, I want the total PC CAD solution, please send me your information package.

Mail this coupon (no postage stamp required) or write to: Freepost 20, Personal Computer Group,

31-41 Joseph Street, Blackburn 3130.

Title
Company
Business Address

Postcode

Phone.



We never stop asking What if...

NEW PRODUCTS

Software

Chart Version 3.0

Microsoft Phone: (02) 452 5088 Price: See Below

The latest version of Chart, Version 3.0, has been released. Chart 3.0 runs on IBM PCs and compatibles and the IBM Personal System/2 series. It features extensive image control and support for output devices, providing high quality output for data and text charts. Chart 3.0 has an expanded set of data analysis tools and new mouse support. The gallery of 8 chart types and 48 predesigned formats has been expanded and now includes new 3 dimensional effects for bar, column, line and pie charts. Text charting functions such as text alignment, line spacing, text rotation, bullet symbols and line drawing have also been added. The statistical functions have also been expanded to provide even more data analysis capabilities

The new program accommodates up to 8000 data points per series and up to 32,000 per chart. Chart 3.0 costs \$695, though registered users of earlier versions can upgrade for \$175. Version 3.0 is available for a 5 node network for \$2085. Licences for additional nodes are \$417 (prices quoted are untaxed).

PC-Mos

SPS

Phone: (02) 419 5366 Price: See Below

A new version of the PC-Mos operating system from Software Link which adds support for 8088 8086 and 80286 based PCs. PC-MOS/386 Version 1.02, is now available. The product is distributed in Australia by SPS. PC-MOS/386, released earlier this year, is claimed by SPS to be the first available operating system to take advantage of the 80386 CPU's memory management and processing capabilities in native mode. The new version also adds support for 31/2 inch disks. PC-MOS supports multiple users or tasks, each with up to 640 kilobytes of RAM as well as features such as file sharing, user security, print spooling, disk cacheing, a full screen editor and on-line help.

features PC-Those of MOS/386 that are specific to the 80386 CPU, like support for 32-bit native mode applications, are now isolated in a simple system driver file, \$386.SYS. Systems using other CPUAs would not invoke this driver, thereby saving the memory overhead of its additional code. There are 3 new system drivers that support specific memory management memory management hardware add-ons available for non-80386 systems. MOS/386 Version 1.02 is available on 51/4 and 31/2 inch disks. The single user version is priced at \$400, the five user version at \$1152 and the 25 user version at \$1992 (all prices untaxed). According to SPS, all current registered users of PC-Mos/386 will be upgraded to the new Version 1.02 free of charge.

Intuit — Oops

In Rose Vine's review of Intuit ('Intergration For A Song') in our September issue, we said all the right things but got the Post Office of the distributor wrong the correct address is: Noumenon Pty Ltd, PO Box 280, Carlingford 2118 NSW; (02) 871 7170. Our apologies to those of you who tried to contact them with the incorrect box number (and to the holder of the box quoted). If you've written to them and not yet received a reply, that could be the reason, so please follow it up by phone. In case you missed the review, Rose summed the product up so — 'If you are an enlightened business person with limited processing needs, or you're one of the more humble computer users with limited financial resources, Intuit offers you incredibly good value

Project 4.0

Microsoft Phone: (02) 452 5088

Price: See below

Microsoft has announced a major update to its project management package, Project. Version 4.0, which has been enhanced with plotter support, custom reports, resource levelling, new activity relationships, data filtering and a variety of other features. Project Version 4.0 now supports the full line of Hewlett-Packard plotters and all paper sizes from A to E. It also features custom reports that gives users complete control over format and content. The suggested retail price is \$775 untaxed; registered users of earlier versions can upgrade to Version 4.0 for \$175.



dBase Mac

Ashton Tate Phone: (02) 868 3600 Price: \$995 taxed

A relational database management system for the Apple Macintosh range, dBase Mac, is now available. The product features ease of learning through an extended implimentation of the Macintosh graphic user interface. A non-procedural product design offers power without programming that enables users to perform entry, manipulation and retrieval of data as well as tasks such as creating relationships between data files and generating custom multi-file reports without the need to learn programming. Applications development power is available through a full featured procedural (advanced programming) language. Users can directly access .DBF files from the IBM compatible dBase family of database products

Alias/1

TCG

Phone: (02) 699 8300 Price: \$110 untaxed

Alias/I, a potential 3 dimensional image simulator, sketch pad, illustration studio and

model shop all contained within a fast, flexible package has been released by TCG. It is designed to meet the needs of designers and combines 3D geometry, powerful image, computing and Alias/1 software all interfaced to Cad/cam. The package was created for people who trained as visual designers. Alias/1 produces a wire environment visually frame based on interactive Spline technology and a visual environment which allows unlimited viewing of angles and perspectives of choice. It works on hardware such as the Iris 4D/6-3D Superworkstation. Using Alias/1 you can simulate mass, cover, lighting, texture, transparency, reflection and motion giving the user photo realism of the product, structure or environment created. Alias/1 is intended for use by designers in the areas of conceptual, environmental, packaging and product designing.



Apple Computer Australia

Macintosh Enhancement Products

Apple Computers Australia Phone: (02) 888 5888 Price: See below

Apple has released new multitasking systems software, stackware software, a new printer and two communications products to further enhance the capabilities of the Macintosh family. Among the new products are Hypercard. described as a brand new kind of software to link PCs with video technology and ease management of large amounts of data; Multifinder, the first generation multi-tasking system for the Mac and the Apple ImageWriter LQ, a wide carriage dot matrix printer capable of near laser printer output from all Apple PCs. Communications products include AppleShare PC software to en-able IBM PC or compatible equipment (using the AppleTalk PC card) to access information stored in the AppleShare file server within an AppleTalk network. For pricing and more detailed information, contact Apple directly



Retrieve

Information Potential Phone: (03) 670 0733 Price: \$650 taxed

A locally developed information storage and retrieval system for the IBM PC and compatibles has been released by Information Potential. Retrieve can maintain up to 65,000 database records, consisting of 90 lines of free format text and 15 lines of dates, times and comments. All words and dates are indexed, making information retrieval a fast pro-Information Potential CASS claims that the system is capable of searching 5000 records in less than I second.

Retrieve can take text from other files directly into its own wordprocessor. It is able to retrieve information in any number of ways. Searching is initiated using simple English commands and as the database is indexed, records can be quickly found. Flexible reporting is available for specific search criteria and reports can be sent to a monitor, printer, or a designed file that may be included in other reports. A list of important words are kept in a dictionary to warn the user that data has been accidentally entered. Retrieve has a 3 tier password system to protect the database from unauthorised users



Syman

Focus Business Systems Phone: (02) 498 4188 Price: See below

A fully integrated manufacturing and accounting system, Syman, has been released for use on IBM PCs and compatibles. Syman is available for single user PCs and up to 200 plus multi user systems. The package consists of five integrated modules: order entry, purchasing, job shop, inventory control, Focus Business software (general ledger, ac-

counts payable and receivable) and a fully integrated materials requirements planning module.

Modules can be bought individually to suit each user's specific needs. The Order Entry module organises incoming orders, tracks the status of orders and allocates inventory. Purchasing maintains detailed supplier information and analyses past performance to support greater purchascontrol of a user's ing system. Job shop will identify, cost and track estimate jobs, planned and released jobs and capacity planning; it allows 'what if analysis. Syman also features single key commands and online instructions. Pricing starts at \$8000

Word Version 4.0 Microsoft

Phone: (02) 452 5088 Price: See below

The latest version of Word. Version 4.0. has been released by Microsoft for IBM PC and compatibles and the IBM Personal System/2 series. Word 4.0 is designed to provide specific solutions for users at all levels. Among the new features are increased speed, line and box drawing, document management and retrieval, macros and improvements to the user interface. According to Microsoft, it is up to 10 times faster than the previous version and has big speed improvements in scrolling, file load and save, cursor movement and pagination

Word 4.0 has a new toggle switch between text and graphics modes — the user can work with the wordprocessor to enter data in text mode, then toggle to graphics mode to see the WYSI-WYG display. There the text is displayed on the screen as it will appear on the printed page. The graphics mode uses hi-res graphics boards and monitors, such as the VGA graphics modes of the IBM PS/2. The new Document Management and Retrieval feature helps users to to easily search for and locate documents and manage large directories. A number of new tools, including a spreadsheet link, an expanded 130,000 word spelling checker and line drawing tools are included. Word 4.0 requires a minimum 320 Kilobytes system with either 2 floppy disk drives or 1

floppy drive and I hard disk drive. It has a suggested retail price of \$795 untaxed, though current registered owners can upgrade to 4.0 for \$175. Users who purchased a licence for Versions 3.0 or 3.10 after 11 August, 1987 will receive the upgrade for no further cost.



SmartKey and PostCode FBN Software

Phone: (062) 85 2218 Price: See Below

New versions of the SmartKey and PostCode programs for use with Amiga software have been released by FBN Software. SmartKey allows the user to create macros by converting an unlimited number of keystrokes to a single keystroke. PostCode is an index of 12,000 Australian localities and their postcodes and allows almost instantaneous insertion of the correct postcode into letters or address lists, again with a single keystroke.

The Amiga SmartKey's supershift acts as a skip macro command which returns the macro key to its original value without the need to undefine the macro or go through menus. The latest SmartKey version can be used with an Amiga 500, 1000 or 2000 computer in conjunction with KickStart 1.2 or later. Amiga SmartKey is not copy protected. Both SmartKey and PostCode are memory resident. The Amiga SmartKey retails for \$59.95, while the Amiga PostCode is priced at \$240.05

Peripherals

FM Modems

Peak Pacific Phone: (02) 437 4511 Price: See Below

Peak Pacific (formerly Pacific Data Corporation) has released two new modems that are designed to use FM radio bands instead of conventional Telecom leased lines. The first modem contains an FM transceiver interface that allows users to connect to existing radio networks such as those used by police and ambulances. The other has a builtin FM transceiver that allows connection to conventional networks. Using FM band 40.45 MHz. the modems can send and receive data over distances up to 200 kilometers at speeds between 2400 and 4800 baud. The distance depends on the terrain. environment and topography of the network and the type of aerial used. According to Peak Pacific, the technology used in the products ensures 100 percent error free transmission of data. The products are claimed as being hacker and tap proof. The base price for a modem, radio, antennae and installation is \$3,000 untaxed.

Model 80

Honeywell Bull Phone: (02) 923 9660 Price: \$6184 taxed

The Model 80 laser printer from Honeywell Bull offers 300 x 300 dots per inch resolution, 250 sheet capacity and RS 422A, RS232C and Centronics interfaces. It prints up to 8 pages a minute and provides non impact printing at a noise level of about . 55 decibels. A wide variety of type styles is available; the 4 resident fonts are Courier. Prestige Elite, Century PS and Letter Gothic. Others can be downloaded from the host computer or added by inserting optional font cartridges into slots on the front of the front of the printer. Honeywell Bull software supports bold printing, automatic header and footers, underlining, strike-through printing and other features. Forms overlay make it possible to register data in the printer's memory and recall it for printing.

Mac2624

Megatec Phone: (03) 874 3633 Price: \$355 taxed

Apple Macintoshes can now emulate an Hewlett-Packard block mode terminal while retaining the graphics capability of the Mac using the newly released Mac2624. The Mac2624 allows the Mac to communicate interac-

tively with the HP3000, providing on-line access to the data, applications and storage capacity of the HP 3000. The Mac2624 comes complete with disk and manual. It implements all the modes, parameters, keyboard features and display characteristics of an HP terminal with all the convenience and added functions of a Mac. In HP mode, the mouse can still be used to position the cursor or to click on a function key. According to Megatec, the Mac user does not need to retrain on an HP terminal

Mac2624 also has utility features including modem control and a blending of Macintosh and HP3000 based test and raster graphics capabilities which enable full finished graphics. It will run over direct connection or via modem at baud rates from 300 to 57,600 bits per second.

All Chargecard

SPS

Phone: (02) 419 5366 Price: \$1152 untaxed

The All Chargecard is for users of

IBM PC. AT and compatible PCs: it corrects the problem of limited addressability of memory under DOS. The card provides DOS users with 960 kilobytes of addressable RAM under DOS and the ability to work with up to 16 megabytes of memory in both real and protected mode. Current DOS users are restricted to 640 Kbyte of addressable memory. The All Chargecard plugs directly into the PC motherboard. It is completely software controlled and claimed to be transparent to to the user.

According to SPS, the use of the All Chargecard means that PC and AT users can now consolidate spreadsheets, enlarge databases and process larger text documents without adding additional memory. Users can run the Lotus/Intel/Microsoft Expanded Memory Specification and the Ashton-Tate Enhanced Expanded Memory Specification without getting a premature memory full sign. SPS claims that All Chargecard can work with existing expanded memory boards that may be in use.

Ricoh PC Laser 6000

Mitsui

Phone: (02) 451 7711 Price: \$3995 RRP

Mitsui has released a compact, easy-to-operate, 6 page per minute laser printer, the Ricoh PC Laser 6000. The new printer comes standard with a controller configured with 1 megabyte of RAM that is expandable to 2 Mbyte for desktop publishing applications. The printer also comes standard with Diablo 630 emulation, ensuring that the PC Laser 6000 will operate virtually all popular software written for wordprocessing, database. spreadsheet, Cad/cam and business graphics applications. The printer also comes standard with with both Centronics parallel and RS232C serial interfaces to accommodate most microcom-The printer supports puters. up to 32 fonts per page from the 8 resident fonts, font cartridges or fonts downloaded from the host microcomputer. The 8 resident fonts include Courier, Prestige Elite, Letter Gothic, and

Century PS. The printer features input and output trays which each hold 150 sheets. The programmable front panel controls offer the ability to select fonts, set interface protocols, paper size and more.

SQ 555

CVA Computer Peripheral Sales

Phone: (02) 476 6400 Price: \$1820 taxed

A removable Winchester disc drive with a formatted capacity of megabytes has been released by CVA Peripherals. The new drive is an extension of the Syquest series of drives that have been available for some time. Known as the SQ 555, the drive offers users the ability to have virtually infinite prime storage simply by changing cartridges. The 44.5 Mbyte capacity allows the SQ 555 to contend seriously for use in multi-user and networked systems. The SQ 555 features an average access time of 25mS and it fits directly into a 5 1/4 inch slot.

Do You Sometimes Feel Like Joe . . .



Joe's got a real problem. Last week his keyboard just hung-up on him and this morning he found that the files he was working on yesterday were somehow corrupted.

He works in a busy office, full of typewriters, photocopiers and other automated office equipment.
But there's another type of noise in his office that he doesn't know about.

Joe's office is also electrically noisy and its this electrical noise in the form of power surges and spikes caused by the use of office machines that disrupts Joe's computer equipment. So he's had enough. Joe's investing in an Uninterruptable Power Supply (U.P.S.). His friend recommended "Perfect" U.P.S.'s. Starting at \$625, they can switch-in within 4 milli-secs of the power

disruption and provide up to 30

minutes of protection at full load.

For more information on Perfect U.P.S.'s and how they can save you time and money, call Emona at (02) 519 3933. Or write: Emona Computers P/L, PO Box K720, Haymarket 2000. Fax: (02) 550 1378.

EMONA COMPUTERS & PERIPHERALS

In addition, automatic error detection/correction and extensive defect management are transparent to the user. Implementation is via a standard SCSI or IBM interface.

Furniture


Laser Printer Cabinet

Sylex

Phone: (02) 647 2888 Price: \$425 taxed

Sylex Ergonomics has released

the Laser Printer Cabinet in response to the growing demand for laser printers. The Laser Printer Cabinet is designed to keep the printer and its consumables in an ordered, efficient format. It will accommodate all paper storage on multi-adjustable shelves, with additional space provided for ink cartridges and bulk materials. The drawer above is large enough to store instruction manuals and the fonts. The Cabinet is constructed from Florentine Grev craftwood. finished with mid grey T-mould and is designed to blend in with the decor of the modern office.



Synchrolift Chair

Sylex

Phone: (02) 647 2888 Price: See below

Sylex has released its latest ergonomic chair, the Synchrolift. The seat pan and backrest are height and tilt adjustable and the synchron action links together the movements of seat tilt with backrest tilt to ensure that they are in the correct position relative to each other. This prevents the common problem of incorrect settings. The synchron action is operated by one simple lever. Other features incorporated are a large backrest and a wedge contoured seat. Seat height adjustment is by a top activated gas lift cylinder. The chair also has a



THIS MONITOR COULD PUT US OUT OF BUSINESS.

The NEC MULTISYNC colour monitor is so advanced it will probably never need to be upgraded. That means once you've bought one, you'll possibly never need to replace it.

You see the MULTISYNC automatically scans all frequencies between 15.5kHz and 35kHz – which includes every colour graphics board now in use. And it adjusts itself to suit, with a maximum resolution of 800 (horizontal) by 560 (vertical). It's also compatible with IBM PCs. And all IBM compatibles.


In layman's terms this simply means that the MULTISYNC not only has a superior clarity of display. And superior database applications. But with MULTISYNC, when the time comes to upgrade your computer, you won't have the added expense of changing over your monitor.

Now despite the fact that we call the MULTISYNC the 'intelligent' monitor, it may not be the most intelligent business move we've made. However we're sure the MULTISYNC will keep you ahead of everyone else for a long time to come. To find out more telephone (02) 8681811.




Sydney (02) 8681811; Newcastle (049) 262466; Melbourne (03) 5449200; Brisbane (07) 2770888; Adelaide (08) 2949033; Perth (09) 4453499.

NEC484/87 USPNeedham



scruff proof base with twin wheel castors, pure wool fabric which does not generate static and optional arm rings. It is priced at \$445 (taxed) without arms and \$540 (taxed) with arms.



Miscellaneous

PalettePlus

Polaroid

Phone: (02) 887 2333 Price: \$3800 untaxed

Polaroid has introduced a computer image recorder which delivers high resolution colour prints, slides or overheads from IBM compatible PCs using EGA boards. The system, PalettePlus,

when connected to a computer with an EGA or EGA emulating board (21.85 KHz sweep) and graphics software with a PalettePlus driver can produce 640 x 700 pixel hardcopy. The system can also be used with CGA or CGA emulating board equipped computers. It is capable of producing images with resolutions as high as 920 x 700 pixels. Output resolution is dependent on the actual hardware and application software combination used. New, easier to use Polaroid Palette Version 4.0 operating software in the PalettePlus package includes a graphics adapter menu which identifies 7 EGA and 5 CGA boards compatible with the recorder. The package includes the exposure unit with connecting cables, a 31/4 x41/4 inch film back for overhead slides and prints, an autowind 35 mm camera back, Power-Processor 35 mm slide proilluminated cessor. cutter/mounter and Palette Operating Software Version 4.0. distributes Polaroid also 35 mm Express, one of the many graphics software packages with incorporate drivers for PalettePlus.

ESSENTIAL DATA DUPLICATOR

Back up your copy-protected disks with ESSENTIAL Data Duplicator 4 PLUS ■ EDD 4 PLUS is new technology, not just 'another' copy program. The EDD 4

PLUS program uses a specially designed hardware card which works with your disk drives to back up disks by accurately copying the bits of data from each track. Don't be fooled . . . no other copy-program/system for Apples can do this!

addition to backing up disks, EDD 4
PLUS includes several useful utilities such
as examining disk drives, certifying disks,

displaying drive speed rpm's, plus more!

■ EDD 4 PLUS runs on Apple II, II Plus (including most compatibles), and IIe, and is priced at \$190.00 (duodiskl/unidisk 5.25 owners must add \$32.00 for a special cable adapter). ■ A standard

EDD 4 version which doesn't include any hardware is available, and can be used on Apple IIc and III (using emulations mode) and is priced at \$125.00.

Bankcard and Master card accepted by phone.

Add \$3.00 to all orders for postage and handling.

All orders must be prepaid.

UTILICO SOFTWARE

83 HALL ST., BONDI BEACH, NSW 2026 PHONE (02) 30 2105

Tandy Credit Card

Tandy

Phone: (02) 675 1222

Okay all you computer enthusiasts who like collecting plastic—here is one credit card with you in mind! Tandy Electronics has introduced the Tandy Credit Card which allows the immediate purchase of any product, covering a range of 2860 products. The card is available from 200 Tandy store locations around Australia.

livetti


Hard Disk Repair Peripheral Computer Industries

Phone: (02) 604 8544 Price: See below

Olivetti Australia has reached an agreement with Peripheral Computer Industries to provide hard disk unit repairs for the Olivetti PC range.

Olivetti says it is the only PC manufacturer able to provide local hard disk repair. Other companies usually ship units for repair to plants in overseas loca-

Repairs of hard disk units require what is known as a Class 3.5 clean room environment: this is provided by Peripheral Computer Industries. Initial batches of repairs have been checked and results have been good. People who own an Olivetti machine and would like to use this service should contact Olivetti on (02) 358 2655. Prices of repairs vary from unit to unit. Peripheral Computer Industries also repairs other brands of hard disk drives.




Anti-static Computer Mat

Sylex Phone: (02) 647 2888 Price: See below

Yet another piece of computer furniture from Sylex. This product is an anti-static computer mat. According to Sylex, static electricity is ever-present and builds up in the body of a VDU operator to high levels of voltage; up to 3000 volts can be unfelt by the operator but could cause memory loss and data corruption to equipment

The mat drains data-corrupting static electricity in less than 0.3 seconds. The company claims that this is important because to be effective an anti-static mat must drain electricity almost instantaneously. The Sylex mat drains electricity through a conductivity lead with a builtin one megaohm resistor which is connected to an earthed point.

The mat is available in three sizes up to 1200mm x 1500mm. The largest size retails for around \$359. The mat is available from most major computer companies and Sylex distributors



Now it's easy to design schematics with your computer

imply use OrCAD/SDT, the easy to Use, totally flexible and affordable schematic design tool (software) - for use with IBM PC/XT/AT or compatible computers.

Easy schematic design
OrCAD/SDT makes the placement of graphic symbols, interconnections, components, and text both fast and easy. Parts can be selected by the keyboard or from a pop-up directory (and moved or rotated to where you choose).

Fast graphical editing With powerful editing commands, single objects or groups of objects are easily moved, replicated or deleted. And if an object is accidentally removed, it can be immediately recovered with an "undo" command.

OrCAD/SDT Features:

• Unique parts library • Rubberbands wires/buses

• Automatic pan • Levels of hierarchy • Graphics options

• Zoom levels • Design check • Back annotation

• DeMorgan equivalents • String searching • Part rotation & mirroring • Keyboard macros • Color graphics • On-line part browsing • Net list translations • List of materials

Systems Corporation



Cut	out	and	mail	today
Cut	Otte	etite.	ILLOCAL	tout

Title	e cumel disarrance record
Company	
Address	
	P/C
Telephone	Fax

Prometheus Software Developments Pty Ltd. 191 Riversdale Road Hawthorn Vic. 3122. Telephone: 819 6088 Fax: 819 6085

Events

The Australian Urban and Regional Information Systems Association will hold its 15th Annual Conference — UPRIS 15 — in Hobart from December 2 to 4. For full details contact the

conference secretariat (002) 34 1424.

The First Australian CD-ROM Conference will be held at the University of Adelaide from November 19 to 20. Contact Robert Hayes (08) 228 5020.

Ausgraph '87 organisers are calling for previously unpub-

tished papers dealing with Cad/cam animation, scene simulation and image processing. The show will be held in Melbourne from July 4 to 8 at the Hyatt on Collins. Details (03) 387 9955.

The Standards Association of Australia is calling for comments on a proposed new stand-

ard which specifies requirements for a software quality management system. Phone (02) 963 4111, for details.

Australian Financial Review New Product & Technology Expo. At the Melbourne World Trade Centre, from November 11 to 15. Contact Fiona Waite on (02) 439 7738.

The Joint International Symposium on Information Systems is calling for papers for its meeting to be held in Sydney from February 29 to March 2 next year. Details on (02) 697 4413.

The 1987 AFR New Product Expo will be held in Melbourne from November 11 to 15. Phone (03) 266 4424.

The Australian Society for Computers in Learning in Tertiary Education is holding its annual conference in Sydney on November 30 and December 2. Details (02) 697 3175.

The Sydney dBase Users' Group meets on the third Tuesday of each month at the Bird Cameron Training Room at Bligh House, 4 Bligh Street Sydney. Contact (02) 27 8273. The number for Melbourne dBase users to contact is (03) 318 2666.

Overseas Exhibitions

Electrex, a UK electrical and electronics exhibition, will be held in Birmingham from February 29 to March 4 next year. Contact Keith Prowse (Australia) on (02) 953 8888.

CommuniTech and Computer '87 Malaysia: The second Malaysian International Electronic Communications, Office Technology and Business Computer Show, will be held at Kuala Lumpur from November 10 to 14. For more information contact Australian Exhibition Services on (03) 267 4500.

The EDP Auditors Foundation Conference: The 18th Conference is to be held in Atlanta, Georgia, US on the 10th to 15th of April, 1988. Write to The Program Chairman, The EDP Auditors Foundation, Box 88180, Carol Stream, IL 60188-0180 or telephone 312/653-0950. □



The mystery: How can a CAD plotter have so many features yet be so affordable?

The solution: Price performance technology of Enter computer.

Investigate the new SP1000 plotter. You won't find the competition even close when it comes to price or performance.

The SP1000 emulates the popular HP/GL plotter language making most CAD applications a snap. Features:

- Full function keyboard and lighted display for simple speed and set-up selection.

 Precision serve mater operation for high speed.
- Precision servo motor operation for high speed and low noise.
- Media size adjustable, A-D engineering and architectural.
- RS232C serial interface assures compatibility with many computers.

- Adjustable pen force allows use of any type of Hewlett-Packard compatible pen.
- Readily available through a world-wide network of distributors.


The new SP1000 plotter is engineered and priced to take the mystery out of your next plotter purchase.

For further information or to arrange a free demonstration phone Kenelec today.



VIC. (03) 560 1011 N.S.W. (02) 439 5500 QLD. (07) 393 0909 S.A. (08) 223 2055 W.A. (09) 322 4542

WORKSOUTH 340



33 MB - PTI 338

A bargain doesn't always mean a lower price. So with the PTI 338 you could by uy cheaper drives, but you'll find it very difficult to buy better. Micro General's PTI 338 is a highly compact, super reliable 3.5" half height, hard drive. It has a capacity of 33MB formatted and an average access time of only 35mS, which suits the IBM AT table (standard type3). Furthermore, the Run Length Limited version (PTI 357) allows a huge 49MB formatted capacity and either version can fit 5.25" drive spaces. With PTI 338's other features like Extra Low Current (6.5W) operation, automatic retracting and locking heads on power off, shock mounting on all anchor points and low inertia, you have an excellent unit for all portable and desktop applications.

S P Ε

CAPACITY

Unformatted Storage Capacity;

Number Data Surfaces; Cylinders;

ACCESS

Seek Track-to-Track Access Time; including Head Settling Time;

Average Seek Time; Using Buffered Seek;

RELIABILITY

MTBF:

Preventative Maintenance: **ELECTRICAL REQUIREMENTS**

+ 5 Volts D.C. Power;

+ 12 Volts D.C. Power:

Power Consumption;

38.4

6

612 + 4 spares

14 Milliseconds

35 Milliseconds

12,000 power-on hours (per MIL-SPEC tests) none required

 $+5\pm5\%$ at 0.3 amperes typical at 100 millivolts PARD maximum + 12 volts ± 5% at 0.4 amperes typical at 100 millivolts PARD maximum 6.5 watts typical



Micro General Pty Ltd (Incorporated in NSW) 58 Atchison Street, St. Leonards NSW 2065 Telephone: (02) 439 8400 Telex: AA151224 INFOEX ATTN: ME278Y

IT AN UA D S ERVICE 0 U C A N R E ON

Software On The Cheap

Quality Software for IBM and Compatibles IBM JX IBM Laptops and compatibles Commodore AMIGA Commodore 64/128 Macintosh Apple II series Atari ST CP/M

All the latest public domain and user supported for a LARGE range of computers at VERY LOW PRICES!

We do not charge for our software. All we ask is a small sevice fee to help us cover the costs.

Commodore 64/128 and Apple II disks only \$8 each IBM 5.25 inch only \$10 each.
All our 3.5 inch format disks are only \$15.
We take BANKCARD, VISACARD, AND MASTERCARD, as well as mail orders.

For your FREE catalogue call (02) 51-3615 Now!
24 Hours 7 Days
Or Write to

Software On The Cheap P.O. Box 63 Erskineville NSW 2043

Please Specify your Computer type!

IBM UNDERGROUND

preadsheets form one of the less well Drepresented areas in public domain and user supported software. Until now those available have effectively been subsets of the industry leaders. Now there is one which takes a new direction - Qube-Calc is a truethree dimensional spreadsheet (as opposed to some two dimensional spreadsheets which merely link cells of multiple spreadsheets together).

The WorkQube

The QubeCalc spreadsheet (known as the WorkQube) may be most easily thought of as a large cube containing 262,144 cells. These cells are arranged into 64 rows, 64 columns and 64 pages. The 3 dimensions of the WorkQube are named X. Y and Z. There are 6 different faces on the Work-Qube (just like on a toy block), which are named A, B, C, D, E and F.

OubeCalc provides a familiar spreadsheet window into each of these 6 faces. which allows you to view, enter, or otherwise manipulate your data from any of the 6 faces of the WorkQube. This provides 6 different 'perspectives' of the data stored within the WorkQube and any one slice of the WorkQube can be displayed on the screen. The real power of QubeCalc is its ability to rotate the WorkQube to allow you to look at your data from many different perspectives.

Data is entered into the QubeCalc WorkQube, just as with any other spreadsheet and the WorkQube treated as if it were 64 spreadsheets linked together.

QubeCalc can turn rows into columns, columns into pages and so on, to allow you to look at your data in any perspective you desire. It has 44 predefined mathematical, statistical, financial, date, time and logical functions. A datafill command is included which is not limited to even increments and macros are supported. The registered version also has context sensitive help screens and imports Lotus files.

The Display

The QubeCalc screen looks much like the screen of any other spreadsheet. It consists of cells laid out in rows and columns. A highlighted axis across the top of the screen displays the letters of the columns which are currently visible on the screen and a highlighted axis down the left side of the screen displays the numbers of the rows which are currently visible on the screen.

The QubeCalc screen provides information such as the number of bytes available for data, the current directory for data files, the name of the current file (if any). the current block for recalculation and a cell status line. The cell status line is located in the top lefthand corner of the screen and looks something like this:

[C]B4;5: NLMBER (9)

This gives a lot of information about the current perspective and cell. The [C] indicates that you are currently viewing perspective C, the B4;5 tells you that the cell you are currently at is in column B, row 4 and page 5. The current orientation of the axes may be changed using the /Work-Qube Perspective command. This will in effect rotate your data so that you may view it from another perspective.

The next item, NUMBER, tells you what type of item is in the current cell (this item can be either BLANK, TEXT, NUMBER, FORMULA, or ERROR). And finally, the value in the parentheses, (9), tells you what the width of the current cell.

Entering Data Into The WorkOube

Each of the cells in the WorkQube may hold a either a number, some text, or a formula. Up to 70 characters may be entered into each cell.

Numbers may range from -1.0E+37 to +1.0E+37 and can have up to 11 significant places. A number may be entered in either standard notation (sav. 12.345) or in scientific notation (say, 1234.5e-2)

Text strings may be entered into a QubeCalc cell by simply typing in the string. If the text contains more characters than the column is wide and if the adiacent cells are blank, it will spill over into adjacent cells. If the adjacent cells contain data, then the extra characters in the text string will be hidden from view

A QubeCalc cell may contain a formula made up of numbers, references to values in other cells, predefined functions and mathematical and logical operators. A formula must begin with an = sign and may be guite complex. QubeCalc provides a large assortment of predefined functions which may be used in formulas. The functions must be entered in capitals, which is a minor annoyance.

The mathematical functions for Qube-Calc are: @ABS(X). (wEXP(X). (wLN(X), (wLOG(X), (WINT(X), @FRAC(X), @MOD(X.Y). @RAND. @ROUND(X,Y), @SQRT(X), @FACT(X), @SGN(X) and @CELL. The trigonometrical functions are: (wPL (wCOS(x),(@SIN(x).

(wTAN(x), (wACOS(x), @ASIN(x) and @ATAN(x).

You can also use statistical functions which are: (@AVG(list). (@COUNT(list). @MAXI(list), @MINI(list). (@STD(list). @SUM(list)

and @VAR(list).

There are also a number of financial functions available; @FV(Payment, Interest, Periods) represents the future value of an annuity; @PV(Payment, Interest, Periods) represents the present value of an annuity; @PMT(Principal, Interest, Periods) represents loan payments per period while @CGR(Present Value, Future Value, Periods) represents the compound growth rate for an annuity.

QubeCalc represents dates as serial numbers where Jan 1, 1900 = 1, Jan 2, 1900= 2 and so on. Time is represented as a fraction where midnight = 0.0, noon = 0.5, 6.00pm = 0.75 and so on. This allows dates and times to be manipulated with ordinary arithmetic operations. The functions for date and time are:

WNOW. (a DATE(v.m.d). (a TIME(h,m,s), (a YEAR(X), (a MONTH(X). (a DAY(X). (a HOUR(X). (a MINUTE(X), and (#SECOND(X). The logical functions are:

@TRUE.

@FALSE.

@IF(CONDITION,
ARG1,
ARG2)
and @CHOOSE (SELECTOR, ARG1,
ARG2,..., ARGN).

Absolute and Relative Cell References

Cell references in a formula can be either absolute or relative. Absolute cell references begin with the character \$ (for example: \$A1:1) but relative cell references do not use any special character. It did not seem possible to have mixed addresses with, for example, the row absolute and the column and page relative.

The Command Menus

OubeCalc provides many powerful commands which are available through the Command Menus, called up by pressing the / key, as is done with Lotus.

The /Cell command provides options dealing with the contents of a single cell. These are Format, Width, Erase, Justify and Copy. The /Block selection provides options dealing with the contents of a block of cells which you define. The defined block may consist of a single cell, a 2 dimensional range of cells, or a 3 dimensional block of cells. The commands are Format, Width, Erase, Justify, Copy and DataFill. The /WorkQube selection provides options dealing with the contents of all the cells in the QubeCalc workspace. These are Format, Width, Erase, Justify, Perspective, AutoCalc, Order and Color.

The /Insert command provides the capability to insert a blank row, column, or page of cells into the WorkQube. The /Delete command provides the capability to delete a row, column, or page of cells from the WorkQube. The /Print command provides the capability and options to print defined blocks of cells on a printer or to a file. The /Graph command provides the capability and options to create graphs

from data within QubeCalc. The /File command provides the capability to save and load all or part of the cells to/from a file. The /Quit command exits QubeCalc. The WorkQube is not automatically saved but the user is prompted to save. If the file name selected already exists, the user has the option of making a backup or overwriting the existing file.

Function Keys

QubeCalc makes good use of the function keys, and most have functions familiar to users of Lotus:

[F1] HELP — Calls up a context sensitive HELP screen.

[F2] EDIT — Allows editing of cell contents

[F3] BLOCK — Allows definition of blocks when entering formulas.

[F4] ABS — Toggles references between absolute and relative.

[F5] GOTO — Jumps to a designated cell. **[F6]** FIND — Searches for a given string in the WorkQube.

[F7] STAT — Displays status and defaults of the WorkQube.

[F8] MACRO — Allows definition of macros.

[F9] CALC — Recalculates the WorkQube. [F10] GRAPH — Displays the graph defined by the current settings.

Availability

OubeCalc is distributed as a complete and running system through the normal user supported and public domain channels, though the files needed for context sensitive help and 1-2-3 import are not included and are only provided with when registration is made with the author. The version tested did not have them and I cannot therefore make any further comment.

Oubecalc is a product of The Formal-Ware Co, PO Box 21726, San Jose, Ca. 95151-1726. Registration is \$US54.85 plus postage and includes a printed manual (not reviewed) and advice of updates. My copy came from the PC Users Group Inc, PO Box 52, Belconnen 2616 ACT. Price from them is \$7 plus \$3 post and pack.

Oubecalc is an amazing product and will become one of the top user supported spreadsheets. With a speed around 25 percent of that of Lotus it is highly competitive with many Lotus clones at an even lower price. The 3 dimensional structure takes a little experimentation to exploit but is clearly and immediately an effective way to consolidate data and derive reports from a number of criteria. Well worth trying, and registering.

Perspective A)

	Jan 83	Apr 83	Jul 83	0ct 83	1983
Rent (83) Util (83) Auto (83) Food (83)	\$300.00 \$50.00 \$150.00 \$250.00	\$310.00 \$51.00 \$152.50 \$252.00	\$320.00 \$52.00 \$155.00 \$254.00	\$330.00 \$53.00 \$157.50 \$256.00	\$1260.00 \$206.00 \$615.00 \$1012.00
Tot (83)	\$750.00	\$765.50	\$781.00	\$796.50	\$3093.00

Perspective B)

	Apr 83	Apr 84	Apr 85	Apr 86	Apr Tot
Rent (Apr) Util (Apr) Auta (Apr) Faad (Apr)	\$310.00 \$51.00 \$152.50 \$252.00	\$350.00 \$55.00 \$162.50 \$260.00	\$390.00 \$59.00 \$172.50 \$268.00	\$430.00 \$63.00 \$182.50 \$276.00	\$1480.00 \$228.00 \$670.00 \$1056.00
Tat (Apr)	\$765.50	\$827.50	\$889.50	\$951.50	\$3434.00

Perspective C)

	Rent (83)	Rent (84)	Rent (85)	Rent (86)	Rent
Rent (Jan)	\$300.00	\$340.00	\$380.00	\$420.00	\$1440.00
Rent (Apr)	\$310.00	\$350.00	\$390.00	\$430.00	\$1480.00
Rent (Jul)	\$320.00	\$360.00	\$400.00	\$440.00	\$1520.00
Rent (Oct)	\$330.00	\$370.00	\$410.00	\$450.00	\$1560.00
Rent (Tot)	\$1260.00	\$1420.00	\$1580.00	\$1740.00	\$6000.00

Table 1. QubeCalc provides a familiar spreadsheet window which allows you to manipulate data from any of the 6 faces of the WorkQube. Shown above are three 'perspectives' of a sample WorkQube. Perspective A) shows the amount of money spent on various items over 4 months during 1983, as well as the total spent on each item. Perspective B) shows the amount spent on these same items during April over 4 years and the total spent on each in that month. Perspective C) shows the amount spent on one item in different months over a period of years and the total.

YOUR IBM

Thave just come across one more way to transfer files from 135 mm (5 ½ inch) to 90 mm (3 ½ inch) disks using Laplink, a software plus cable solution, as is Brooklyn Bridge, which I wrote about in September. In both cases, software is transferred from a 135 mm disk on one machine to a 90 mm disk on the other via the RS 232 port on each machine and a cable.

While both run at 115200 bits per second, Laplink has a different approach in the way the software is written and run. As you may recall, Brooklyn Bridge uses a device driver on one machine, which becomes the host, and runs an executable program on the other machine, which becomes the remote. The host then has access to all drives on both machines from DOS and from within any program.

Laplink runs an executable program on both machines and allows file transfer from one machine to another.


Laplink runs an executable program on both machines and allows file transfer from one machine to another. A fast run through the operation of LapLink may clear things up for you. The LapLink package contains two disks, one 135 mm, one 90 mm. It also contains a cable with 4 connectors. At each end is a 25 pin and a 9 pin connector. The wiring between the ends is crossed to form a null modem cable. It can be used to connect almost any combination of IBM compatible machines.

Plug your two PCs together. The LapLink program is in a file called LL.EXE on each of the disks. Run it and each machine will display a screen with a directory listing of the local default directory on the left side and the remote default directory on the right. Now you can change directories or drives on either machine and can copy one file at a time, or groups of files using 'wildcards', from one machine to the other.

The up and down cursor keys select a file in the default directory while the left and right cursor keys swap between the local and remote directory.

A number of commands are available:

Log changes the default drive or directory on either machine; Copy copies the file under the cursor to the default drive on the other machine; Options sets options for copy and wildcopy (Subdirectories can copy all files in the default directory and all directories beneath it. Modified only copies those files which are different. Date copies files with creation dates in a specified range.); Wildcopy copies a group of files using DOS-like wildcards; Setup configures the session (The settings may be



saved permanently. A number of parameters can be selected, but, in particular, the transmission speed can be reset as low as 9600 baud should your serial port/cable combination have some problem.); View allows contents of the file under the cursor to be read; Delete erases the files under the cursor; Rename allows renaming of files; Quit returns to DOS (of course!).

I tested Laplink by connecting an IBM PC and a Toshiba laptop; seeing files copied from one to the other at lightning speed is amazing. I also found an unexpected use while testing an AT clone with one of those 1.2 megabyte floppies that writes narrow tracks on 360 kilobyte disks that cannot reliably be read by the normal 360 Kbyte drives in PCs. Here I transferred data files back from the AT to the PC quickly and without error. It also proved to

be a far faster way to transfer files to the AT for testing than copying onto a floppy and then back onto the AT hard disk.

Laplink does not support the use of drives on the remote machine under DOS the way Brooklyn Bridge does, but it does have one very great advantage. Because Brooklyn Bridge is more ambitious in its aims and uses device drivers to access remote drives, it does not work with some hard disks that use device drivers or host operating systems. These include older Tallgrass external drives and Davong external drives. Laplink accesses all the drives from the executable copy of the program running on the same machine. It works well with my Davong and with Tallgrass drives. Laplink can be driven from either machine, unlike Brooklyn Bridge which can only be driven from the host.

Both Brooklyn Bridge and LapLink are worth a look. If your hard disk is very IBM compatible then Brooklyn Bridge is more versatile. If you have one of those ersatz hard disks like mine, LapLink is a must. The ability to copy whole disks of files while retaining their sub-directory structure is a real bonus.

Laplink is from Travelling Software. My copy came from Discware of 3 Smail St, Broadway, NSW 2007; (02) 212-6933. Price is \$249.

Find That Software!

What's the hardest thing in the world to find? A ready to run, fully debugged subroutine, or an essential programmers tool, that's what!

One of the benefits of C is its ability to use libraries of user written functions. To make life even easier there are now a plethora of commercial libraries and a million tools for C programmers. The names of many of these will be familiar from advertisements in the US magazines, but rarely is any detailed information available. Deciding if one is worth having can be somewhat of a lottery.

To ease this problem, Fagan Microcomputer Systems (FMS) has created a Technical Software Reference manual. FMS is an importer/distributor/retailer and authors' representative specialising in tools for serious programmers, with an emphasis on C programmers. Its new manual gives comprehensive details of a vast compendium of these tools. It consists of a three ring binder nearly 50mm thick. This is divided into sections based on the

company which created the software. Details on each product include the functions in a library and what they do, the CPU, operating system and RAM required and disk requirements. Typically, product details are from two to four A4 pages.

The nice part is that, while the details of each product have been written with the active participation of the software authors, they are far more than a mere advertisement. As an example, the part of the Reference about Lattice products totals 30 pages and the details of other vendors are also quite voluminous.

Vendors currently in the manual are Lattice (C compilers, tools, encryption and communications), Media Cybernetics (Halo), Phoenix (C tools), Softcraft (Btrieve), Graftalk (charting), Unipress (Emacs), Vermont Creative Software (Windows For C), Age of Reason (Run C), Blaise Computing (C routines including communications), CES (Magic series), Compuview (Vedit), DMA (Ascom IV), Essential (communications functions in C), Greenleaf (communications and general functions in C), IMI (Bastoc) and GSS (Graphics).

Pages of information on Microsoft, MicroWay, Aldebaran, Polytron and Faircom products are being prepared and separators are already in the binder waiting for them to be inserted.

The effort in assembling all this information, formatting it in a consistent fashion and publishing it in a high quality binder is fantastic and the results worthwhile. To filter out the school project brigade, a nominal charge of \$20, plus \$6 for postage and packing has been imposed—a small fraction of the cost of production and about the cost of the binder full of an equal amount of blank paper. In addition the fee includes perpetual registration and purchasers will get a continuing update as products are added, deleted and revised without paying another cent.

The Technical Software Reference is available from FMS, 95 Canterbury Rd, Middle Park, Victoria 3206; (03)-699-9899. Now you can find that function you need and not waste hours or days reinventing the wheel. Well worth getting for any advanced user, very useful for programmers in any language and absolutely essential for C programmers.

User Groups

I am delighted that the secretary of yet another PC User Group has contacted me with information on the Group and its library.

The PC Users Group Inc. of the ACT sent me a copy of its catalogue of Public Domain software. The Group has taken a slightly different approach to its library and has created its own collection of disks with a numbering system unique to the ACT. It has 444 disks of general software, with usually one major package or two per disk, and 36 disks of utility software each with many small utility programs. The catalogue is a very pleasant surprise, too. It is a paperback book, A5 in page size, and with 114 pages, apparently typeset with a laser printer. Very legible and easy to read. The Group charges a copying fee of \$7 per disk, including the price of the blank disk, and postage is \$3 for up to 4 disks, \$5 for 5 to 8 disks.

The Group librarian can be contacted at PO Box 52, Belconnen, ACT 2617. Meeting details should be available from the same address.

Tattslotto 6-45 version - includes database of all p - PRIZE option: you select a tallies up all prizes that they we - EVALUATE option: uses your s next weeks draw RANDOM op - GRAPH option: produces history - Full database functions ADD, professional input screen forms, mi indexed B-Tree data file for fast ac	CK (\$95) OSE clones, Tandy 1000, e on. NSW GoLotto 6-40 version	Fullscreen, multi-window Do you have trouble fine can't remember the filena disk you put it? Yes! The being descriptive with on co. 65,000 filenames can be description, date and tim - You may search this can be using - Has a built in full featur - Has a built in fullscreen - XTREE users, trade up - Has many more feature	The CAT (\$95) C, AT & close clone of (colour) with easy Lotus-lik ling your data/letters/program me or on which hard disk dire of you badly need The CAT. I by 8 character filenames. With c CATalogued, each with a 50 e, and the disk (volume) on we talogue for any word in the med file manager, with more fe of editor with user installable c now, send original XTREE di s, including an alternative mod User Manual. The CAT is sim	e menus system: s etc, because you crow or floppy ace it, its hard The CAT: character file hich it resides. ame or description. eatures than XTREE. commands. sks for a \$30 discount. use interface.
3BY5 - a text database PCWrite 2.7 - the fame OMNI - fullscreen edit All prices are the full price	of Public Domain and Sharewa system, suit book catalogue, recipes of lous wordprocessor, leaves many expe- tor, written by renowned author of Co- ces (they include postage, handling et- those items you want. I wish to Expiry date: 	etc. (1st 10 customers get a printed mensive competitors wanting. DPYWRITE. Best of PC Ut c.). Please send me free informations to pay by (ie. Bankca	anual). PC Calc 2.0 - a sp PC File III - a great database ilities - many indispensible ro	readsheet program. system. utines. order). are, 8,



IBM* XT* COMPATI COMPUTERS \$795*

Check these features and our prices. We're sure you'll agree they're exceptional value for money!

- Assembled in Australia!
- AT* style keyboard
 8 Slot motherboard
 6 months warranty!

Tested by us for 24 hours prior to delivery!

150W power supply (Japanese drives available for an extra \$50 each) (Switchable 4-77/8MHz Turbo versions available for an extra \$50)

* \$795 COMPATIBLE COMPUTER 256K RAM Single Drive, Graphics and Disk Controller Card. \$795

640K RAM COMPATIBLE COMPUTER 2 x 360K Disk Drives, Multifunction Card, Colour Graphics, Disk Controller, 1 Serial, 1 Parallel Port. (Includes Timer Disk). \$1,150

20 M/BYTE HARD DISK COMPATIBLE COMPUTER 20 M/Byte Hard Disk, 360K Disk Drive. 1 Serial, 1 Parallel Port.

(Includes Timer Disk)

Single 360K Floppy Disk Drive only \$1,750
Dual 360K Floppy Disk Drives only \$1,895

IBM* AT* COMPATIBLE

- Assembled & Tested in Australia!

 1 M/Byte Main Board 6 MHz

 1.2 M/Byte Floppy Disk Drive 80286 CPU

 Colour Graphics Display Card 8 Slots
 Floppy & Hard Disk Controller 20 M/Byte Hard Disk
 Printer Card and RS232 Keyboard

- 200W Power Supply

- 6 Months Warranty
 - only \$2,795

IBM* BABY AT*

- 1 M/Byte Main Board
 1.2 M/Byte Floppy Disk Drive
 Colour Graphins Display Card
 8 Slots
 Floppy & Hard Disk Controller
 Printer Card and RS232
 200W Power Supply
 Dimensions: 360(W) x 175(H) x 405(D)mm



SWIVEL BASE Make life easier with these quality, swivel and tilt bases, complete with rubber fittings!

Cat D11100 Special, \$19.95



APPLE* COMPATIBLE


\$39.95 Cat. C14200



RS232 BREAK OUT BOX
A simple way of monitoring RS232
interface lead activity. Interface
powered, pocket size for circuit
testing, monitoring and patching.
10 signal powered LED's and
2 spares. 24 switches enables you
to break out circuits or reconfigure
and patch any or all the 24 active
positions.

positions.
SPECIFICATIONS:
Connectors: DB25 plug on 80mm ribbon cable and DB25 socket
Indicators: Tricolour LED's for TD,
RD, RTS, CTS, DSR, CD, TC,
RC, DTR, (E)TC
Jumper Wins: 20 tinned end pieces
Power: Interface power
Enclosure: Black, high impact
plastic.
Directions: 25 x 95 x 90mm

Dimensions: 85 x 95 x 30mm X15700 \$94.95



/ERBATIM DISK

All prices to disk boxes:		
Description		
51/4" 1S/2D	\$24.95 \$22.50)
51/4" 2S/2D	\$29.95 \$28.50)
51/4" 2S/4D	\$75.00 \$70.00)
	\$44.95 \$42.95	
	\$47.50 \$46.50	
	\$49.50 \$48.50	



51/4" DISK STORAGE Efficient and practical. Protect your disks from being damaged or lost!

- eatures... 70 disk capacity
- Smoked plastic cover
 Lockable (2 keys supplied)
 Dividers/spacers
- spacers Cat C16025 only \$14.95



- 31/2" DISK STORAGE UNIT

 Holds up to 40 x 31/2" diskettes.

 Lockable (2 keys supplied)

 High impact plastic lid and base
- only \$14.95 Cat. C16035





ALL A CRAZY LOW \$9.95

PRINTER RIBBONS TO

MX100, FX100, RX100 (Cat. C22002) \$19.95 MX70/80, FX70/80, RX70/80 (Cat. C22031)\$10.95



COMPUTER PAPER
Quality paper at a low price! 2,500 sheets of 60 gam bond paper.
Cat. C21003 11 x 9 1/2" . \$49.95
Cat. C21005 15 x 11" \$67.95



2" DISK DRIVE

- 1 M/Byte unformatted, (640K formatted),
 Double sided, double density,
 Access Time 3m/sec

- 51/4" SLIMLINE

 Switchable 1.6 M/Byte to 1 M/Byte unformatted
- unformatted
 1.2 M/Byte to 720K formatted

 Double sided, double density,
- AT compatible

SLIMLINE
 Double sided, double density,
 1.6 M/Byte unformatted.





20 M/BYTE HARD DISK DRIVE FOR IBM* AND

SPECIAL, ONLY \$695



APPLE* COMPATIBLE SLIMLINE DISK DRIVE

Compatible with Apple 2+ Cat. X19901 Normally \$225

SPECIAL \$179

APPLE* IIC COMPATIBLE DISK DRIVE

(including cable only \$199 (*Apple is a registered trade mark.)



- CANON A-50 PRINTER
 Serial Impact Dot Matrix
 180 C.P.S
- Near Letter Quality Mode
 1.4K Buffer
- Cat C20045 \$595



- PRINTER LEAD FOR IBI

 Suits IBM* PC XT and compatib
- 25 pin "D" plug (computer end) to Centronics 36 pin plug
 Cat.P19029 1.8 metres \$17.95

Cat.P19029 1.8 metres Cat.P19030 3 metres



Now you can buy absolute top quality disks that are also the cheapest in Australia! They even come with a 5 year guarantee, which indicates the quality of these disks. So why pay 2-3 times the price for the same quality?

Bulked packed, D/S D/D without boxes, or brand name, just their white paper jacket, index labels and write protects

51/4" D/S "NO FRILLS" DISKS FROM \$0.85 EACH!!

1-9 PACKS \$10^{ea}

10+PACKS

100+PACKS \$8.50^{ea}

100+PACKS

ea \$9ea \$8.

(SEND \$2 FOR SAMPLE DISK!)
(TAX EXEMPT PRICES LESS \$1 PER PACK)

31/2" "NO FRILLS" DISKS!

1-9 PACKS 100+PACKS \$35

\$34 (PER PACK) (SEND \$5 FOR SAMPLE DISK!)

\$32 (PER PACK)

(TAX EXEMPT PRICES LESS \$4 PER PACK)



SAMSUNG 12" 20MHz

ONLY \$149 FEATURES...

High contrast, non-glare screen
 High resolution, 80 or 40 character display

SPECIFICATIONS..

Picture tube: 12" diagonal and 90°

Picture tube: 12" diagonal and 90" deflection
Phosphor: Available in Green (P39) or Amber
Video input signal: Composite
Signal
Polarity: Negative Sync.
Level: 0.5V-2.0Vp-p

Level: 0.5V-2.0Vp-p Scanning frequency: Horizontal: 15.734 KHz + -0.1% Vertical: 50Hz Video bandwidth: 20MHz Active display area: 216(H) x 160(V)mm. Display character: 80 characters x 25 rows.

80 characters x 25 rows. Input terminal: RCA Phono Jack Controls: Outside: Power Switch, Contrast, Brightness, H-Shift, V-Size. Inside: H-Width, H/V Nold, H/V linearity, Focus. Power supply: 110/120V 60Hz, 220/240V 50Hz

220/240V 50HZ Dimensions: 308(W) x 307(H) x 297(L)mm Weight: 7·3 Kg Shipping weight: 8·3 Kg

Cat.No. X14514 Description (GREEN) \$149 \$149 X14516 (AMBER)



SENDATA **DIRECT CONNECT**

- MODEM
 CCITT V23 300 baud full duplex
 CCITT V23 1200/75
 Bell 103 300 Full duplex
 Bell 202 1200 Half duplex
 Auto answer, auto disconnect
 LED display for Power, TX, RX, CD
 AC power adaptor included
 DB25 pin connector
 Telecom Approval N°C83/37/1045
 Cat Y10120
- Cat X19120 (SOFTWARE FOR VIATEL ... \$95)



CENTRONICS GENDER

- Female to Female.
 Saves modifying or replacing non-mating Centronics cables.
 All 36 pins wired straight through.
- Cat X15663 Male to Male Cat. X15661 Male to Female Cat. X15664 Female to Female

Normally \$33.95, Only \$24.95



Rod Irving Electronics

48 A'Beckett St, MELBOURNE Phone (03) 663 6151 425 High St, NORTHCOTE Phone (03) 489 8866

Mail Order and Correspondence: P.O. Box 620, CLAYTON 3168 Telex: AA 151938 Fax: (03) 543 2648



(TOLL FREE) (STRICTLY ORDERS ONLY) LOCAL ORDERS & INQUIRIES (03) 543 7877

POSTAGE RATES: \$2.00 \$3.00 \$4.00 \$5.00 \$7.50 \$10.00 \$12.50 \$10 \$25

The above postage rates are for basic postage only. Road Freight, bulky and fragile items will be charged at different rates.

All sales tax exempt orders and wholesale inquiries to: RITRONICS WHOLESALE, 56 Renver Rd, Clayton. Ph. (03) 543 2166 (3 lines)







SUPER Computer SU

In 4WD there's only one way to go Go Rocky!

Subscribe now and receive 12 issues

Your Computer provides friendly, informal advice and presents technical subjects in a comprehensible manner. It specialises in tutorials showing users how to get the most out of their equipment. Jam-packed with product and software reviews, Your Computer is a must for anybody with a micro-computer.


Your name goes in the draw, so you could win this Daihatsu Rocky loaded with options valued at \$27,000! It's the 4WD designed to meet, and beat, Australia's toughest conditions.

It includes.

3-way adjustable suspension and 5-speed manual gearbox provide the economy and driveability you would expect from Australia's leading 4WD. And it comes with options including fuel-injected engine, air-conditioning, power steering, towbar, bullbar, long wheel base and resin top sunroof. Wow!

if you act now you also receive a bonus leatherette travel alarm clock absolutely free. It's the ideal companion for any traveller. The LCD readout gives the time, date and an effective alarm. Lightweight and compact, it folds away for use in a briefcase or handbag. It's compact and stylishly finished.

(Valued at over \$10.00)




*Chrome wheels and chrome bumpers do not come as standard on the winning vehicle

Simply fill out the details on the enclosed self-sealing postage paid coupon/envelope or, if missing, send your cheque/money order with personal details to Daihatsu Rocky offer. Your subscription will automatically enter the draw

Freepost No. 4, PO Box 227, WATERLOO, NSW 2017. No stamp required.

BSCRIPTION OFFER!



- on January 25th and a later issue of this magazine.

 7. The prize is: A 1987 Daintatus Rocky Long Wheel Base EX model registered and pre-delivered ex Sydney Head Office of Daintatus Australia.

 8. The winner may collect the vehicle from the capital city of the state they live in if they do not wish to travel to Sydney for the prize.

 9. The promoter is The Federal Publishing company. 180 Bourke Road, Alexandria, NSW 2015. Permit No. T. 0. 87/2007, issued under the Lotteres and Art Unions Act 1901, Raffles and Bingo Permits Board Permit No. 70. 87/1297, issued on 3/8/67. ACT permit No. T. 8 7/6717, issued under the Lotteres Ordinance 1946.

YOUR C64

Earlier this year I reviewed a speed-up kit for the 1541 called Dolphin Dos (see Y.C. Apr. '87 issue). It's a hardware/firmware modification which produces blistering speed improvements by communicating to the drive along a parallel bus, rather than the standard serial one. I was so impressed with it that I bought one myself and after six months of constant use I've had little cause for regret. However, a couple of days ago I had a call from an unhappy owner. He claimed that although D-Dos worked fine on all of his commercial software, it didn't seem to produce I/O speed improvements when used with a program he'd written himself.

After a little questioning, it turned out that his problem was not with Dolphin Dos, but with his program. It simply could not process the data it read off the disk fast enough to take advantage of D-Dos's speed. What he had encountered was one of the inherent limits of Commodore's Basic V.2.

Speed Limits

In the power department, the C-64 is limited by it's processor clock speed. In Australia, it runs at 985,250 cycles per second, or just under I MHz. The 128 can be made to go twice as fast, but only if the screen and I/O ports are turned off (which is okay for number crunching). In each clock cycle the computer can do one very basic action, in most cases not even enough to complete a single machine language instruction. Still, there are a lot of clock cycles in a second, so quite an impressive amount of work can be done in that time.

The C-64's Basic however, is an interpreted one. This means that the overhead (the number of cycles spent working out what each Basic instruction means) is abnormally high. Basic may have been designed to be versatile and easy to program and debug, but it wasn't built for speed. When it comes to disk I/O, even a small amount of Basic processing can slow the computer down to the point where it is the limiting factor — slower even than the 1541, let alone Dolphin Dos!

The easiest way around this bottleneck is to compile your programs. A compiler is a way of producing code that is 'pre-interpreted'. Compiled programs will run several times faster than un-compiled ones, but they have the disadvantage of being harder to debug or modify, and also most compilers usually add around 8K to the size of the program.

Using Machine Language

On the other hand you could leave most of the program in standard V.2 Basic and simply employ a few machine language routines to do the time dependent work. That's what the rest of this column is about — a relocatable assembly language routine that will handle read/write disk I/O. It's a useful bit of code, so, just in case you want to modify it or use it in your own programs, I've included a little more detail than usual, plus a full PAL assembler source code listing.

Relocatable programs are ones that don't contain location specific addresses. This means that you can put them wherever you like in memory, although you should take care to place them where Basic is not going to affect them. You can do this by raising the bottom of Basic by adjusting the pointers at locations 43 and 44, or you can lower the top of Basic by adjusting the pointers at 55 and 56.

If you do the latter, just make sure your program doesn't perform a CLR or Opens or Closes the RS-232 channel as those actions re-set the top of Basic pointers. Your machine language program may not be hit immediately, but sooner or later Basic will want to use those locations for storing it's own variables and that's when your code will be corrupted. Listing 1 is a Basic loader for the machine language. As it's written, the code will be placed, starting in location 49152 — this is at the beginning of a 4K area that is safe from Basic, but you can put the code somewhere else simply by changing the value assigned to 'i' in line 10

How It Works

The program makes use of four zero page locations, from 251 through to 254. You need to POKE 251 and 252 with the lobyte/hi-byte address of the start of the memory area you're reading or writing to. An example of how to do this is in lines 10 and 20 of Listing 2. In that example, ADDR is the address of the memory you want to load to — the code converts it into the correct POKE values. I won't go into ex-

plaining lo-byte/hi-byte terminology here because I haven't the space, but suffice to know that it's got to do with the way the 6510 reads addresses in machine code. If you follow the example you'll be okay even if you don't understand it. Machine language programmers should note that locations 253 and 254 are also affected by this routine, even though you don't directly POKE to them.

```
1Π i=49152
20 read a: if a=256 then end
30 poke i,a:i=i+1:90to 20
49152 data 24,144,60,133,253,134,254,32
49160 data 204,255,162,5,32,201,255,32
49168 data 183,255,48,19,160,0,177,251
49176 data 32,210,255,165,251,197,253,208
49184 data 10,165,252,197,254,208,4,32
49192 data 204,255,96,32,49,192,24,144
49200 data 227,24,165,251,105,1,133,251
49208 data 165,252,105,0,133,252,96,133
49216 data 253,134,254,32,204,255,162,5
49224 data 32,198,255,32,228,255,160,0
49232 data 145,251,32,183,255,208,12,165
49240 data 252,197,254,208,14,165,251,197
49248 data 253,208,8,32,204,255,165,251
49256 data 166,252,96,32,49,192,24,144
49264 data 218,256
```

Listing 1. A Basic loader for the machine language.

Next, the routine will want to know the upper limit of the memory into which the file is to be read. If the code didn't have this feature you could easily mess up your program by having data overwrite locations much higher than you intend. To pass your upper limit value to machine language, I've exploited locations 780 and 781. These are used to load the 'a' and 'x' registers whenever you SYS to machine language. I used them on this occasion because I'm trying to make the program as location independent as possible and since the operating system reserves them anyway, I'm not tying up any RAM that was otherwise free.

Again the numbers POKEd should be in lo-byte/hi-byte format. In this example, (Listing 2, line 25), I've set the upper limit to 53247, which is the end of the RAM area we are working in. If you try to read a file

```
10 addr=50000:x=int(addr/256):a=addr-256*x:printa;x
20 poke Z51;a:pokeZ52;x:rem initialise base address
25 poke 780;255:poke 781;207: rem set max limit to 53247
30 open 5;8;5;"myfile;s:r":sys 49152:close5
40 print"top of load was";:i=peek(780):j=peek(781):print(i+256*j)
```

Listing 2. Demonstration of the routines discussed in the text.

larger than the space you've defined, the routine will stop at the top point and return to Basic with the excess unread. As it stands the code doesn't tell you if this has happened, but it shouldn't be hard to modify it to do so. Having set start and end addresses for the read, all that needs to be done is to OPEN the file and SYS to the routine. The SYS address for a Read is the first byte of the machine code, wherever you placed it.

Note that you have to CLOSE the file from Basic after you return. Whenever you return from a SYS routine, locations 780 and 781 hold the contents of the 'a' and 'x' registers as they were just before the RTS. I've used this feature as a way of passing back to Basic the top address of the load.

Line 40 simply prints out that address, but in a proper application you would want to keep track of it for when you want to eventually refile the data. Saving a file in memory is a fairly similar procedure. Again you have to set the zero page pointers to point to the beginning of the memory you want to file (line 60). I skipped re-setting the 'a' and 'x' registers in this example, because they still hold the top address from the Read we just performed. If we had SYSed to some other routine in the meantime they would have to be properly set.

Writing Data

To save the data to disk you OPEN the file and then SYS to a location that is 3 bytes further in than where the machine language code begins — this is shown in Listing 3.

```
50 rem now lets save it
60 poke251,a:poke252,x
70 open 5,8,5,"test,s,w":sys49152+3:close5
```

Listing 3. To save the data to disk you OPEN the file and then SYS to a location that is 3 bytes further in than where the machine language code begins.

They should be identical. These routines are much faster than Basic and are more than adequate for keeping up with Dolphin Dos. You can also use them to Load and SAVE PRoGram files such as sprite data or bit-mapped graphics: you just need to change the ',s,' in the OPEN statement to a ',p,' — but remember that in PRG files the first two bytes are the lobyte/hi-byte address of the location where the program is meant to belong. You can allow for this by reading or writing those bytes from Basic before you SYS to the routine.

```
LISTING 4 PAL SOURCE CODE
                           $-nnn
                     disk read/write routine by Ian Allen
                     ifor the public domain
c000
            circhn
                           $ffcc
                                     ikernal calls
c000
            chrout
                           $1142
c000
            chkout
                     =
                           Stfr9
c000
            chkin
                     =
                           $ffc6
c000
            getin
                           $ffe4
c000
            readst
                           $ffb7
hatmen
                     =
                           Sth
                                     ;zero page addresses
c000
            toomem
                     _
                           $fd
c000 18
                     clc
c001 90 3c
                     bee
                           read
                                       ibranch to read section
                     iurite to disk
c003 85 fd
                           topmem
                      sta
c005 86 fe
                      stx
                           topmem+1
                                       ;a,x hold top of write address
c007 20 cc ff
                      jsr
                           circhn
c00a a2 05
                           #05
                      ldx
c00c 20 c9 ff
                           chkoutcOOf 20 h7 ff
                      jsr
                                                    isr
                                                         readst ;check i/o status
c012 30 13
                      bm i
                           abort
                                       sexit if bad
c014 aO 00
                      Idv
                           #∩
c016 b1 fb
                      Ida
                           (botmem),y
c018 20 d2 ff
                           chrout
                      .isr
c01b a5 fb
                      I da
                           hatmen
c01d c5 fd
                      CMP
                           toomem
c01f d0 0a
                                       itest 1 for end
                      bne
                           oinc
c021 a5 fc
                      Ida
                           botmem+1
c023 c5 fe
                           topmem+1
                     CMP
c025 d0 04
                      bne
                           oinc
                                       itest 2 for end
c027 20 cc ff abort
                     jsr
                           circhn
c02a 60
                      rts
                                    exit point
c02b 20 31 c0 pinc
                           add i t
                     isr
c02e 18
                     clc
c02f 90 e3
                     bcc
                           write
            ; this subroutine simply increments pointer by 1
c031 18
            addit
                     clc
c032 a5 fb
                      l da
                           botmem
-D34 A9 D1
                           #∩1
                      adc
c036 85 fb
                      sta
                           botmem
c038 a5 fc
                           botmem+1
                      Ida
c03a 69 00
                     adc
                           #0
c03c 85 fc
                           botmem+1
                     sta
c03e 60
                     rts
c03f 85 fd
                           topmem
            read
                     sta
c04186 fe
                     stx
                           topmem+1
c043 20 cc ff
                           circhn
                      isr
c046 a2 05
                      ldx
                           #5
c048 20 c6 ff
                           chkin
                      jsr
cO4b 20 e4 ff read1
                     isr
                           getin
c04e a0 00
                           #0
                      ldv
c050 91 after
                     sta
                           (botmem),y
c052 20 b7 ff
                      jsr
                           readst
c055 d0 0c
                      bne
                           read2
                                    jexit if error
c057 a5 fc
                      l da
                           botmem+1
c059 c5 fe
                           topmem+1
                     cmo
c056 d0 De
                     bne
                           rdine
cO5d a5 fb
                           botmem
                      Ida
cOSf c5 fd
                      CMP
                           topmem
c061 d0 08
                           rdinc
                     bne
c063 20 cc ff read2
                     isn
                           circhn
c066 a5 fb
                      l da
                          botmem
c068 a6 fc
                      ldx
                           botmem+1
c06a 60
                     rts
c06b 20 31 c0 rdinc
                     isr
                           add it
c06e 18
                     clc
c06f 90 da
                           read1
                     pcc
```

Listing 4. A full PAL source code listing for the Disk Read/Write Routine discussed in the text.

MICROBEE FILE

Welcome to a new Your Computer regular column — the Microbee File. Each month we will be bringing you news, reviews, and applications for your Microbee. We will fill the gap for those who subscribed to the now demised Microbee Journal, Online. For those who have never read or heard of Online, you're in for a real treat: we're in the business of making your Microbee work for you, so if there is an application you're interested in or a piece of software you want us to put through the hoops, just drop us a line care of Your Computer.

As many of you will know, Microbee was a small step ahead of the rest by packaging WP, spreadsheet and programming languages with its computers so that new owners had something to sink their teeth into right away. This can only be commended, but lately it seems that Microbee Systems is tending to 'unbundle' the units and even charge extra dollars for the manuals — not very user friendly at all!

But, as you'll agree, the basics only get you so far. Soon you need to branch out and start using software that is more tailored to your needs. This will be one of the focuses of this section: to test drive and recommend CP/M business, school and family packages which will make your Microbee, dare we say it, buzz.

Microbee News


□ Queensland readers, please note that the Brisbane office of Microbee Systems has closed. All repairs and orders must now be directed through the Gosford/Sydney offices.

□ It's now possible to order software and hardware from Microbee Systems using Keylink electronic mail — you don't have to be a subscriber and all it costs you is the price of a local call. If you wish to use this method, make sure you have an upto-date price list in front of you and dial 01921 if you're operating at 300 baud, or 01923 if you're operating at 1200. Once the Austpac opening menu is displayed, type ?.key1. You will then be asked for your user name which is beeline and your password which is microbee. The on-screen prompts will guide you from there.


□ Microbee has now ceased to allow trade-ins of any components against new hardware. This surprise move will disappoint many of those hoping to upgrade cheaply to a 256TC.

☐ Microbee has just announced a new ver-

Results for: Dof Dickinson
The parent Zeephon you chose
he R B w s T P F X
h E r B w s t p F X
Female



The third generation--Filial Three (F3)
herbwSTPfY
HerBwSTpfX Male



Two members of a Zeephon family — handsome, eh?

sion of Simply Write which now enables you to incorporate pictures with text. We've only tried an alpha test version at this stage and it did have a few bugs which need to be ironed out. We should have a review of the on-sale product ready for next month.

□ Schools purchasing a new disk system this term are entitled to three free full colour teaching posters and a disk of software. Included on the disk are a selection of extra fonts and pictures to use with Electric paintbrush, some Simply Write picture files and a number of datafiles to use with Simply DB.

Zeephon

— Get into Genes!

If there's been a new baby in your life lately, you'll know all about genetics. Aunties and mothers-in-law are resident experts:

they glare at each other across the cradle declaring, 'He has his mother's eyes, but Uncle Jim's nose.' Arguments break out over the origin of the bundle-of-joy's ears: 'Jug ears don't come from our side of the family.'

Now if only you could recall your high school genetics, you'd be able to flatten their arguments with a few quick mentions of phenotypes and genotypes or homozygous and heterozygous genes. As it is, you only have yourself to blame for not getting hold of a copy of Zeephon and running it though your Microbee well in advance of The Happy Event.

Zeephon is not just the name of the program, it's the name of a fictitious animal which looks something like a loveable dragon and comes in genetic variations so numerous as to stymie even Aunty Fay as to their origins. And if you're teaching

genetics in school this year, or simply curious to find out what your own offspring could possibly look like, this is the program for you.

There are three learning levels in Zeephon. Level One presents fundamental genetic terminology and a simulation of cell division. The first screen page, which describes a cell's make-up, is built up line by line. As each component is introduced, so it is shown pictorially in a cell which appears on the right of the screen. Students are then introduced to a Zeephon and shown its genetic make-up and the number of chromosomes it has. A table of comparison is presented which shows the haploid and diploid number of chromosomes. (In case you've been wondering, a goldfish has 47 pairs of chromosomes. while we humans have only 23).

The phases of cell division are then animated to clarify how genes are passed on, with special reference to the sex gene and its unique division. Finally, there's a lovely step-by-step screen animation of cell division

There's no denying that this is a school tutorial program — 16 pages to read at this level alone — but it's interactive, which makes it ten times more enjoyable than a book, even if it's not so much fun as the real thing!

Still, you do get your chance to be parents in a way: Level Two of the program asks you to create your very own Zeephon and then predict how its offspring will look when mated with random partners for the next three generations. As each set of genetic possibilities is presented on screen, you are asked to key in your predictions. Your real baby Zeephon is then revealed and, at the touch of a spacebar. you are shown how it varied, or didn't. from your predictions.


Lots of wriggling sperm swim frantically for the fertile eggs animated on screen at the appropriate moments in the program (it's all done with impeccable taste). In fact it happens (logically enough) every time a new generation of Zeephons is conceived, along with a simulation of the random selection of genes. This provides plenty of revision at each stage of Level

On completion of Level Two, you can print out your three generations of Zeephon progeny, along with a tally of your score and a record of the genetic make-up of each one. The end of this level is indicated by — you might have guessed — a little white dot swimming across the bottom of the page to place a full-stop at the end of the sentence.

Level Three is a shorter tutorial which looks at advanced genetic terminology and the probability of genetic inheritance. Students are asked to decide on the possible genotypes for wings for two Zeephons. In case you've forgotten, genotypes are gene pairs and phenotypes are the appearances (hereditary characteristics) of animals as a result of their genes. Students select a male or female genotype and then look at the outcome of random combinations. This leads to a table of probability which enables them to predict the ratio of offspring phenotypes, given the parents' genotypes.

And that, in case you have been wondering, is how you account for your babies sky blue eyes, when you and your husband have hazel eyes - it was all your blue-

eyed grandparents' fault.



 \mathbf{H} ave you ever thought you might like to try your hand at graphic designing? Well, here's your chance to put your creative talent to work and come up with an exciting greetings card that we can use as the Your Computer Christmas Card.


The card can be put together using any program on your computer, as a collage using scrap parts of your computer, using pictures cut from brochures or magazines, simply using paper and pen or any other medium you decide. It can be any shape or size - within reason! All we ask is that you create a Christmas Card with a computing theme.

The best three entries will each win a copy of PrintMaster plus Art Galleries I and II from Dataflow — value \$100 plus! PrintMaster will run on Amiga, Amstrad, Atari, Apple, Commodore, Microbee, IBM and NJX computers. If a winner does not have one of these machines, we'll offer software to the value of \$100 instead.

PrintMaster — the Prize!

 ${f P}$ rintMaster is a program that you'll never shelve. It contains a lifetime's printing — with it you can create cards, full-size banners, notices, monthly or weekly calendars, advertisements or your own letterheads (the designs on this page were created using PrintMaster).

The program is simple and fun to use. You select from a number of menus which item you wish to print - card, notice or whatever. Next you select from different borders to place around the edge, choose from a number of different typefaces to



When you want to experiment with new graphics in your PrintMaster documents, you can invest in Art Galleries I and II which contain hundreds of images to liven up your personal printing press; depending on your type of computer, the price varies from \$45.30 to \$62.32.

PrintMaster is available from most shops, but if you have queries, contact Dataflow on (02) 331 6153.

How to Enter

First, if you're 18 or younger, design a Christmas Card with a computing theme (only one entry per person; age will be taken into consideration). Then, simply send your creation to: Christmas Competition, Your Computer, PO Box 227, Waterloo 2017. You must include your name and address plus your age and make of computer to be eligible. Note: the competition closes with the last mail on December 15, 1987 — so be quick!

Winners will be notified by telegram within I week of the closing date. Employees of The Federal Publishing Co and Dataflow (and their families) are not eligible to enter. Entries will be judged by the editor of Your Computer and two nominees appointed by him; the judges' decision will be final and no correspondence will be entered into regarding the competition.

Merry Christmas card creating!

YOUR APPLE

A thousand dollar MS-DOS card for the Apple II appears at first sight to be a bit expensive when there are IBM clones around for not much more than that price. But don't be too sure.

I guess like most other people, I persist in thinking that a plug-in IBM emulator card is always going to be second- or third-rate. If I had unlimited money (and less sense) and wanted an MS-DOS machine permanently, my first choice would be an IBM AT or a Compaq Portable II — these are the first-ranking MS-DOS machines in my opinion with enough speed not to drive me up the wall. IBM programs are usually agonisingly slow.

Second choice, if I was strapped for ready cash, would be one of the better clones and only if I was at the bottom of the money barrel would I consider a plugin card for my Apple IIs or the Macintosh. At least, these were my prejudices.

Austek Microsystems Ltd (AML) in the States (which is 60 percent owned by the Adelaide company, Austek) is releasing its II-Blu card for the II+, IIe and IIGS this month. The card will probably be handled in Australia by Imagineering and the rumoured price at the time of writing is just a touch over a thousand dollars — but for this you get the card plus an IBM-format 51/4 inch disk drive — everything you need except for MS- or PC-DOS on disk.

The card uses an Intel 8086 processor running at 7.2 MHz, together with an NEC VLSI chip (which is probably made for them by Austek Australia) and which seems to make the machine very fast. There's also a socket for an Intel 8087 maths co-processor.

The prototype I had to play with had 640 kilobytes of RAM on board, but the company intends to market a basic card with only 256 Kbyte of RAM and sockets for the rest. One bonus for users of this card is that when you are using your Apple as an Apple, this 256-640 Kbyte of 'Blu'-RAM is automatically available for normal memory expansion.

So, for your thousand dollars (or so) you are getting a disk drive, very fast MS-DOS capability and an Apple extended memory card. The economies of the situations immediately start to look a lot better, don't they?

I only had the card on loan for a very short time and it was a 'beta' test version with 'alpha' software — so I expected to find a whole range of glitches, bugs, video instabilities and so on. But it was superb. A few of the menu selections weren't implemented, however, so I can't claim that this is a product review — merely a taste of what's to come.

The card conforms with IBM's CGA graphics standard, which is always a problem with IBM clones. And this gives me further reason to invest in an Apple IIGS. Until recently I've just borrowed a GS when I needed it; colour does very little for me in my normal use of a computer and I'm trying to discourage my work machines from being used by the local anklebiters for games. But to see MS-DOS versions of Paradox, Wordstar 2000 and PFS:Write in glorious, sharp, stable colour on the GS screen is a real delight.

The other value of the GS over my old Ile for MS-DOS is the keyboard layout. I don't have a numerical pad on my Ile and you really need this for the IBM system — it is used for the Page-Up, Page-Down, Home and so on commands.

Apparently, all Apple peripherals will work with the II-Blu card.

The IBM system also usually requires 10 function keys on the left-hand side of the keyboard — and you don't have these with either the GS or the IIe. However you do get the functional equivalents by using the Apple Option key together with one of the number keys across the top of the keyboard

If you want, AML make an IBM-type keyboard which plugs directly into the GS and I wouldn't be surprised if third-party developers don't quickly come up with a small function-key pad which plugs into the regular GS keyboard. Either way, the GS will be more than adequate, while the IIe will be make-shift.

One of the reasons why the II-Blu card will succeed where others have failed, is because this card is fast — between 2 and 3 times the normal speed of an IBM XT in my experience. According to a betamanual that came with the card, a series of tests of processing speed using the standard Norton Utilities gave the card a rated index of 3.5 — and that places it

about halfway between the XT and AT.

So, what you are getting if you buy this card is an IBM machine that is considerably faster than the standard IBM PC and most of the clones. The only fair price comparison is therefore with one of the 80286-based clones around — and these are from about \$3,000 up. Even then you will lack some of the features that you get from having both machines built into one.

Actually, of course, if you've got an Apple GS with a Softcard, you can have five and a half machines built into one. Look at it this way — you've got the old 8-bit Apple II, the new 16-bit Apple II/GS, CP/M on the Softcard, a standard IBM PC/XT, full emulation of the new IBM PS/2 Model 30 and in addition you can read and write Macintosh text files. Full Macintosh emulation is the only part of the main-stream computer spectrum missing — so you've almost got every system that matters on the one machine.

The AML floppy drive system that comes with the II-Blu card is a 360K 51/4 inch model (which is the old IBM standard before they went up to 760 Kbyte drives) but you can daisy chain out of this with up to four more drives. These drives don't have to be the special IBM-format types — the system conversion is all done by the card's on-board controller and in the primary disk drive, so you an add your standard platinum Apple 31/2 inch drive (not the UniDisk) and get IBM compatibility even on the small disk size. With this set-up the card can therefore run software intended for the IBM portables and for the new PS/2 Model 30s.

You can both read from, and write to, these drives in the IBM format. Apparently the only thing you can't do is to format a disk on the 3½ inch Apple drive and have it read by an IBM machine. The IBM formatting process isn't built into the small drives; however, if the disk was originally formatted on an IBM, then the Apple drive can write on it and have the material read by an IBM later.

In practice, all this means is that you'll borrow an IBM PC for an hour and format a whole box of disks — and then you'll be OK. This was the only limitation to the system that I found in the (admittedly) very short time I had with it.

Peripherals

Apparently, all Apple peripherals will work with the II-Blu card: the Apple mouse be-

A word of advice for those considering the purchase of an NEC or Epson printer...

Fuiitsu.

The Fujitsu DL-3400 offers cut sheet printing without having to remove your continuous paper (think how important that is in an office), others do not.

The Fujitsu DL-3400 convincingly outperforms every comparable 24-pin letter quality printer.

The Fujitsu is significantly faster (240cps

draft, 72cps letter quality) than both the NEC P7 and the Epson LQ1000.

The Fujitsu has a dramatically higher (4 ips) throughput speed.

The Fujitsu has a massive 24K print buffer while the NEC manages 8K and the Epson 7K.

The Fujitsu is quieter than both.


The Fujitsu offers a simple, plug-in colour option.

The Fujitsu offers additional fonts in cartridge form.

With all these superior performance characteristics, you might be wondering how Fujitsu compares in the reliability stakes.

Fujitsu has a significantly higher (8000 hours) Mean Time Between Failure than either of the others. It also has a longer (300 million strokes) print head life.

Perhaps you're wondering about pedigree. But, once again, there is no comparison.



Fujitsu comes from Japan's largest and most esteemed computer manufacturer.

Fujitsu invented the 24-pin technology which the others use.

The only area of comparison left is backup support.

And Fujitsu is supported by Imagineering.

All those superior

features. All that superior quality. All those impeccable credentials.


It's easy to see why there is no other printer which can compare with the Fujitsu DL-3400.

For the name of your nearest Fujitsu dealer call lmagineering Sydney (02) 697 8666, Melbourne (03) 690 9022, Brisbane (07) 369 2911.

☐ Please send me more information or	Fujitsu printers.
☐ Please organise for a dealer to conta	act me.
Nominate preferred dealer:	
NAME:	
TITLE:	
COMPANY:	
ADDRESS:	
POS	TCODE:
Send to: Imagineering, 77 Dunning Ave, Rosebery NSW 2018.	FUJITSU

magineering is a Division of Studio Australia Pty Ltd.





TRADE ENOUIRIES WELCOME

comes an IBM mouse; the printer works as an IBM printer. It has hard disk support for both Apple hard drives and it handles the Thunderclock, Hayes compatible modems, serial and parallel Grappler cards, the speaker, joystick and so on. Amazingly, the Apple analog colour monitor on the GS also substitutes for the IBM digital colour monitor; there must be a lot of intelligence built in to the card to handle these conversions.

There are transfer utilities which let you send files between ProDOS and MS-DOS, and they'll handle hard disk to floppy, or floppy to floppy transference. You can also partition a hard disk and transfer across the partitions.

DIF files can be transferred without the translation utility, but you always need the utility for ASCII or text files. An important feature in translation is that the incoming file won't write-over another file of the same name on the destination disk (without permission). The MS-DOS utilities can also support some ProDOS commands such as commands to delete files or to show the ProDOS directory. These will make life easier.

Generally, you've got a choice between using menus for all operations or using command lines, which again make the system both easy to use and flexible. On the GS you'll need Version 1.1 of the Program Launcher — the older version won't handle the card. I should also mention that it has an auto-configure utility and it uses a desktop type operation while in MS-DOS.

It is pretty apparent when you look at the II-Blu card that Apple have had a lot of input in the design — especially in making the system user-friendly. The menus and help information on the screen read like Apple's normal intelligent guff-free text, not like the jargon-laden rubbish you get on most other computers.

I suspect, however, that Apple don't quite know what to do with this little gem of a card that has fallen into their laps. The II-Blu card looks as if it might be very successful and, to a degree, its success will reflect on Apple's own Macintosh. II-Blu looks better than AST's MS-DOS card for the Mac SE (you've got the colour for a start) and the last thing that Apple want at present is the old Apple II series giving them more competition for their Mac push.

Mind you, the II-Blu card still might not make it on sale here or in the States. There must have been a dozen or so attempts to produce MS-DOS cards for the Apple II and all have failed, to date. There's nothing intrinsically difficult about it; the problem is one of cost.

To make a saleable plug-in MS-DOS card it was thought that you had to keep the price below that of comparable clones and nowadays these base-level machines are ridiculously cheap in the States. AML might have found the answer by opting for processing speed and special features, rather than just low cost.

Orange Micro was showing its prototype MS-DOS emulator (called DOS Boot) for the GS up until only a few weeks ago, but apparently price has killed them too — they won't be going to market.

And AST, which makes the Macintosh MS-DOS cards for both the SE and the II, say that they might eventually build an MS-DOS board for the II-series as a 'strategic move' but they don't expect to make any money from it. I wouldn't bet on it now that II-Blu has come out.

Pathways

There is also a rumour around that AST are working on a universal disk-drive controller which will read and write ProDOS, DOS 3.3, MS-DOS and Macintosh files. This is all due to be announced at the annual AppleFest which is taking place about the time you will read this.

Apple are obviously working hard to implement full portability between their product lines and those of IBM. The Apple Programmers and Developers Association (280 SE 43rd Street, Renton, WA 98055 USA) has released MacPassport which allows the Macintosh to read Apple II ProDOS files from a UniDisk. In the near future the program should also allow you to read Apple ProDOS files on an IBM.

The early version of Passport has been around for a while, but with this translation disk and a bit of programming, developers can tailor an application to read and write files in application format. This means that you can transfer files, say, between the Microsoft Works program on the Macintosh and AppleWorks on your Apple II.

There are a couple of other attempts at providing a pathway between the Apple II and other machines. Asky Corp (770 Sycamore Drive, Milpitas, CA 95035 USA) make the Envoy disk-drive controller which apparently lets an Apple II read and write MS-DOS files — but the II-Blu will now do this also.

CMS (3080 Airway Avenue, Costa Mesa, CA 92626 USA) have done something similar in software for the Macintosh. It apparently lets the Mac share disks with an IBM and an Apple II, and read files from both of them.

In business printers it's stamina that counts.



When you invest in a printer for business applications, you want one with real stamina.

The C.ITOH C-310/C-315 Prowriter professional, heavy duty printers are specifically designed to go the distance in your business applications.

Sure you may pay a few dollars more for a C.ITOH Prowriter but it will return your investment many times over in long, trouble free operation. Long after many of the cheaper printers around are losing print quality and generally wearing out, your Prowriter will still be giving faithful, quality service.

So when you need a printer with the stamina to last in your business environment, talk to us about the C.ITOH Prowriter C-310/C-315 Series.

300cps draft / 55cps NLQ 33cps LQ / Graphics All major print enhancements



Sydney: (02) 648 4088 Melbourne: (03) 795 9011 Brisbane: (07) 275 1766 Adelaide: (08) 356 7333 Perth (09) 277 7000 Launceston (003) 44 7433 Mt. Gambier: (087) 25 7111 Townsville: (008) 17 7869



What runs 2 to 8 work stations on single user software saving you time, money and precious desktop space?

ANEX - The high performance PC-DOS, multi-tasking, multi-user expansion system. That's what!

ANEX is the ideal cost-effective solution for business expansion.

Consider this:

You save by using low-cost, single- user software - your current PC-DOS software will run on up to 8 work stations using your existing data and resources, saving you hundreds of hours.

 Unlike other systems, ANEX offers you true IBM compatibility. You can have any mix of monochrome and E.G.A. colour monitors in your ANEX system.

 Full resource sharing of all peripherals. Each low-cost work station "thinks" it's a stand-alone PC. There's no waiting with ANEX.

Fast, enhanced graphics on all stations - ideal for all professional and business software applications - from word processing to graphic design.

 Proven reliability - ANEX is a timetested product with thousands of installations world-wide. Organisations like Citibank, Westinghouse, Price Waterhouse, Chase Manhattan Bank, Coopers Lybrand Inc. and the Pentagon are current satisfied users of ANEX systems.

This new dynamic product which has found favour with large and small corporations throughout the United States is now available here in Australia. Call to arrange a demonstration today. In six months, you'll be wondering what you did before you streamlined your system with ANEX.



SYDNEY MACE SOFTWARE 122 An MELBOURNE DATA TIME 372 Long Melbourne 3000 (03) 670 246

YOUR AMSTRAD

You'll no doubt be delighted to know that the National Bible Society of Scotland is now doing a revision of the spelling of the Bible in Gaelic (the first of its kind to be undertaken since the translation was originally completed in 1801) using an Amstrad PCW 8256, running WordStar. You'll also be delighted, I'm sure, to discover that the Amstrad PC now has 23 percent of the PC market in Britain (some other company called IBM has 31 percent at the moment). I knew you'd want to know that.

This month, we'll be investigating a graphics program which produces an amazing result on the 464 and 6128, showing how to get 'foreign' Basic programs to run on the Amstrad PC and more.

The Dionysian Spiral

The program shown in Listing 1 is written for the 464 and 6128. Known as the Dionysian Spiral, it creates a very impressive effect when running. It's a great demonstration program to show off the graphics potential of your computer.

Once you've had your fill of Dionysian Spirals, press any key and the program will end

The Case of the Squashed W

Danny Deane from North Balwyn in Melbourne runs WordStar on his PCW (although he is not currently translating the Footy Record into Gaelic on it) and says that, from time to time, he's noticed that when scrolling through a long document using Shift, rather than the down cursor key, great chunks of text appear to vanish.

However, the text is still there, although WordStar appears to have problems doing complete screen updates if you're moving very quickly through a document. To get the vanished words to reappear, all you need to do is place block markers anywhere in the last section of the text. Then, remove the highlighting when the full document reappears.

You may have noticed that the W on the PCW looks unnecessarily squashed up when printed out in 12 pitch. To get round this, you can get the computer to print out just the W in 10 pitch, and then swap back to 12 pitch for the rest of the document. It sounds a strange thing to do but it works quite well. All you have to do, when you've finished working with a document, and before you print it out, is to use Find and Ex-

change to swap all Ws with + Pitch 10 w -Pitch.

Alien Basics on the PC

Although Amstrad PC owners have been blessed with a much better than normal Basic with Basic2, the fact that it is non-standard can cause a few problems. The most common one is trying to access Basic programs written on an ordinary clone.

John Baugham of Kensington in NSW is one of a number of people who've said they've got hold of public domain disks of

```
10 REM DIONYSIAN SPIRAL
20 REM YOUR COMPUTER
30 RANDOMIZE TIME
40 INK 0,6:BORDER 6,2:MODE 0:CLG
  D:PAPER D:SPEED INK 3,7
50 VARS=200:VIM=60
60 DIM Z(14)
70 FOR K=0 TO 14
80 INK K+1,K
90 NEXT K
100 INK 7,6,2: INK 2,24,0: INK 12,16,5
110 ORIGIN (VARS+2*VIM), VARS
120 FOR ALAN=103 TO 0 STEP -1
130 SIGRAR=ALANXPI/52
140 MOVE COS(SUGAR) *-VIM,
  SIN(SUGAR) *-VARS
150 DRAW COS(SUGAR) *318,
  SIN(SUGAR(*VIM, ALAN MOD 13+1
160 NEXT ALAN
170 BORDER 6
180 REM
190 WHILE NOT FINISHED
200 JUMP=0.3+RND
210 FOR T=1 TO 16+JUMP STEP JUMP
220 FOR K=0 TO 14
230 INK K+1,K+T
240 IF INKEY$<>"" THEN 350
250 NEXT K
240 NEXT T
270 FOR T=16 TO 2-JUMP STEP -JUMP
280 FOR K=0 TO 14
290 INK K+1,K+T
300 IF INKEY$<>"" THEN 350
310 NEXT K
320 NEXT T
330 IF RND>0.55 THEN H=INT(RND*15):INK
  DyH:BORDER H
340 WEND
350 MODE 1
```

Listing 1. This program for the Dionysian Spiral, written for the 464 and 6128, is a great demonstration to show off the graphics potential of your computer. Note: Lines 40, 140, 150 and 330 (shown on two lines) are actually one line. There are no spaces following the comma in lines 140 and 150.

Basic programs and have found that their Amstrad PCs refuse to read the files, even when the program is called up under Basic2. You can get round this relatively easily so long as you have another Basic (Basic, Basica or GWBasic) or you have a mate who has them and can be persuaded to do a little fiddling for you. Basic2 will only read Basic files which have been saved in ASCII format.

To convert a 'foreign' Basic program so it will run under GEM and Basic2, you need to load the program in either language on your Amstrad PC, running Basic, Basica or GWBasic which was loaded in from the A> prompt and then resave it in ASCII format. You do this by saving it as: SAVE 'name',A.

Then, you can call up the file using your mouse under Basic2 and it will run normally. You may need to add some window commands and so on to ensure that it works. In addition, if your program contains the statements RANDOMIZE or DE-FINT, just cut out these lines. SOUND and COLOUR statements may also cause a few hassles, depending on how they have been used. The simplest way to convert a program is to use the procedure above to get it in ASCII form, run it on the Amstrad PC, and if any line hiccups, just add the word REM to the line after the line number. You should find, in 99 percent of cases, your program runs perfectly well, even with the troublesome lines converted into REM statements. I do not suggest you delete the problem lines as they may well be called by GOSUB or GOTO statements elsewhere in the program.

The simplest way to set up your windows, so that the full screen can be used, is to include the following line as the first line of your program:

CLS:CLOSE #2:CLOSE WINDOW 3:CLOSE WINDOW 4:WINDOW #1 FULL ON

Hope this does the trick for you!

Share It

I'D BE MORE than happy to share any of your discoveries, hints, tips, comments and programs with other users. Please send them to Your Amstrad, Tim Hartnell, Your Computer, PO Box 227, Waterloo, 2015 NSW.

П

At some of our other goodies.

TCF GENERAL ACCOUNTING

\$695

For the Accountant or Businessman wishing to run a full set of business account books including directors reports, up to taxation levels.

MR BEL

\$1250

For Stock Control of a Wharehouse or Retail Point of Sale with optional Bar Coding, large section of reports includes Invoices, Dockets, Bar Code Labels, Daily Transaction Lists.

BASIC MANAGEMENT SYSTEMS

\$1650

Fully integrated Debtors, Creditors, Stock Control, General Ledger, includes Backorders, Alpha sort, Central Billing, Open Item, Salesmen, Dissections, suit Manufactures, Retailers, Tradespeople, Importers, Professional Services.

-STUNNING

Is the only way to describe FONTRIX and PRINTRIX
The output from our Desktop Publishing Suite will lift you into
the ranks of the Publishing Professionals.

Maximum Power and Performance Minimum Cost.

ीड आडड लक्षाडच्याचे स्टेशस्य या पस्तीयपय IN ANY LANGUAGE WE ARE THE GREATEST.

Will work with any PC DOS Computer and give near 'Laser' print quality off many of the current Dot Matrix Printers, Laser version now available.

FONTRIX \$395 and PRINTRIX \$425.

AND BUISSING FINK

You don't have to be a GENIUS

To achive Greatness **TIMUSTED** is the missing LINK. As you know to run the "average" INTEGRATED PACKAGE you need an IQ of about 180¢.

T/MOSTER will give everyone an IQ of 180.

All your software in one Package.

Wordprocessing, Proofreading, Dictionary, Mailmerging, Bar Graphing, Spreadsheets, Listprocessing, File Sorting, Database, Auto make for Database, Built in Calculator, Communications.

Also available T/MAKER for CP/M Machines.

T/MOSTER

\$695 and 7/MARER

\$495

Languages

Cor Based on

C COMPILER

Computer Inovations latest release.

Based on a proprietry compiler design technology that applies artificial intelligence to produce highly optimized code. C86PLUS now benchmarks 20% faster than Microsoft C \vee 4.0 & 70% faster than

C86 v2.3. It Includes functional equivalents to most UNX V libraries and implements the latest ANSI C library features. Over 250 library functions. 8087/80287 auto detect emulator, source level debugger support, and man other features. C86PLUS begins where others left off. Designed for the serious programmer, C86PLUS provides the ultimate Development environment. C86PLUS \$995

TOOOLS

GOOD" GEAR for Industrious Programmers

INTADDUCING "C" Interactive C language training system. The fastest easiest way to learn C for both the learner and experienced operator. "C" UTILITY LIBRARY Over 300 functions including Source Code by Essential Software. No royalties.

ESSENTIAL GRAPHICS "C" Over 150 Graphic Functions plus range of Text Fonts by Essential Software. No royalties.

PCIX PC Operating System that allows you a UNIX environment

PCTN PC Operating System that allows you a UNIX environment Multitasking, Multiuser, 100% compatable with MSDOS. No royalties.

OPERATING SYSTEM TOOL DOX PC Operating System Construction Set. You can build your own Multiuser Operating System, Port Mainframe systems to PC's.

DB-UBTA Is a giant step beyond the generalised file managers (eg DBASE III). It is a C programmer's database management system.

DB-QUERY Allows the application developer to create a more familiar relational view of the complex network database model. (user environment) PCNX 5225 DFEAATIC SYSTEM TOULOW 5225 DF-USTA \$495

TCF Computer Systems Pty Ltd

214 Harbord Road Brookvale 2100 (O2) 938-2522

THIS PAGE WAS BUILT USING PRINTRIX
All Prices Include Sales Tax. Bankcard Orders Welcome.

FREE READER'S CLASSIFIEDS

Wanted

Any 31/2 inch software, useful to a new Premium owner. Alex Walker, 25 Brodie Crescent, South Hedland, 6722 WA.

Microbee

Microbee tape to disk. Transfer protected tapes and run without need for start address. Tape \$7.90. John Arnold, 36 Victoria Street, Rooty Hill 2766 NSW. (02) 625 8950.

Educational Disks

Microbee Educational Disks. Secondary and Primary. Suit Premium model. Enquire upon G. Gardoz, 33 Fraser Street, Clunes 3370 Vic.

IBM PC/C64/CPM Software

Best Public Domain. \$25 for four games disks, sent certified mail. SAE for list. D. Johnson, PO BOX 357, Moonah 7009 Qld.

Wanting to Join

VZ-300 Club. Please send details on joining. P. Miller, PO BOX 174, Forbes 2871 NSW.

Ultima II/III

For sale: Ultima II/III construction sets; \$20 each. Character editor, map editor, map printer, clues on C64/128, disk only. Write to R. Trulock, PO Box E430, St James, 2000 NSW.

For Sale

A 256K memory expansion card for the Toshiba T1100 laptop. Price \$185. Phone Peter Andrews on (054) 28 3446.

VZ-300

Wanted — education programs and foolproof Yatzhee program, especially. P Miller, PO BOX 174, Forbes 2871 NSW.

Printer Ribbons

Don't throw away 'dead' ribbon cartridges! Recycle and save money with our unique reinking/reloading service. We resuscitate most types of inked fabric ribbons, for example Amstrad, Brother, Commodore, B300/600, Epson, Fujitsu, IBM, NEC, Seikosha, Toshiba and

many more at a fraction of the new price. Lazarus Ribbons, 70 Wolseley Road, Mosman 2088 NSW. (02) 960 2737.

Star Project

Build the AEM March 87 Star Project 256K printer buffer. Double sided plated through board, Eprom and isnt. \$39 plus \$3 packing and postage. IBM type printer cables \$15 plus \$3 p&p. Other boards, connectors, and components available. For more

information, send SAE to Don McKenzie, 29 Ellesmere Crescent, Tullamarine, 3043 Vic.

Colour

Enliven your correspondence, galvinise your graphics, with colour! Colour ribbons available for Commodore, Epson, Imagewriter, NEC, together with consumer packs of coloured paper (fanfold and cut sheet). Lazarus Ribbons, 70 Wolseley Road, Mosman 2088 NSW. (02) 960 2737.

FREE CLASSIFIEDS are for readers only, not commercial organisations. The first 20 words are accepted free of charge with a charge of 20 cents for each additional word. Good quality black-and-white prints may be included for a charge of \$10 each. Multiple classifieds in one issue are treated and charged as singles. COMMERCIAL ORGANISATIONS can place classifieds for a charge of 35 cents per word (minimum charge \$10). Black-and-white photographs may be included for a charge of \$20 each. PRINT OR TYPE your ad clearly and legibly, double-spaced, and separately include your name, address and phone number for checking purposes, even if these are not to be included in the ad. Any payment due must accompany the copy.



SERVICES PAGE

LETTERS TO THE EDITOR

We are happy to receive your comments and. if they are of interest to other readers, publish them. Letters will only be considered for publication if they include your name and address, although we can withhold such details from publishing on request. Note that we reserve the right to (and probably will) edit all letters for the sake of brevity, clarity or accuracy.

SUBSCRIPTIONS

Standard 12-issue rate within Australia: \$35.40. Surface rate for New Zealand and Papua New Guinea: \$51.80; airmail rate: \$57. Rates for other countries on application. All overseas rates quoted are to be paid in Australian dollars. Allow up to eight weeks for subscription processing

BACK COPIES

Back copies of Your Computer are available from The Federal Publishing Co, PO Box 227, Waterloo 2017 at A\$4.00 each, including postage for Australia and New Zealand. We will supply photostat copies of articles where a back issue is not available, at the single-magazine price for each feature copied. A special service is offered for Tutorials: see below

TUTORIALS

All Parts of Tutorials published within the last 2 years are available as photocopies for a charge of \$0.50 per Part plus \$4.00 for postage and handling within Australia (overseas postage additional). Please identify the Tutorial by its complete name and specify the Parts by number or the issue of publication. All but the latest of our Tutorials are listed in our 5-Year Index. published with our July 1986 issue.

READERS' ENQUIRIES

We will make every effort to answer readers' written enquiries, if accompanied by a stamped, self-addressed envelope, although staff shortages and deadline pressures may cause delays. Please include your telephone number(s) wit any enquiry. Phone enquiries not related to subscriptions, readers' advertisements, or other 'service information' cannot be accepted.

COPYRIGHT

All material appearing in Your Computer magazine is copyright and cannot be reproduced in part or in full, by any means, without the written permission of the Publisher or Managing Editor. Computer clubs and schools can, however, apply for restricted permanent reproduction rights for non-commercial, limited-circulation use (for example, newsletters and class instruction). Given that it sometimes takes us a while to answer such requests, you can consider that restricted permanent rights apply in these cases from the day you send in your letter, and will later be confirmed (or withdrawn) by our reply.

LIABILITY

Although it is policy to check all material used in Your Computer for accuracy, usefulness and suitability, no warranty, either expressed or implied, is offered for any losses due to the use of any material from this magazine

EDITORIAL CONTRIBUTIONS

Contributions to Your Computer are welcomed and will be given every consideration. Although the greatest care will be exercised with contributions, no responsibility can be accepted for the safety or return of any letters, manuscripts, photographs or other materials supplied to Your Computer magazine. If return is desired, you should include a stamped, self-addressed envelope. If return is critical - say it's something you can't afford to lose — then don't send it: we are careful, but we're not perfect. Please read these notes carefully to get an idea of the style and format we prefer.

All Contributions: should include your name. address, and home and office phone numbers (in case we need to check details). Each page of your submission, and any material sen with it, should also carry your name.

Contributions by Telephone: Contributors who have modems and suitable software (in the MODEM7/YAM mould — see our stories on Christensen Protocols in the May and June 1983 issues) can arrange direct transfer to our com-

puters through our Bulletin Board system, which is on-line 24 hours a day, seven days a week. Contact our office by phone for details on transferring material in this way.

Contributions on Disk: Contributions can be accepted in most disk formats, although some have to be converted outside our offices, which will add to the (often lengthy) delay between receipt and acknowledgement. The preferred medium is IBM standard format single-sided, single-density, 20 cm CP/M disks or IBM PC-DOS minifloppies. We can also handle, in-office, most soft-sectored 13 cm disks, thanks to PC-Alien — so unless you have a particularly strange format, send it on disk straight from your machine. Please pack them extremely carefully if posting and label all disks with your name, address and phone number.

Listings: Unless it is absolutely impossible, we want listings produced on the computer. This reduces the risk of error — if the computer typed it, the computer probably accepted it. Print listings with a dark -- preferably new ribbon on white paper, and try to format the output to a narrow (40 characters) width. If they can't be produced on a printer, borrow a good typewriter — hand-written material is likely to sit around the office for a year before someone can find time to type it all out for you! Please provide an account of what the program does, how it works and so on. Any comments on the program should refer to the address, line number or label rather than to a page number. Any comments on modifying the program to work on other machines will be appreciated. Try to include a printout of at least part of a sample run if possible.

Style: All items should be typed (or printed) and double-spacedon plain white paper. We will only accept original copies - no photostats. Include your name, address, telephone number and the date on the first page of your manuscript (all manuscript pages should have your surname and page number in the top right-hand corner). Be clear and concise, and keep jargon and adjectives to a minimum.

Accounting Management 48
Advance Peripherals 52, 53
Alfatron120
Ann Court Comp. Serv 45
Arista Electronics 116
Atlantis 117
ATS
Attache 47
Autodesk 67
Automation Statham 69
Avtek 125
AWA 94
Blue Sky Industries
Commodore28

Compaq 98
Computer City 46
Computer Factory 158
Computer Print & Paper 60
Computer Trader 92, 108
Copy Biz 76
CTC 81
Custom Made Software 101
Dick Smith Electronics 20, 62
Digital 27
Discware 54, 55, 126, 127
Electronic Solutions 106, 107
EME IBC, 17
Emona 134
Epson 34, 83
FBN Software 73
Federal Publishing . 144, 146, 147
Glyphic Software 88
Hales & Rogers 14

Hewlett Packard	131
Hypec	155
Imagineering	153
Interface Publications	100
Kaypro	38
Kenelec	138
Kodak	108
MACE	156
Magnetic Data Storage	76
Manaccom	42
McMullan Kilvington	26
Micro Education	
Micro General	139
Microland	22, 23
Micromart	95
Micromart	109
Microsoft	IFC, 3
Mike Boorne Electronics	15, 72
Mitaui	OPC

NEC 135
Newmenon 16
Nice Computer Company 154
Olympia 68
PC Extras 33
PC Network 10, 11
Perfect Interface 12, 161
President 112, 113
Programs Plus 89
Prometheus Software 137
RCS Design 45
Robs Computer Centre 61,63
Rod Irving 140
Select Software 126, 127
Software on the Cheap 145
Solid Software 39
Star Micronics 47
Utilico136
Wilbro Print 82

Join the 3½" Revolution UPGRADE TO THE NEW STANDARD AND SAVE \$\$\$\$

EXTERNAL 3½" DISK DRIVES



JUST PLUG IN
AND USE!
Upgrade to the new industry standard at a fraction of the cost!

\$775

BE EARLY!
SPECIAL INTRODUCTORY OFFER
First 100 Drives sold

The industry standard has changed! You don't have to rush out and buy a new \$5,000 3½" P.C. — instead just add an external 3½" disk drive to your existing P.C.

These 3½" drives are the same found in the new IBM PC's. They are fully compatible with IBM's Personal System/2 Series.

With a 3½" drive you can back-up your hard disk with fewer diskettes in a fraction of the time with 730K per disk — and increase your storage space.

PERFECT INTERFACE (Aust.) Pty. Ltd. 7th Floor, 8 West St., N. Sydney, NSW 2060 Phone: (02) 957-1112		
Please send me	31/2" Disk Drive, \$695 each.	
	or please debit my American ercard or Bankcard plus \$6.50 freight.	
Card expires	Signature	
Name	Company	
Address		
Phone No.		

CURSORY GLANCE

How do you make a parking meter user-friendly? Consider the trouble most people have with computer programs which are supposedly user-friendly and allegedly do all manner of wonderful things. A parking meter has a very low level of attractiveness even when it is only a coin-operated simpleton. Make it computerised, credit card-operated and high-tech and you have created a monster. Comments have ranged from 'a boffo success' to 'I think it's great, but you need a three-week course to understand the thing'. Guess which one came from a motorist.

- One supplier of computers and software for solicitors has in its literature that its product will 'increase your file velocity'. When I receive something like that I'm inclined to increase the advertising velocity towards the garbage. Ironically, it took two months and several phone calls to get the most basic information from this firm. And at the moment I am worth several potential sales of several thousands of dollars. I wonder what the response would be if I just idly enquired about their products. File velocity indeed!
- We respond according to the way we are treated. A friend did a seminar recently. As each person arrived, the facilitator placed a label on their forehead. The labels said such things as: stupid, genius, crybaby and mother. No-one knew what was on their forehead, but in a few hours each was behaving as described on the label. If people treat you as a genius, you may respond in a matching way even though you can't read the label they use for you. I suspect that computer programs have a similar effect. Unfortunately, most of them treat us as if we are idiots.
- Some enterprising person could set up as agent for shareware and do the authors and the buyers a great favour. Shareware is software which is available freely through the public domain on disk, on electronic bulletin boards and so on.

It is free, but you are encouraged to send a fee to the author, usually a resident of the US if you like the software. It's too much effort for most people to get the US dollars together and send them off, and I suspect that few Australians participate.

Sending your moolah usually means that you get a better copy of the manual and the software and get notice of updates and bug fixes. If someone offered a



quick turnaround on shareware without the hassle of needing to change currencies it could be a worthwhile sideline.

Anyone who does so can contact me with a list of what they are handling and its overseas authors and I'll run it here.

■ So much for the crackdown on software piracy in Singapore. I received a price list recently for software starting at US\$9 and going all the way up to US\$82 for programs listing at US\$54 to US\$1000 in their home countries.

The list included AutoCAD, Clickart, Lotus, MS Word, GEM and Symphony. Don't bother ringing me for the details, I won't pass them on.

Bootstrap

Most visitors to Switzerland get to see how big a part of the tourist industry the army is. Most guides show tourists the defenses the army has against invasion by tanks, foreign labourers and the like. There are millions of people in the reserve army and they are ready for anything except a nuclear war. This is definitely the army's greatest earner of foreign revenue. But, following on from the success of their other great product, the Swiss Army Knife,

they have decided to go into the silicon business.

They have produced a computer which is an ideal partner to the knife. It is made of stainless steel and red plastic, it carries the Swiss cross and it is high tech. They are not the only similarities. It is also extremely versatile, very compact and highly reliable.

The computer comes equipped with integrated software which does an enormous range of tasks. These include word processing, spreadsheeting, typing tutor, online banking (of course), database management, project management, charts, drawing, desktop publishing, outline processing and real-time home management (running the home heating, lighting and video recorder). And of course, it has a small foldout metal prong — after all, no Swiss Army computer would be complete without a gadget to remove things from horses' hooves.

□ Michael Burlace is an independent computer consultant operating from the Sydney Information Technology Centre (Itec). He may be contacted by writing to PO Box 57, Broadway 2007 or by phoning (02) 281 2111

Profound goes Compact



"PROFOUND. Australia's leading seller."

International Data Corporation Survey 1987.



Tomorrow's technology today.

Introducing the new Compact series from PROFOUND

COMPACT 88 - State of the art 8088¹ TURBO PROCESSOR for speed and flexibility.

COMPACT 286 - 80286¹⁰ Advanced technology processor incorporating zero wait-state memory to give optimum performance and processing power.

COMPACT 386 - PROFOUND's new flagship boasting maximum 80386 power for multi-user and stand-alone applications.

PROFOUND COMPUTERS BY
EASTERN
MICRO ELECTRONICS

MELBOURNE 45-47 TOPE STREET, SOUTH MELBOURNE, 3205. Telephone: (03) 699 3088. Telex: AA 38432. Fax: (03) 690 9562. SYDNEY Ground Floor, Fortune House, 88 FOUVEAUX STREET, SURRY HILLS, N.S.W., 2010. Telephone: (02) 212 6944. Fax: (03) 212 2245.

No other laser printer comes close on price and features. Check the features — and call us for the price!



Ricoh's PC Laser 6000 brings you versatility and cost effectiveness in laser printing. It produces up to 6 pages a minute — quietly — on any paper size from A5 to legal — and feeds envelopes!

Its 1Mb RAM is standard (upgradeable to 2Mb) providing for full A4 page graphics and crisp, clear 300 DPI images.

The Ricoh PC Laser 6000 also features: Diablo 630* and Ricoh Graphics emulations are standard. Compatibility with all leading software is assured. HP LaserJet Plus*, IBM Proprinter*, and Epson-FX* emulations are options which will ensure superb performance from your Ventura* and PageMaker* or any other leading desktop publishing software.

In addition to the standard paper input of 150 pages, the PC Laser offers an optional auxiliary paper input tray of 250 pages — letterheads in one, follow-on in the other or any combination you like!

Ricoh's front panel is especially user friendly — all functions of the printer are easily and comfortably available.

Of course another benefit you'll enjoy is the professional advice and service from a company with the computer know-how of Mitsui Computer.

You've read some of the features. Now call us for the sensational price of the remarkable Ricoh PC Laser 6000.



"The best business connections"

Sydney (02) 4517711 Melbourne (03) 690 6722 Brisbane (07) 369 7799

* Trademarks of the respective owners.